



2025

# KING SPRINGS MASTER CATALOGUE

All information contained in this catalogue supersedes all previous issues. Revised 16/04/25

© Copyright all rights reserved. No part of this catalogue may be reproduced in any form without permission in writing from King Springs. Our postal address is: P.O. Box 259 Ashmore City, 4214 QLD AUSTRALIA. We can be reached via e-mail at [sales@kingsprings.com.au](mailto:sales@kingsprings.com.au) or you can call us by telephone at +61 7 5539 6700



King Springworks Pty Ltd.  
2025 Master Catalogue

# 2025

## KING SPRINGS MASTER CATALOGUE

PAGE 3  
Product Information

PAGE 3  
Sales/Technical Points

PAGE 4+  
Car & 4WD performance replacement springs

LAST PAGE  
Warranty & Conditions

**K** King

---

**T** Toyota

---

**F** Front / R-Rear

---

**L** Lowered Height / S-Standard Height / R-Raised Height

---

**SL** Super Low

---

**SSL** Super Low -10mm

---

**SSSL** Super Low - 20mm

---

**AV** Armoured Vehicled

**C** Comfort Option

---

**T** Tapered Bar, Progressive Rate Comfort

---

**H** Extra Height + 10mm ~ +20mm

---

**HD** Extra Heavy Duty / Increased Height +10mm

---

**HHD** High Extra Heavy Duty / Increased Height +10mm

---

**EHD** Extra Heavy Duty ~ 1mm Thicker Wire

---

**SP** Alternate Design

# 2025

## KING SPRINGS MASTER CATALOGUE

### PRODUCT INFORMATION

There are 3 major reasons why springs are replaced

#### 1. Height

There are 3 options when changing vehicle ride height.

##### a. To lower the vehicle (Cosmetic Enhancement):

- i. The road
- ii. The tyres
- iii. The suspension bump stops

For these reasons, performance replacement springs should be fitted.

##### b. To maintain of return vehicle to standard height:

Most common when original springs have sagged or previously fitted lowered springs are no longer required.

##### c. To raise the vehicle:

Common in 4WD vehicles, heavily laden vehicles, LPG, towing or whenever increased ground clearance is required.

#### 2. Handling

When improvement in handling is required, king springs performance replacement springs will substantially reduce body roll and improve vehicles stability.

King springs performance lowered springs will also lower a vehicles centre of gravity.

#### 3. Heavy Loading

All vehicles are manufactured to a general acceptable standard and springs are no exception to this rule. With demands for comfort a growing priority, spring rates are kept as low as possible. For his reason, the original spring's ability to carry load and tow etc is, in most cases, poor.

King Springs performance replacement springs will decrease the vehicle's ride height loss under load and improve vehicle stability when laden.

King Springs performance replacement coil springs will achieve improvement in any or all of the above areas.

### Height options (generalisation options)

**SUPER LOW = Approximately 50mm Low**

**LOW = Approximately 30mm Low**

**STANDARD - Approximately standard plus 10mm**

**RAISED = Approximately standard plus 20-30mm**

For more specific recommendations call our Hotline on +61 7 55396700. NOTE: Kings Super Low & Ultra Low sports replacement coil spring range is designed primarily for cosmetic enhancement (show cars etc). These parts may therefore render your vehicle illegal for use on public roads. Super low springs lower vehicle approximately 10-15mm lower than normal low ultra low a further 10-15mm again. Toyota Lancruiser 80-100 series and Nissan Patrol GQ-GU "SP3- 4 - 5 & 7" Fronts and "SP3- 4 - 5 & 7" rear raised springs are available and lift the vehicle approximately 3",4",5" and 7" respectively. Depending on load, these parts may render the vehicle illegal for use on public roads. Modifications may be necessary to brake lines shock absorbers etc. These part No's are not covered by king springs general warranty and conditions.

### Progressive Rate (the facts)

King Springs are leaders in progressive rate coil spring technology. We incorporate both tapered wire and variable pitch in many of our designs where necessary to gain maximum achievable benefit in ride comfort, handling and varying load carrying capacity.

BMW E30	318 1983 - 1991	Lowered Coil	Front KDRL-50	\$A	EXCEPT CARS WITH M-TECH SUSPENSION. PROGRESSIVE RATE DESIGN USED.
			Rear KHRL-46SSSL	\$B	PROGRESSIVE RATE DESIGN USED.
		Standard Height Coil	Front KDRL-83	\$A	EXCEPT CARS WITH M-TECH SUSPENSION. PROGRESSIVE RATE DESIGN USED.
			Rear KHRL-46	\$B	EXCEPT CARS WITH M-TECH SUSPENSION. PROGRESSIVE RATE DESIGN USED.
	320,323,325 1983 - 1991	Super Low Coil	Front KDRL-50	\$A	EXCEPT CARS WITH M-TECH SUSPENSION. PROGRESSIVE RATE DESIGN USED.
			Rear KHRL-46SSSL	\$B	PROGRESSIVE RATE DESIGN USED.
		Lowered Coil	Front KDFL-01	\$A	EXCEPT CARS WITH M-TECH SUSPENSION. PROGRESSIVE RATE DESIGN USED.
			Rear KHRL-46SSSL	\$B	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KDRL-83	\$A	EXCEPT CARS WITH M-TECH SUSPENSION. PROGRESSIVE RATE DESIGN USED.		
	Rear KHRL-46	\$B	EXCEPT CARS WITH M-TECH SUSPENSION. PROGRESSIVE RATE DESIGN USED.		
	<hr/>				
	BMW E36	318 1990 - 9/1991	Lowered Coil	Front KTFL-26	\$D
Standard Height Coil			Rear KHRL-125	\$B	EXCEPT CARS WITH M-TECH SUSPENSION. PROGRESSIVE RATE DESIGN USED.
318 10/1991 - 2000	Super Low Coil	Front KBFL-19SL	\$D	EXCEPT CARS WITH M-TECH SUSPENSION. SHORTER SHOCKS REQUIRED.	
		Rear KBRL-17SL	\$D	EXCEPT CARS WITH M-TECH SUSPENSION. PROGRESSIVE RATE DESIGN USED.	
	Lowered Coil	Front KBFL-19	\$D	EXCEPT CARS WITH M-TECH SUSPENSION. SHORTER SHOCKS REQUIRED.	
		Standard Height Coil	Front KBFS-19	\$D	EXCEPT CARS WITH M-TECH SUSPENSION. NON STOCKED ITEM. CURRENTLY UNAVAILABLE
	Rear KHRL-125	\$B	EXCEPT CARS WITH M-TECH SUSPENSION. PROGRESSIVE RATE DESIGN USED.		
		<hr/>			
320,323,325,328 10/1991 - 2000	Super Low Coil	Front KBFL-19	\$D	EXCEPT CARS WITH M-TECH SUSPENSION. SHORTER SHOCKS REQUIRED.	
		Rear KBRL-17SL	\$D	EXCEPT CARS WITH M-TECH SUSPENSION. PROGRESSIVE RATE DESIGN USED.	
	Standard Height Coil	Rear KHRL-125	\$B	EXCEPT CARS WITH M-TECH SUSPENSION. PROGRESSIVE RATE DESIGN USED.	
		<hr/>			
320,325 1990 - 9/1991	Lowered Coil	Front KTFL-26	\$D	EXCEPT CARS WITH M-TECH SUSPENSION. PROGRESSIVE RATE DESIGN USED.	
	Standard Height Coil	Rear KHRL-125	\$B	EXCEPT CARS WITH M-TECH SUSPENSION. PROGRESSIVE RATE DESIGN USED.	
<hr/>					
BMW E46	318 1998 - 2005	Super Low Coil	Front KBFL-32SL	\$D	EXCEPT CARS WITH M-TECH SUSPENSION.
			Rear KBRL-18SL	\$D	EXCEPT CARS WITH M-TECH SUSPENSION. PROGRESSIVE RATE DESIGN USED.
	Lowered Coil	Front KBFL-32	\$B	EXCEPT CARS WITH M-TECH SUSPENSION.	
		<hr/>			
320,323,325,328,330 1998 - 2005	Super Low Coil	Front KBFL-32	\$B	EXCEPT CARS WITH M-TECH SUSPENSION.	
		Rear KBRL-18SL	\$D	EXCEPT CARS WITH M-TECH SUSPENSION. PROGRESSIVE RATE DESIGN USED.	
<hr/>					
BMW E90	SEDAN & COUPE 2005 - 2011	Super Low Coil	Rear KBRL-36SL	\$D	-
		Lowered Coil	Front KBFL-35	\$D	-
			Rear KBRL-36	\$D	-
<hr/>					
BMW E92	SEDAN & COUPE 2005 - 2011	Super Low Coil	Rear KBRL-36SL	\$D	-
		Lowered Coil	Front KBFL-35	\$D	-
			Rear KBRL-36	\$D	-
<hr/>					
BMW M3	E46 2001 - 2005	Lowered Coil	Front KBFL-32M3	\$C	-
			Rear KBRL-18SL	\$D	PROGRESSIVE RATE DESIGN USED.
<hr/>					
BMW X1	E84 5 DOOR 11/2010 - 7/2015	Lowered Coil	Front KBFL-35	\$D	-
			Rear KBRL-40	\$D	-
<hr/>					
BMW Z3	E36-7 ROADSTER 1.9 2.0 2.2 1977 - 2002	Lowered Coil	Front KBFL-19SL	\$D	-
			<hr/>		
E36-7 ROADSTER 2.8 3.0 3.2 1977 - 2002	Lowered Coil	Front KBFL-19	\$D	-	
		<hr/>			

CHEVROLET BELAIR/IMPALA	1958 - 1963	Super Low Coil	Front KCFL-52SL	\$B	20MM LOWER OPTION FOR LIGHTER/SMALLER ENGINE TYPES
		Lowered Coil	Front KCFL-52	\$B	-
			Rear KCRL-50	\$B	-
Standard Height Coil	Front KCFS-52	\$B	-		
1964 - 1970		Super Low Coil	Front KCFL-52SL	\$B	20MM LOWER OPTION FOR LIGHTER/SMALLER ENGINE TYPES
		Lowered Coil	Front KCFL-52	\$B	-
			Rear KCRL-51	\$B	CHECK COIL - MUST HAVE LOWER 50MM REDUCTION ON ONE END OF COIL.
Standard Height Coil	Front KCFS-52	\$B	-		

CHEVROLET CAMARO	V8 2010 - 2015	Super Low Coil	Front KHFL-300SL	\$D	-
---------------------	-------------------	----------------	------------------	-----	---

CHEVROLET SILVERADO	1500 2020 - Current	Raised Coil	Front KGMC-01	\$D	-
------------------------	------------------------	-------------	---------------	-----	---

## CHRYSLER

CHRYSLER 300 / 300C	6 CYL & HEMI V8 - SEDAN 2005 - 2015	Lowered Coil	Front KCFL-69	\$C	-
			Rear KCRL-70	\$B	THIS SPRING IS DESIGNED FOR THE USE OF THE ORIGINAL SELF LEVEL SHOCK ABSORBER

## DAEWOO

DAEWOO KORANDO	1998 - 2000	Raised Coil	Rear KMRS-90	\$B	-
-------------------	-------------	-------------	--------------	-----	---

DAEWOO MUSSO	1996 - 2002	Standard Height Coil	Rear KMRS-90	\$B	-
		Raised Coil	Rear KMRR-90	\$B	-

## DAIHATSU

DAIHATSU FEROZA	F-SERIES 8/1988 - 1997	Raised Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
		Raised EHD Leaf	Rear DIA-002	-	EXCEPT WIDE TRACK MODELS (70MM WIDE MATERIAL).
		Ubolts	Rear UB-658 X 4	-	RD 12X65X170
		Bushes Rear	Rear Spring Front Eye SPF-239K	-	-
			Rear Spring Rear Eye SPF-238K	-	-
			Rear Spring Upper SPF-560K	-	-
BUSH KIT	Kit KIT-063K	-	-		

DAIHATSU PYZAR	G301, G303 1997 - 2000	Standard Height Coil	Rear KTRS-36	\$A	-
-------------------	---------------------------	----------------------	--------------	-----	---

DAIHATSU ROCKY	F70 SWB All	Raised EHD Leaf	Front DIA-017	-	EXCEPT WIDE TRACK MODELS (70MM WIDE MATERIAL).
			Rear DIA-002	-	EXCEPT WIDE TRACK MODELS (70MM WIDE MATERIAL).
		Ubolts	Front UB-658 X 3	-	RD X 12 X 65 X 170
			Front UB-659 X 1	-	RD 12 X 82 X 170
			Rear UB-658 X 4	-	RD X 12 X 170
		Front Bushes	Front Spring Front Eye SPF-238K	-	-
			Front Spring Rear Eye SPF-238K	-	-
			Front Spring Upper SPF-560K	-	-
		Bushes Rear	Rear Spring Front Eye SPF-239K	-	-
			Rear Spring Rear Eye SPF-238K	-	-
			Rear Spring Upper SPF-560K	-	-
		BUSH KIT	Kit KIT-062K	-	-

**F73, F78**  
8/1993 - 1999

Raised Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
	Rear KHRS-17	<b>\$B</b>	-

**F75 LWB DIESEL**  
All

Raised EHD Leaf	Front DIA-017	-	EXCEPT WIDE TRACK MODELS (70MM WIDE MATERIAL).
	Rear DIA-002	-	EXCEPT WIDE TRACK MODELS (70MM WIDE MATERIAL).
Ubolts	Front UB-658 X 3	-	RD X 12 X 65 X 170
	Front UB-659 X 1	-	RD 12 X 82 X 170
	Rear UB-658 X 4	-	RD X 12 X 170
Front Bushes	Front Spring Front Eye SPF-238K	-	-
	Front Spring Rear Eye SPF-238K	-	-
	Front Spring Upper SPF-560K	-	-
Bushes Rear	Rear Spring Front Eye SPF-239K	-	-
	Rear Spring Rear Eye SPF-238K	-	-
	Rear Spring Upper SPF-560K	-	-
BUSH KIT	Kit KIT-062K	-	-

**F77 TRAY BACK DIESEL**  
All

Raised Leaf	Rear DIA-007	-	-
Raised EHD Leaf	Front DIA-017	-	EXCEPT WIDE TRACK MODELS (70MM WIDE MATERIAL).
	Rear DIA-008	-	-
Ubolts	Front SAMPLE REQ.	-	-
	Rear SAMPLE REQ.	-	-
Front Bushes	Front Spring Front Eye SPF-238K	-	-
	Front Spring Rear Eye SPF-238K	-	-
	Front Spring Upper SPF-560K	-	-
Bushes Rear	Rear Spring Front Eye SPF-238K	-	-
	Rear Spring Rear Eye SPF-316K	-	-
	Rear Spring Upper SPF-697K	-	-
BUSH KIT	Kit KIT-111K	-	-

**F80 SWB**  
All

Raised Leaf	Front DIA-003	-	EXCEPT WIDE TRACK MODELS (70MM WIDE MATERIAL).
Raised EHD Leaf	Rear DIA-002	-	EXCEPT WIDE TRACK MODELS (70MM WIDE MATERIAL).
Ubolts	Front UB-658 X 3	-	RD X 12 X 65 X 170
	Front UB-659 X 1	-	RD 12 X 82 X 170
	Rear UB-658 X 4	-	RD X 12 X 170
Front Bushes	Front Spring Front Eye SPF-238K	-	-
	Front Spring Rear Eye SPF-238K	-	-
	Front Spring Upper SPF-560K	-	-
Bushes Rear	Rear Spring Front Eye SPF-239K	-	-
	Rear Spring Rear Eye SPF-238K	-	-
	Rear Spring Upper SPF-560K	-	-
BUSH KIT	Kit KIT-062K	-	-

**F85 LWB PETROL**  
All

Raised Leaf	Front DIA-003	-	EXCEPT WIDE TRACK MODELS (70MM WIDE MATERIAL).
	Rear DIA-002	-	EXCEPT WIDE TRACK MODELS (70MM WIDE MATERIAL).
Ubolts	Front UB-658 X 3	-	RD X 12 X 65 X 170
	Front UB-659 X 1	-	RD 12 X 82 X 170
	Rear UB-658 X 4	-	RD X 12 X 170
Front Bushes	Front Spring Front Eye SPF-238K	-	-
	Front Spring Rear Eye SPF-238K	-	-
	Front Spring Upper SPF-560K	-	-
Bushes Rear	Rear Spring Front Eye SPF-239K	-	-
	Rear Spring Rear Eye SPF-238K	-	-
	Rear Spring Upper SPF-560K	-	-
BUSH KIT	Kit KIT-062K	-	-

**F87 TRAY BACK PETROL**  
All

Raised Leaf	Front DIA-003	-	EXCEPT WIDE TRACK MODELS (70MM WIDE MATERIAL).
	Rear DIA-007	-	-
Raised EHD Leaf	Rear DIA-008	-	-
Ubolts	Front SAMPLE REQ.	-	-
	Rear SAMPLE REQ.	-	-
Front Bushes	Front Spring Front Eye SPF-238K	-	-
	Front Spring Rear Eye SPF-238K	-	-
	Front Spring Upper SPF-560K	-	-
Bushes Rear	Rear Spring Front Eye SPF-238K	-	-
	Rear Spring Rear Eye SPF-316K	-	-
	Rear Spring Upper SPF-697K	-	-
BUSH KIT	Kit KIT-111K	-	-

**DAIHATSU**  
TERIOS  
J100, J102  
1997 - 2006

Lowered Coil	Front KDFL-90	<b>\$D</b>	-
	Rear KMFL-06	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.

**DODGE**

**DODGE**  
RAM  
1500 DS 3L ECO DIESEL  
1/2012 - Current

Raised Coil	Front KDFR-402	<b>\$C</b>	RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT PLEASE REUSE FACTORY INSULATOR FROM ORIGINAL COILS ONTO THE REPLACEMENT KING SPRINGS COILS
	Rear KDRR-403	<b>\$C</b>	RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil (100-250KG)	Front KDFR-402HD	<b>\$C</b>	PLEASE REUSE FACTORY INSULATOR FROM ORIGINAL COILS ONTO THE REPLACEMENT KING SPRINGS COILS
Raised Coil (100-300KG)	Rear KDRR-403HD	<b>\$C</b>	-
Raised Coil (500KG+)	Rear KDRR-403EHD	<b>\$C</b>	-

**1500 DS 5.7L V8 PETROL**  
1/2012 - Current

Raised Coil	Front KDFR-402	<b>\$C</b>	RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT PLEASE REUSE FACTORY INSULATOR FROM ORIGINAL COILS ONTO THE REPLACEMENT KING SPRINGS COILS
	Rear KDRR-403	<b>\$C</b>	RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil (100-250KG)	Front KDFR-402HD	<b>\$C</b>	PLEASE REUSE FACTORY INSULATOR FROM ORIGINAL COILS ONTO THE REPLACEMENT KING SPRINGS COILS
Raised Coil (100-300KG)	Rear KDRR-403HD	<b>\$C</b>	-
Raised Coil (500KG+)	Rear KDRR-403EHD	<b>\$C</b>	-

**1500 DT 3L ECO DIESEL - 182mm  
SPRING SEAT HEIGHT**  
1/2019 - Current

Raised Coil	Front KDFR-402	<b>\$C</b>	RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT PLEASE REUSE FACTORY INSULATOR FROM ORIGINAL COILS ONTO THE REPLACEMENT KING SPRINGS COILS MEASURES 182mm FROM CENTRE OF LOWER SHOCK ABSORBER BOLT TO BASE OF SPRING SEAT
	Rear KDRR-404	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil (100-250KG)	Front KDFR-402HD	<b>\$C</b>	PLEASE REUSE FACTORY INSULATOR FROM ORIGINAL COILS ONTO THE REPLACEMENT KING SPRINGS COILS MEASURES 182mm FROM CENTRE OF LOWER SHOCK ABSORBER BOLT TO BASE OF SPRING SEAT
Raised Coil (100-300KG)	Rear KDRR-404HD	<b>\$D</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Coil (500KG+)	Rear KDRR-404EHD	<b>\$D</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN

**1500 DT 3L ECO DIESEL - 210mm  
SPRING SEAT HEIGHT**  
1/2019 - Current

Raised Coil	Rear KDRR-404	-	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT
Raised Comfort Coil	Front KDFR-406	<b>\$C</b>	RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT MEASURES 210mm FROM CENTRE OF LOWER SHOCK ABSORBER BOLT TO BASE OF SPRING SEAT
Raised Coil (100-300KG)	Rear KDRR-404HD	-	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Coil (500KG+)	Rear KDRR-404EHD	<b>\$D</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN

**1500 DT 5.7L V8 PETROL - 210m  
SPRING SEAT HEIGHT**  
All

Raised Coil	Front KDFR-406	<b>\$C</b>	RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT MEASURES 210mm FROM CENTRE OF LOWER SHOCK ABSORBER BOLT TO BASE OF SPRING SEAT
	Rear KDRR-404	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil (100-300KG)	Rear KDRR-404HD	<b>\$D</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Coil (500KG+)	Rear KDRR-404EHD	<b>\$D</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN

**1500 DT 5.7L V8 PETROL - 182mm  
SPRING SEAT HEIGHT**  
1/2019 - Current

Raised Coil	Front KDFR-402	<b>\$C</b>	RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT PLEASE REUSE FACTORY INSULATOR FROM ORIGINAL COILS ONTO THE REPLACEMENT KING SPRINGS COILS MEASURES 182mm FROM CENTRE OF LOWER SHOCK ABSORBER BOLT TO BASE OF SPRING SEAT
	Rear KDRR-404	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil (100-250KG)	Front KDFR-402HD	<b>\$C</b>	PLEASE REUSE FACTORY INSULATOR FROM ORIGINAL COILS ONTO THE REPLACEMENT KING SPRINGS COILS MEASURES 182mm FROM CENTRE OF LOWER SHOCK ABSORBER BOLT TO BASE OF SPRING SEAT
Raised Coil (100-300KG)	Rear KDRR-404HD	<b>\$D</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Coil (500KG+)	Rear KDRR-404EHD	<b>\$D</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN

**2500 4X4 4 DOOR**  
2014 - Current

Raised Coil	Front KDFR-400	<b>\$E</b>	RAISES THE CAR APPROXIMATELY 20-25MM FROM ORIGINAL STANDARD HEIGHT
	Rear KDRR-401	<b>\$E</b>	RAISES THE CAR APPROXIMATELY 20-25MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil (50-100KG)	Front KDFR-400H	<b>\$E</b>	RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT
Raised Comfort Coil (100-250KG)	Rear KDRR-401H	<b>\$E</b>	RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil (300-500KG)	Rear KDRR-401HH	<b>\$E</b>	-

**DODGE**  
RAM TRX  
**1500 DT 6.2L V8 PETROL**  
2022 - Current

Raised Coil	Front KDFR-407	<b>\$E</b>	RAISES THE CAR APPROXIMATELY 50-55MM FROM ORIGINAL STANDARD HEIGHT
	Rear KDRR-408	<b>\$E</b>	RAISES THE CAR APPROXIMATELY 50-55MM FROM ORIGINAL STANDARD HEIGHT

**FIAT**

**FIAT**  
DUCATO  
MOTORHOME  
**250**  
2007 - 2016

Raised Coil	Front KFFR-37	<b>\$C</b>	EXTRA HEAVY DUTY - FOR USE WITH WEIGHT HANGING OVER TOP OF CABIN
	Front KFFR-37SP	<b>\$C</b>	HEAVY DUTY - FOR USE WITH NO WEIGHT HANGING OVER TOP OF CABIN

**FORD**



FORD CAPRI	4CYL 1969 - 1973	Standard Height Coil	Front KFFL-13	\$A	PROGRESSIVE RATE DESIGN USED.	
	SA, SC, SE 1989 - 1994	Lowered Coil	Front KFFL-15	\$A	PROGRESSIVE RATE DESIGN USED.	
		Standard Height Coil	Front KFFS-45	\$A	-	
V6 1969 - 1973	Lowered Coil	Front KFFL-13	\$A	PROGRESSIVE RATE DESIGN USED.		
FORD CORSAIR	U12 SEDAN 1989 - 1992	Lowered Coil	Front KDRL-83	\$A	PROGRESSIVE RATE DESIGN USED.	
			Rear KDRL-50	\$A	PROGRESSIVE RATE DESIGN USED.	
FORD CORTINA	TC, TD 4 CYL - SEDAN 1971 - 1976	Lowered Coil	Front KFFL-03	\$B	-	
			Rear KFRL-05	\$C	PROGRESSIVE RATE DESIGN USED.	
	TC, TD 6CYL - SEDAN 1971 - 1976	Super Low Coil	Front KFFL-03	\$B	-	
			Lowered Coil	Front KFFL-04	\$B	-
			Rear KFRL-05	\$C	PROGRESSIVE RATE DESIGN USED.	
	Standard Height Coil	Front KFFS-04	\$A	-		
		Lowered Coil	Rear KFRL-05	\$C	PROGRESSIVE RATE DESIGN USED.	
		TE 4 CYL - SEDAN 1977 - 1980	Lowered Coil	Front KFFS-14	\$A	-
	TE 6CYL STEEL HEAD - SEDAN 1977 - 1980	Super Low Coil	Front KFFL-59	\$A	PROGRESSIVE RATE DESIGN USED.	
			Lowered Coil	Front KFFL-0	\$A	PROGRESSIVE RATE DESIGN USED.
			Rear KFRL-05	\$C	PROGRESSIVE RATE DESIGN USED.	
	Standard Height Coil	Standard Height Coil > Front H/Duty KFFL-02	\$A	PROGRESSIVE RATE DESIGN USED.		
		TE, TF 6CYL ALLOY HEAD - SEDAN 1977 - 1983	Lowered Coil	Front KFFL-59	\$A	PROGRESSIVE RATE DESIGN USED.
Rear KFRL-05				\$C	PROGRESSIVE RATE DESIGN USED.	
Standard Height Coil	Front KFFL-01	\$A	-			
TF 4 CYL - SEDAN 1980 - 1983	Lowered Coil	Front KFFL-14	\$A	-		
		Rear KFRL-05	\$C	PROGRESSIVE RATE DESIGN USED.		
		Standard Height Coil	Front KFFS-14	\$A	-	
FORD ECONOVAN	PETROL 1979 - 1988	Standard Height Coil	Front KFFS-32	\$D	-	
FORD ESCORT	2 LITRE ONLY 1978 - 1981	Lowered Coil	Front KFFL-13	\$A	PROGRESSIVE RATE DESIGN USED.	
			Bushes Rear	Rear Spring Front Eye SPF-935K	-	-
				Rear Spring Rear Eye SPF-933K	-	-
				Rear Spring Upper SPF-934K 20MM	-	-

**NEXT GENERATION 4Cyl**  
2023 - Current

Standard Height Coil	Front KFFS-122SP	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 15-20MM FROM ORIGINAL STANDARD HEIGHT
Standard Height Coil (50-100KG)	Rear KFRR-106	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 20-25MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil	Front KFFR-122SP	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT
	Rear KFRR-125	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 30-35MM FROM ORIGINAL STANDARD HEIGHT
Raised Comfort Coil (50-100KG)	Front KFFR-122T	<b>\$C</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil (50-100KG)	Front KFFR-122	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil (100-300KG)	Rear KFRR-125HD	<b>\$C</b>	THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY

**NEXT GENERATION 6Cyl**  
2023 - Current

Standard Height Coil	Front KFFS-122	<b>\$B</b>	-
Standard Height Coil (50-100KG)	Rear KFRR-106	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 20-25MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil	Front KFFR-122	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT
	Front KFFR-122B	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT ** BLACK COILS - FRONT RAISED ONLY TO LEVEL OUT VEHICLE - MATCH BLACK OE COIL
	Rear KFRR-125	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 30-35MM FROM ORIGINAL STANDARD HEIGHT
Raised Comfort Coil	Front KFFR-122T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT
Raised Comfort Coil (50-100KG)	Front KFFR-122HT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil (50-100KG)	Front KFFR-122H	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil (100-300KG)	Rear KFRR-125H	<b>\$B</b>	THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY
	Rear KFRR-125H	<b>\$B</b>	THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY
	Rear KFRR-125HD	<b>\$C</b>	THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY

**UA - 4X4 3.2TD**  
7/2015 - 2017

Raised Coil	Front KFFR-08	<b>\$B</b>	-
	Rear KFRR-106	<b>\$B</b>	-
Raised Coil (100-300KG)	Rear KFRR-106HD	<b>\$B</b>	THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY
	Rear KFRR-125H	<b>\$B</b>	THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY
Raised Coil (300-500KG)	Rear KFRR-125HD	<b>\$C</b>	THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY

**UAI1 - 4X4 2.0TTD**  
2018 - 2022

Raised Coil	Front KFFR-24	<b>\$B</b>	-
	Rear KFRR-106	<b>\$B</b>	-
Raised Coil (100-300KG)	Rear KFRR-106HD	<b>\$B</b>	THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY
Raised Coil (300-500KG)	Rear KFRR-125H	<b>\$B</b>	THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY
	Rear KFRR-125HD	<b>\$C</b>	THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY

**UAI1 - 4X4 3.2TD**  
2018 - 2022

Raised Coil	Front KFFR-24	<b>\$B</b>	-
	Rear KFRR-106	<b>\$B</b>	-
Raised Coil (100-300KG)	Rear KFRR-106HD	<b>\$B</b>	THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY
Raised Coil (300-500KG)	Rear KFRR-125H	<b>\$B</b>	THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY
	Rear KFRR-125HD	<b>\$C</b>	THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY

FORD EXPLORER	UN, UP, UQ, US 1996 - 2001	Raised Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
		Bushes Rear	Rear Spring Front Eye SPF-1207K	-	-
			Rear Spring Rear Eye SPF-469K	-	-
BUSH KIT	Kit KIT-066K	-	-		
FORD F100	2WD 1967 - 1981	Standard Height Coil	Front KFFS-06	\$C	-
	2WD & BRONCO 1982 - 1987	Standard Height Coil	Front KFFS-10	\$D	-
FORD FAIRLANE	AU 8CYL 2000 - 2003	Super Low Coil	Front KFFL-57SL	\$A	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
			Rear KFRL-67SL	\$A	PROGRESSIVE RATE DESIGN USED.
		Lowered Coil	Front KFFL-57	\$A	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
			Rear KFRL-67	\$A	PROGRESSIVE RATE DESIGN USED.
		Standard Height Coil	Front KFFS-57	\$A	-
	Raised Coil	Front KFFR-57	\$A	-	
	BA, BF 6CYL & 8CYL 2003 - 2007	Super Low Coil	Front KFFL-57	\$A	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
			Rear KFRL-68SL	\$B	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
		Lowered Coil	Front KFFL-57SP	\$A	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
			Rear KFRL-68	\$B	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
		Standard Height Coil	Front KFFR-57	\$A	-
			Rear KFRS-68	\$B	-
		Raised Coil	Front KFFR-57H	\$A	-
			Rear KFRR-68	\$B	-
	NA, NC, NF, NL/LTD DA, DC, DF, DL 6CYL 1988 - 1999	Super Low Coil	Front KFFL-26SL	\$A	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
Rear KFRL-27			\$A	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. NOT SUITABLE FOR SELF LEVELLING TYPE SHOCK ABSORBERS - WHEN REPLACING SELF LEVELLING UNITS THIS PART NO MUST BE USED WITH CONVENTIONAL SHOCK ABSORBERS. PROGRESSIVE RATE DESIGN USED.	
Lowered Coil		Rear KFRL-18	\$A	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. NOT SUITABLE FOR SELF LEVELLING TYPE SHOCK ABSORBERS - WHEN REPLACING SELF LEVELLING UNITS THIS PART NO MUST BE USED WITH CONVENTIONAL SHOCK ABSORBERS. PROGRESSIVE RATE DESIGN USED.	
		Standard Height Coil	Front KFFR-26	\$B	-
Standard Height Coil		Rear KFRS-18	\$A	NOT SUITABLE FOR SELF LEVELLING TYPE SHOCK ABSORBERS - WHEN REPLACING SELF LEVELLING UNITS THIS PART NO MUST BE USED WITH CONVENTIONAL SHOCK ABSORBERS.	
NC, NF, NL/LTD DC-DL 8CYL 1992 - 1999	Super Low Coil	Front KFFL-52SL	\$A	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.	
		Rear KFRL-27	\$A	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. NOT SUITABLE FOR SELF LEVELLING TYPE SHOCK ABSORBERS - WHEN REPLACING SELF LEVELLING UNITS THIS PART NO MUST BE USED WITH CONVENTIONAL SHOCK ABSORBERS. PROGRESSIVE RATE DESIGN USED.	
	Lowered Coil	Front KFFL-52	\$A	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.	
		Rear KFRL-18	\$A	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. NOT SUITABLE FOR SELF LEVELLING TYPE SHOCK ABSORBERS - WHEN REPLACING SELF LEVELLING UNITS THIS PART NO MUST BE USED WITH CONVENTIONAL SHOCK ABSORBERS. PROGRESSIVE RATE DESIGN USED.	
	Standard Height Coil	Rear KFRS-18	\$A	NOT SUITABLE FOR SELF LEVELLING TYPE SHOCK ABSORBERS - WHEN REPLACING SELF LEVELLING UNITS THIS PART NO MUST BE USED WITH CONVENTIONAL SHOCK ABSORBERS.	

**ZA, ZB, ZC, ZD**  
1967 - 1970

Super Low Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-02	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-02	<b>\$A</b>	-
Raised Coil	Front KFFR-02	<b>\$B</b>	-
Ubolts	Rear UB-02 X 4	-	RD 7/16 X 2 7/8 X 8"

**ZF, ZG**  
1970 - 1976

Super Low Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-02	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-02	<b>\$A</b>	-
Raised Coil	Front KFFR-02	<b>\$B</b>	-
Ubolts	Rear UB-02 X 4	-	RD 7/16 X 2 7/8 X 8"

**ZH**  
1976 - 1979

Super Low Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-02	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-02	<b>\$A</b>	-
Raised Coil	Front KFFR-02	<b>\$B</b>	-
Ubolts	Rear UB-02 X 4	-	RD 7/16 X 2 7/8 X 8"

**ZJ**  
1979 - 1982

Super Low Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-02	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear FOR-521 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KFFS-02	<b>\$A</b>	-
Standard Height Leaf	Rear FOR-522 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Raised Coil	Front KFFR-02	<b>\$B</b>	-
Ubolts	Rear UB-02 X 4	-	RD 7/16 X 2 7/8 X 8"

**ZK,ZL/LTD FD,FE 6CYL**  
1982 - 1988

Super Low Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-18	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-01	<b>\$A</b>	-
	Rear KFRS-28	<b>\$C</b>	-
Raised Coil	Front KFFS-02	<b>\$A</b>	-

**ZK,ZL/LTD FD,FE 8CYL**  
1982 - 1988

Super Low Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-18	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-02	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-02	<b>\$A</b>	-
	Rear KFRS-28	<b>\$C</b>	-
Raised Coil	Front KFFR-02	<b>\$B</b>	-

**FORD**  
FALCON**AU - 1 TONNER**  
1999 - 2002

Standard Height Coil	Front KFFS-57	<b>\$A</b>	-
Raised Coil	Front KFFR-57	<b>\$A</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye SPF-1744K	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-

**AU - UTE**  
1999 - 2002

Ultra Low Coil	Front KFFL-57SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-57SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Leaf	Rear FOR-303SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Lowered Coil	Front KFFL-57	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear FOR-303 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Standard Height Coil	Front KFFS-57	<b>\$A</b>	-
Raised Coil	Front KFFR-57	<b>\$A</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye SPF-1744K	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**AU - UTE XR SERIES**  
1999 - 2002

Super Low Coil	Front KFFL-57SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Leaf	Rear FOR-303SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Lowered Coil	Front KFFL-57SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear FOR-303 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Standard Height Coil	Front KFFL-57	<b>\$A</b>	-
Standard Height Leaf	Rear FOR-304 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Raised Coil	Front KFFS-57	<b>\$A</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"

**AU 6CYL & 8CYL - WAGON**  
1998 - 2002

Ultra Low Coil	Front KFFL-57SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-57SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-57	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-57	<b>\$A</b>	-
Raised Coil	Front KFFR-57	<b>\$A</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**AU 6CYL & 8CYL IRS - SEDAN**  
1998 - 2002

Ultra Low Coil	Front KFFL-57SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-67SSL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-57SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-67SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-57	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-67	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-57	<b>\$A</b>	-
Raised Coil	Front KFFR-57	<b>\$A</b>	-

**AU 6CYL & 8CYL LIVE AXLE - SEDAN**  
1998 - 2002

Ultra Low Coil	Front KFFL-57SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-27SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-57SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-27SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-57	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-27	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. NOT SUITABLE FOR SELF LEVELLING TYPE SHOCK ABSORBERS - WHEN REPLACING SELF LEVELLING UNITS THIS PART NO MUST BE USED WITH CONVENTIONAL SHOCK ABSORBERS. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-57	<b>\$A</b>	-
	Rear KFRS-27	<b>\$A</b>	NOT SUITABLE FOR SELF LEVELLING TYPE SHOCK ABSORBERS - WHEN REPLACING SELF LEVELLING UNITS THIS PART NO MUST BE USED WITH CONVENTIONAL SHOCK ABSORBERS.
Raised Coil	Front KFFR-57	<b>\$A</b>	-
	Rear KFRS-18	<b>\$A</b>	NOT SUITABLE FOR SELF LEVELLING TYPE SHOCK ABSORBERS - WHEN REPLACING SELF LEVELLING UNITS THIS PART NO MUST BE USED WITH CONVENTIONAL SHOCK ABSORBERS.

**AU XR6 - LIVE AXLE**  
1998 - 2002

Super Low Coil	Front KFFL-57SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-27SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-57SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-27SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. NOT SUITABLE FOR SELF LEVELLING TYPE SHOCK ABSORBERS - WHEN REPLACING SELF LEVELLING UNITS THIS PART NO MUST BE USED WITH CONVENTIONAL SHOCK ABSORBERS. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFL-57	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-27	<b>\$A</b>	NOT SUITABLE FOR SELF LEVELLING TYPE SHOCK ABSORBERS - WHEN REPLACING SELF LEVELLING UNITS THIS PART NO MUST BE USED WITH CONVENTIONAL SHOCK ABSORBERS. PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KFFS-57	<b>\$A</b>	-
	Rear KFRS-27	<b>\$A</b>	NOT SUITABLE FOR SELF LEVELLING TYPE SHOCK ABSORBERS - WHEN REPLACING SELF LEVELLING UNITS THIS PART NO MUST BE USED WITH CONVENTIONAL SHOCK ABSORBERS.

**AU XR6 XR8 & T SERIES - IRS**  
1998 - 2002

Super Low Coil	Front KFFL-57SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-67SSL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-57SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-67SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFL-57	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-67	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KFFS-57	<b>\$A</b>	-

**BA, BF - 1 TONNER**  
2002 - 6/2007

Standard Height Coil	Front KFFR-57	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
	Raised Coil	Front KFFR-57H	<b>\$A</b>
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye SPF-1744K	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-

**BA, BF - SEDAN**  
2002 - 6/2007

Ultra Low Coil	Front KFFL-57SL	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-68SSL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-57	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-68SL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-57SP	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-68	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFR-57	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
	Rear KFRS-68	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KFFR-57H	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
	Rear KFRR-68	<b>\$B</b>	-

**BA, BF - UTE**  
2002 - 6/2007

Ultra Low Coil	Front KFFL-57SL	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Ultra Low Leaf	Rear FOR-303SSL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Super Low Coil	Front KFFL-57	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Leaf	Rear FOR-303SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Lowered Coil	Front KFFL-57SP	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear FOR-303 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Standard Height Coil	Front KFFR-57	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
Raised Coil	Front KFFR-57H	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye SPF-1744K	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**BA, BF - WAGON**  
2002 - 6/2007

Ultra Low Coil	Front KFFL-57SL	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-57	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-57SP	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFR-57	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
Raised Coil	Front KFFR-57H	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-



**BA, BF GT & GTP**  
2002 - 6/2007

Ultra Low Coil	Front KFFL-57SL	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-68SSSL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-57	-	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-57SP	-	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFL-57SP/520	<b>\$D</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. PROGRESSIVE RATE DESIGN USED. NON STOCKED ITEM. CURRENTLY UNAVAILABLE
Raised Coil	Front KFFS-57	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
	Rear KFRS-68	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**BA, BF XR6 - SEDAN**  
2002 - 6/2007

Ultra Low Coil	Front KFFL-57SSL	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-68SSSL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-57SL	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-68SSL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-57	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-68SL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFL-57SP	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-68	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KFFS-57	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
	Rear KFRS-68	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**BA, BF XR6 - UTE**  
2002 - 6/2007

Ultra Low Coil	Front KFFL-57SSL	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Ultra Low Leaf	Rear FOR-303SSL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Super Low Coil	Front KFFL-57SL	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Leaf	Rear FOR-303SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Lowered Coil	Front KFFL-57	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear FOR-303 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Standard Height Coil	Front KFFL-57SP	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Leaf	Rear FOR-304 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Raised Coil	Front KFFS-57	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye SPF-1744K	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**BA, BF XR8 - SEDAN**  
2002 - 6/2007

Ultra Low Coil	Front KFFL-57SL	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-68SSSL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-57	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-68SSL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-57SP	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-68SL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFR-57	-	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
	Rear KFRL-68	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KFFR-57H	-	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
	Rear KFRS-68	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**BA, BF XR8 - UTE**  
2002 - 6/2007

Ultra Low Coil	Front KFFL-57SL	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Ultra Low Leaf	Rear FOR-303SSL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Super Low Coil	Front KFFL-57	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Leaf	Rear FOR-303SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Lowered Coil	Front KFFL-57SP	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear FOR-303 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Standard Height Coil	Front KFFR-57	-	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
Standard Height Leaf	Rear FOR-304 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Raised Coil	Front KFFR-57H	-	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye SPF-1744K	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**BF MK II - 1 TONNER**  
7/2007 - 4/2008

Standard Height Coil	Front KFFS-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
Raised Coil	Front KFFR-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye SPF-1744K	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-

**BF MK II - SEDAN**  
7/2007 - 4/2008

Ultra Low Coil	Rear KFRL-68SSL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-53SL	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
	Rear KFRL-68SL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
	Rear KFRL-68	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
	Rear KFRS-68	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KFFR-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
	Rear KFRR-68	<b>\$B</b>	-

**BF MK II - UTE**  
7/2007 - 4/2008

Ultra Low Leaf	Rear FOR-303SSL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Super Low Coil	Front KFFL-53SL	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
Super Low Leaf	Rear FOR-303SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Lowered Coil	Front KFFL-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
Lowered Leaf	Rear FOR-303 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Standard Height Coil	Front KFFS-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
Raised Coil	Front KFFR-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye SPF-1744K	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**BF MK II - UTE XR6**  
7/2007 - 4/2008

Ultra Low Leaf	Rear FOR-303SSL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Super Low Leaf	Rear FOR-303SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Lowered Coil	Front KFFL-53SL	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
Lowered Leaf	Rear FOR-303 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Standard Height Coil	Front KFFL-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
Standard Height Leaf	Rear FOR-304 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Raised Coil	Front KFFS-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye SPF-1744K	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**BF MK II - UTE XR8**  
7/2007 - 4/2008

Ultra Low Leaf	Rear FOR-303SSL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Super Low Leaf	Rear FOR-303SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Lowered Coil	Front KFFL-53SL	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
Lowered Leaf	Rear FOR-303 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Standard Height Coil	Front KFFL-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
Standard Height Leaf	Rear FOR-304 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Raised Coil	Front KFFR-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye SPF-1744K	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**BF MK II GT & GTP**  
7/2007 - 4/2008

Ultra Low Coil	Rear KFRL-68SSSL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-53SL	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
Standard Height Coil	Front KFFL-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
Raised Coil	Front KFFS-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
	Rear KFRS-68	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**BF MK II III - WAGON**  
7/2007 - 2011

Super Low Coil	Front KFFL-53SL	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
Lowered Coil	Front KFFL-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
Standard Height Coil	Front KFFS-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
Raised Coil	Front KFFR-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**BF MK II XR6 - SEDAN**  
7/2007 - 4/2008

Ultra Low Coil	Rear KFRL-68SSSL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Rear KFRL-68SSL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-53SL	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
	Rear KFRL-68SL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFL-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
	Rear KFRL-68	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KFFS-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
	Rear KFRS-68	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**BF MK II XR8 - SEDAN**  
7/2007 - 4/2008

Ultra Low Coil	Rear KFRL-68SSSL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Rear KFRL-68SSL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-53SL	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
	Rear KFRL-68SL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFL-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
	Rear KFRL-68	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KFFS-53	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED.
	Rear KFRS-68	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**EA, EB, ED, EF, EL 6CYL - SEDAN**  
1988 - 1997

Ultra Low Coil	Front KFFL-26SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
	Rear KFRL-27SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-26SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
	Rear KFRL-27SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-26	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
	Rear KFRL-27	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. NOT SUITABLE FOR SELF LEVELLING TYPE SHOCK ABSORBERS - WHEN REPLACING SELF LEVELLING UNITS THIS PART NO MUST BE USED WITH CONVENTIONAL SHOCK ABSORBERS. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-26	<b>\$A</b>	-
	Rear KFRS-27	<b>\$A</b>	NOT SUITABLE FOR SELF LEVELLING TYPE SHOCK ABSORBERS - WHEN REPLACING SELF LEVELLING UNITS THIS PART NO MUST BE USED WITH CONVENTIONAL SHOCK ABSORBERS.
Raised Coil	Front KFFR-26	<b>\$B</b>	-
	Rear KFRS-18	<b>\$A</b>	NOT SUITABLE FOR SELF LEVELLING TYPE SHOCK ABSORBERS - WHEN REPLACING SELF LEVELLING UNITS THIS PART NO MUST BE USED WITH CONVENTIONAL SHOCK ABSORBERS.

**EA, EB, ED, EF, EL 6CYL - WAGON**  
1988 - 1997

Ultra Low Coil	Front KFFL-26SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
Super Low Coil	Front KFFL-26SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
Lowered Coil	Front KFFL-26	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
Standard Height Coil	Front KFFS-26	<b>\$A</b>	-
Raised Coil	Front KFFR-26	<b>\$B</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"

**EB, ED, EF, EL 8CYL - SEDAN**  
1991 - 1997

Ultra Low Coil	Front KFFL-26SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
	Rear KFRL-27SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-52SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
	Rear KFRL-27SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-52	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
	Rear KFRL-27	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. NOT SUITABLE FOR SELF LEVELLING TYPE SHOCK ABSORBERS - WHEN REPLACING SELF LEVELLING UNITS THIS PART NO MUST BE USED WITH CONVENTIONAL SHOCK ABSORBERS. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Rear KFRS-27	<b>\$A</b>	NOT SUITABLE FOR SELF LEVELLING TYPE SHOCK ABSORBERS - WHEN REPLACING SELF LEVELLING UNITS THIS PART NO MUST BE USED WITH CONVENTIONAL SHOCK ABSORBERS.
Raised Coil	Rear KFRS-18	<b>\$A</b>	NOT SUITABLE FOR SELF LEVELLING TYPE SHOCK ABSORBERS - WHEN REPLACING SELF LEVELLING UNITS THIS PART NO MUST BE USED WITH CONVENTIONAL SHOCK ABSORBERS.

**EB, ED, EF, EL 8CYL - WAGON**  
1991 - 1997

Ultra Low Coil	Front KFFL-26SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
Super Low Coil	Front KFFL-52SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
Lowered Coil	Front KFFL-52	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"

**ED, EF, EL XR6**  
1993 - 1997

Super Low Coil	Front KFFL-26SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
	Rear KFRL-27SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-26SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
	Rear KFRL-27SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. NOT SUITABLE FOR SELF LEVELLING TYPE SHOCK ABSORBERS - WHEN REPLACING SELF LEVELLING UNITS THIS PART NO MUST BE USED WITH CONVENTIONAL SHOCK ABSORBERS. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFL-26	<b>\$A</b>	-
	Rear KFRL-27	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KFFS-26	<b>\$A</b>	-
	Rear KFRS-27	<b>\$A</b>	-

**ED, EF, EL XR8**  
1993 - 1997

Super Low Coil	Rear KFRL-27SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-52SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
	Rear KFRL-27SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. NOT SUITABLE FOR SELF LEVELLING TYPE SHOCK ABSORBERS - WHEN REPLACING SELF LEVELLING UNITS THIS PART NO MUST BE USED WITH CONVENTIONAL SHOCK ABSORBERS. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFL-52	<b>\$A</b>	-
	Rear KFRL-27	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Raised Coil	Rear KFRS-27	<b>\$A</b>	-

**FG, FGX - 1 TONNER**  
8/2008 - 7/2016

Standard Height Coil	Front KFFS-40	<b>\$A</b>	-
Raised Coil	Front KFFR-40	<b>\$A</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye SPF-1744K	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-

**FG, FGX 6CYL - SEDAN**  
5/2008 - 10/2016

Ultra Low Coil	Front KFFL-40SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-68SSSL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-40SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-68SSL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-40	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-68SL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-40	<b>\$A</b>	-
	Rear KFRL-68	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KFFR-40	<b>\$A</b>	-
	Rear KFFR-68	<b>\$B</b>	-

**FG, FGX 6CYL - UTE**  
5/2008 - 7/2016

Ultra Low Coil	Front KFFL-40SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Ultra Low Leaf	Rear FOR-303SSL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Super Low Coil	Front KFFL-40SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Leaf	Rear FOR-303SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Lowered Coil	Front KFFL-40	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear FOR-303 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Standard Height Coil	Front KFFS-40	<b>\$A</b>	** PLEASE MEASURE VEHICLE HUB TO GUARD PROIR TO ORDERING , AS MODEL OPTION VARIANTS MAY HAVE A DIFFERENT RIDE HEIGHT **
Raised Coil	Front KFFR-40	<b>\$A</b>	** PLEASE MEASURE VEHICLE HUB TO GUARD PROIR TO ORDERING , AS MODEL OPTION VARIANTS MAY HAVE A DIFFERENT RIDE HEIGHT **
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye SPF-1744K	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-



**FG, FGX 8CYL - UTE**  
5/2008 - 7/2016

Ultra Low Coil	Front KFFL-40SSSLHD	<b>\$C</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
Super Low Coil	Front KFFL-40SSSLHD	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-40	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear FOR-303 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Standard Height Coil	Front KFFS-40	<b>\$A</b>	-
Raised Coil	Front KFFR-40	<b>\$A</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye SPF-1744K	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**FG, FGX XR6 - SEDAN**  
5/2008 - 10/2016

Super Low Coil	Front KFFL-40SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-68SSSL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-40SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-68SSL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Rear KFRL-68	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KFFS-40	<b>\$A</b>	-
	Rear KFRS-68	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**FG, FGX XR6 - UTE**  
5/2008 - 7/2016

Ultra Low Leaf	Rear FOR-303SSL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Super Low Coil	Front KFFL-40SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Leaf	Rear FOR-303SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Lowered Coil	Front KFFL-40SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear FOR-303 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Standard Height Coil	Front KFFL-40	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Leaf	Rear FOR-304 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Raised Coil	Front KFFS-40	<b>\$A</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye SPF-1744K	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**FG, FGX XR8 - UTE**  
5/2008 - 7/2016

Ultra Low Coil	Front KFFL-40SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Ultra Low Leaf	Rear FOR-303SSL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Super Low Coil	Front KFFL-40SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Leaf	Rear FOR-303SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Lowered Coil	Front KFFL-40SSLHD	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear FOR-303 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Standard Height Coil	Front KFFL-40	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Leaf	Rear FOR-304 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. IMPORTED SPRING
Raised Coil	Front KFFS-40	<b>\$A</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye SPF-1744K	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**FG, FGX XR8 / GT - SEDAN**  
5/2008 - 10/2016

Ultra Low Coil	Front KFFL-40SSSLHD	<b>\$C</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
Super Low Coil	Front KFFL-40SSLHD	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-68SSSL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-40SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-68SSL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-40	<b>\$A</b>	-
	Rear KFRL-68	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KFFR-40	<b>\$A</b>	-
	Rear KFRS-68	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**XA, XB, XC 6CYL STEEL HEAD - SEDAN**  
1972 - 1979

Ultra Low Coil	Front KFFL-59	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Leaf	Rear FOR-503 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Lowered Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear FOR-501 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KFFS-01	<b>\$A</b>	-
Standard Height Leaf	Rear FOR-502 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Raised Coil	Front KFFS-02	<b>\$A</b>	-
Ubolts	Rear UB-02 X 4	-	RD 7/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**XA, XB, XC 6CYL STEEL HEAD - UTE**  
1972 - 1979

Ultra Low Coil	Front KFFL-59	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-01	<b>\$A</b>	-
Raised Coil	Front KFFS-02	<b>\$A</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**XA, XB, XC 6CYL STEEL HEAD - WAGON**  
1972 - 1979

Ultra Low Coil	Front KFFL-59	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-01	<b>\$A</b>	-
Raised Coil	Front KFFS-02	<b>\$A</b>	-
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**XA, XB, XC 8CYL - SEDAN/COUPE**  
1972 - 1979

Ultra Low Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Leaf	Rear FOR-503 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Lowered Coil	Front KFFL-02	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear FOR-501 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KFFS-02	<b>\$A</b>	-
Standard Height Leaf	Rear FOR-502 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Raised Coil	Front KFFR-02	<b>\$B</b>	-
Ubolts	Rear UB-02 X 4	-	RD 7/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**XA, XB, XC 8CYL - UTE**  
1972 - 1979

Ultra Low Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-02	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-02	<b>\$A</b>	-
Raised Coil	Front KFFR-02	<b>\$B</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**XA, XB, XC 8CYL - WAGON**  
1972 - 1979

Ultra Low Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-02	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-02	<b>\$A</b>	-
Raised Coil	Front KFFR-02	<b>\$B</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**XD 6CYL ALLOY HEAD - SEDAN**  
1980 - 1982

Super Low Coil	Front KFFL-59	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Leaf	Rear FOR-503SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Lowered Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear FOR-503 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KFFL-02	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Leaf	Rear FOR-504 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING NON STOCKED ITEM. CURRENTLY UNAVAILABLE
Raised Coil	Front KFFS-01	<b>\$A</b>	-
Ubolts	Rear UB-02 X 4	-	RD 7/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**XD 6CYL ALLOY HEAD - UTE**  
1979 - 1982

Super Low Coil	Front KFFL-59	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Standard Height Coil > Front H/Duty KFFL-02	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KFFS-01	<b>\$A</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**XD 6CYL ALLOY HEAD - WAGON**  
1980 - 1982

Super Low Coil	Front KFFL-59	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Standard Height Coil > Front H/Duty KFFL-02	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KFFS-01	<b>\$A</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**XD 6CYL STEEL HEAD - SEDAN**  
1972 - 1982

Super Low Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Leaf	Rear FOR-503SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Lowered Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear FOR-503 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KFFS-01	<b>\$A</b>	-
Standard Height Leaf	Rear FOR-504 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING. NON STOCKED ITEM. CURRENTLY UNAVAILABLE
Raised Coil	Front KFFS-02	<b>\$A</b>	-
Ubolts	Rear UB-02 X 4	-	RD 7/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**XD 6CYL STEEL HEAD - UTE**  
1972 - 1982

Ultra Low Coil	Front KFFL-59	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-01	<b>\$A</b>	-
Raised Coil	Front KFFS-02	<b>\$A</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**XD 6CYL STEEL HEAD - WAGON**  
1972 - 1982

Ultra Low Coil	Front KFFL-59	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-01	<b>\$A</b>	-
Raised Coil	Front KFFS-02	<b>\$A</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**XD 8CYL - SEDAN**  
1979 - 1982

Ultra Low Coil	Front KFFL-59	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear FOR-503 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KFFS-01	<b>\$A</b>	-
Standard Height Leaf	Rear FOR-504 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING NON STOCKED ITEM. CURRENTLY UNAVAILABLE
Raised Coil	Front KFFS-02	<b>\$A</b>	-
Ubolts	Rear UB-02 X 4	-	RD 7/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**XD 8CYL - UTE**  
1979 - 1982

Ultra Low Coil	Front KFFL-59	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-01	<b>\$A</b>	-
Raised Coil	Front KFFS-02	<b>\$A</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**XD 8CYL - WAGON**  
1979 - 1982

Ultra Low Coil	Front KFFL-59	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-01	<b>\$A</b>	-
Raised Coil	Front KFFS-02	<b>\$A</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**XD, XE, XF 8CYL - WAGON**  
1979 - 1985

Ultra Low Coil	Front KFFL-59	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-01	<b>\$A</b>	-
Raised Coil	Front KFFS-02	<b>\$A</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

<b>XE 8CYL - SEDAN</b> 1982 - 1985	Super Low Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
		Rear KFRL-27	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Lowered Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
		Rear KFRL-18	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Standard Height Coil	Front KFFS-01	<b>\$A</b>	-
		Rear KFRS-18	<b>\$A</b>	-
	Raised Coil	Front KFFS-02	<b>\$A</b>	-
	<b>XE XF 6CYL - SEDAN</b> 1982 - 1988	Super Low Coil	Front KFFL-59	<b>\$A</b>
Rear KFRL-27			<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil		Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
		Rear KFRL-18	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil		Rear KFRS-18	<b>\$A</b>	-
		Standard Height Coil > Front H/Duty KFFL-02	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil		Front KFFS-01	<b>\$A</b>	-
<b>XE, XF - UTE &amp; P/VAN</b> 1982 - 1992		Super Low Coil	Front KFFL-59	<b>\$A</b>
	Lowered Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Standard Height Coil	Standard Height Coil > Front H/Duty KFFL-02	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Raised Coil	Front KFFS-01	<b>\$A</b>	-
	Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
	Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
		Rear Spring Rear Eye SPF-2233 X 4	-	-
		Rear Spring Upper SPF-2233 X 4	-	-
Saddle Pads SPF-101K		-	-	
<b>XE, XF 6CYL - UTE</b> 1982 - 1988	Super Low Coil	Front KFFL-59	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Lowered Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Standard Height Coil	Standard Height Coil > Front H/Duty KFFL-02	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Raised Coil	Front KFFS-01	<b>\$A</b>	-
	Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
	Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
		Rear Spring Rear Eye SPF-2233 X 4	-	-
		Rear Spring Upper SPF-2233 X 4	-	-
Saddle Pads SPF-101K		-	-	
<b>XE, XF 6CYL - WAGON</b> 1982 - 1988	Super Low Coil	Front KFFL-59	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Lowered Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Standard Height Coil	Standard Height Coil > Front H/Duty KFFL-02	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Raised Coil	Front KFFS-01	<b>\$A</b>	-
	Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
	Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
		Rear Spring Rear Eye SPF-2233 X 4	-	-
		Rear Spring Upper SPF-2233 X 4	-	-
Saddle Pads SPF-101K		-	-	

**XG UTE & P/VAN**  
1993 - 1996

Super Low Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-01	<b>\$A</b>	-
Raised Coil	Front KFFS-02	<b>\$A</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**XH 6CYL - UTE & P/VAN**  
1996 - 1998

Super Low Coil	Front KFFL-26SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
Lowered Coil	Front KFFL-26	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
Standard Height Coil	Front KFFS-26	<b>\$A</b>	-
Raised Coil	Front KFFR-26	<b>\$B</b>	-
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**XH 8CYL - UTE / P/VAN**  
1996 - 1998

Super Low Coil	Front KFFL-52SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
Lowered Coil	Front KFFL-52	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
Ubolts	Rear UB-06 X 4	-	RD 9/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**XK, XL, XM, XP - SEDAN**  
1960 - 1966

Lowered Coil	Front KFFL-14	<b>\$A</b>	-
Standard Height Coil	Front KFFS-14	<b>\$A</b>	-

**XR, XT, XW, XY 6CYL - SEDAN**  
1967 - 1972

Ultra Low Coil	Front KFFL-59	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Leaf	Rear FOR-503 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Lowered Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear FOR-501 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KFFS-01	<b>\$A</b>	-
Standard Height Leaf	Rear FOR-502 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Raised Coil	Front KFFS-02	<b>\$A</b>	-
Ubolts	Rear UB-02 X 4	-	RD 7/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-



**XR, XT, XW, XY 8CYL CLEVELAND - SEDAN**  
1967 - 1972

Ultra Low Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Leaf	Rear FOR-503 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Lowered Coil	Front KFFL-02	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear FOR-501 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KFFS-02	<b>\$A</b>	-
Standard Height Leaf	Rear FOR-502 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Raised Coil	Front KFFR-02	<b>\$B</b>	-
Ubolts	Rear UB-02 X 4	-	RD 7/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**XR, XT, XW, XY 8CYL WINDSOR - SEDAN**  
1967 - 1972

Ultra Low Coil	Front KFFL-59	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KFFL-0	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Super Low Leaf	Rear FOR-503 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Lowered Coil	Front KFFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear FOR-501 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KFFS-01	<b>\$A</b>	-
Standard Height Leaf	Rear FOR-502 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Raised Coil	Front KFFS-02	<b>\$A</b>	-
Ubolts	Rear UB-02 X 4	-	RD 7/16 X 2 7/8 X 8"
Bushes Rear	Rear Spring Front Eye S-229 X 2	-	-
	Rear Spring Rear Eye SPF-2233 X 4	-	-
	Rear Spring Upper SPF-2233 X 4	-	-
	Saddle Pads SPF-101K	-	-

**FORD FOCUS**

**LR**  
2002 - 5/2005

Super Low Coil	Rear KFRL-74SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-73	<b>\$D</b>	-
	Rear KFRL-74	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Rear KFRS-74	<b>\$A</b>	-

**LS, LT, LV**  
6/2005 - 5/2011

Super Low Coil	Front KMFL-42SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-74SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KMFL-42	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-74	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KMFS-42	<b>\$B</b>	-
	Rear KFRS-74	<b>\$A</b>	-

**LS, LT, LV, XR5 TURBO**  
6/2005 - 5/2011

Lowered Coil	Front KMFL-42	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-74SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.

**LW**  
6/2011 - 6/2015

Lowered Coil	Front KMFL-42SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KFRL-74	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KMFS-42	<b>\$B</b>	-
	Rear KFRS-74	<b>\$A</b>	-

**TDCi DIESEL**  
7/2007 - 2015

Lowered Coil	Rear KFRL-74	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Rear KFRS-74	<b>\$A</b>	-

FORD LASER	KA, KB, KC, KE 1981 - 1990	Super Low Coil	Front KHFL-114	\$A	PROGRESSIVE RATE DESIGN USED.	
		Lowered Coil	Front KFFL-15	\$A	PROGRESSIVE RATE DESIGN USED.	
			Rear KFRL-16	\$A	PROGRESSIVE RATE DESIGN USED.	
KF, KH (INC TX3 2WD) 1990 - 9/1994		Standard Height Coil	Rear KFRS-51	\$D	-	
KN, KQ 2/1999 - 7/2002	Standard Height Coil	Front KMFS-93		\$A	-	
		Rear KMRS-94		\$A	-	
FORD MAVERICK	DA 1988 - 1994	Standard Height Coil	Front KDFS-42	\$B	-	
			Rear KDRS-43	\$C	-	
		Standard Height Coil (50-100KG)	Front KDFS-42HD	\$B	-	
			Raised Coil	Front KDFR-42	\$B	-
				Rear KDPR-43	\$B	PROGRESSIVE RATE DESIGN USED.
		Raised Comfort Coil	Rear KDRR-43	\$B	-	
			Front KDPR-42	\$B	PROGRESSIVE RATE DESIGN USED.	
		Raised Comfort Coil (50-100KG)	Front KDPR-42H	\$B	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.	
		Raised Coil (50-100KG)	Front KDFR-42HD	\$B	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.	
		Raised Coil (100-250KG)	Front KDFR-42HHD	\$B	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.	
		Raised Comfort Coil (100-250KG)	Rear KDPR-43HD	\$C	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. PROGRESSIVE RATE DESIGN USED.	
		Raised Coil (100-300KG)	Rear KDRR-43HD	\$C	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.	
		Raised Comfort Coil (300-500KG)	Rear KDPR-59SP	\$D	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. PROGRESSIVE RATE DESIGN USED.	
		Raised Coil (500KG+)	Rear KDRR-43EHD	\$D	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY	
Raised Coil (750KG+)	Rear KDRR-43SHD	\$E	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY			
FORD METEOR	GA, GB, GC 1981 - 1990	Lowered Coil	Front KFFL-15	\$A	PROGRESSIVE RATE DESIGN USED.	
			Rear KFRL-16	\$A	PROGRESSIVE RATE DESIGN USED.	
FORD MUSTANG	FM/FN - 8CYL 5.0LTR COUPE EXCL MRC 8/2015 - Current	Super Low Coil	Front KFFL-107SL	\$B	PROGRESSIVE RATE DESIGN USED. PLEASE NOTE, THIS PART NUMBER IS NOT SUITABLE FOR VEHICLES FITTED WITH MAGNETIC RIDE CONTROL (MRC)	
			Rear KFRL-108SL	\$B	PROGRESSIVE RATE DESIGN USED.	
		Lowered Coil	Front KFFL-107	\$B	PROGRESSIVE RATE DESIGN USED. PLEASE NOTE, THIS PART NUMBER IS NOT SUITABLE FOR VEHICLES FITTED WITH MAGNETIC RIDE CONTROL (MRC)	
			Rear KFRL-108	\$B	PROGRESSIVE RATE DESIGN USED.	
FORD RANGER	PJ, PK 4WD 2007 - 2011	Raised Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS	
		Raised Leaf	Rear MAZ-009 ZZ	-	LONGER UBOLTS REQUIRED. IMPORTED SPRING UP TO 300KG OF LOAD	
		Raised EHD Leaf	Rear MAZ-009HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM	
		Ubolts	Rear UB-07 X 4	-	RD 14 X 90 X 210	
		Pin	Rear SK-387-2G X 2	-	-	
		Shackle	Rear SK-386/1G X 2	-	-	
		Bushes Rear	Rear Spring Front Eye SPF-2670K	-	-	
			Rear Spring Rear Eye SPF-502K	-	-	
			Rear Spring Upper SPF-753K	-	-	
BUSH KIT	Kit KIT-145K	-	-			

**PX, PX II 4WD**  
2011 - 6/2018

Lowered Leaf	Rear MAZ-011	-	-
Standard Height Coil	Front KFFS-08	<b>\$B</b>	-
Raised Coil	Front KFFR-08	<b>\$B</b>	-
	Front KFFR-08T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Leaf	Rear MAZ-010 ZZ	-	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
Raised Comfort Leaf	Rear MAZ-010C ZZ	-	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. TOP STAGE ONLY LEAF SPRING. IMPORTED SPRING UP TO 300KG OF LOAD
Raised Comfort Coil (50-100KG)	Front KFFR-08H	<b>\$B</b>	-
	Front KFFR-08HT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Coil (50-100KG)	Front KFFR-08HD	<b>\$B</b>	-
Raised Coil (100-250KG)	Front KFFR-08HDT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Front KFFR-08HHD	<b>\$B</b>	-
Raised EHD Leaf	Rear MAZ-010HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM
Ubolts	Rear UB-07 X 4	-	RD 14 X 90 X 210
Pin	Rear SK-387-2G X 2	-	-
Shackle	Rear SK-390G X 2	-	-
Bushes Rear	Rear Spring Front Eye SPF-3802K	-	-
	Rear Spring Rear Eye SPF-3804K	-	-
	Rear Spring Upper SPF-3803K	-	-
BUSH KIT	Kit KIT-168K	-	-

**PXIII 4WD - EXC. FX4 MAX**  
7/2018 - 4/2022

Lowered Leaf	Rear MAZ-011	-	-
Raised Coil	Front KFFR-24	<b>\$B</b>	-
	Front KFFR-24T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Leaf	Rear MAZ-010 ZZ	-	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
Raised Comfort Leaf	Rear MAZ-010C ZZ	-	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. TOP STAGE ONLY LEAF SPRING. IMPORTED SPRING UP TO 300KG OF LOAD
Raised Comfort Coil (50-100KG)	Front KFFR-24H	<b>\$B</b>	-
	Front KFFR-24HT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Coil (100-250KG)	Front KFFR-24HD	<b>\$B</b>	-
	Front KFFR-24HH	<b>\$B</b>	-
	Front KFFR-24HHD	<b>\$B</b>	-
Raised EHD Leaf	Rear MAZ-010HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM
Ubolts	Rear UB-07 X 4	-	RD 14 X 90 X 210
Pin	Rear SK-387-2G X 2	-	-
Shackle	Rear SK-390G X 2	-	-
Bushes Rear	Rear Spring Front Eye SPF-3802K	-	-
	Rear Spring Rear Eye SPF-3804K	-	-
	Rear Spring Upper SPF-3803K	-	-
BUSH KIT	Kit KIT-168K	-	-

**PXIII 4WD - FX4 MAX**  
7/2018 - 4/2022

Raised Coil (50-100KG)	Front KFFR-24FX4	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 20-25MM FROM ORIGINAL STANDARD HEIGHT MUST HAVE BULL BAR FITTED - NOT RECOMMENDED FOR STD APPLICATION AS WILL LIFT TOO HIGH-MINIMAL DROOP
------------------------	------------------	------------	--

**PY MY22 P703 4CYL DIESEL 4WD**  
5/2022 - Current

Standard Height Coil	Front KFFS-122SP	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 15-20MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil	Front KFFR-122SP	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT
Raised Leaf	Rear FOR-025 ZZ	-	RECOMMEND FITTING TDSP-030 CENTRE BEARING SPACER KIT - TDSP-031 FOR MATRIX HEADLIGHT ADJUSTMENT LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM USE UBOLT TDUB-016
Raised Comfort Leaf	Rear FOR-025C ZZ	-	RECOMMEND FITTING TDSP-030 CENTRE BEARING SPACER KIT - TDSP-031 FOR MATRIX HEADLIGHT ADJUSTMENT LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING USE UBOLT TDUB-016
Raised Comfort Coil (50-100KG)	Front KFFR-122T	<b>\$C</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil (50-100KG)	Front KFFR-122	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. RAISES THE CAR APPROXIMATELY 50-55MM FROM ORIGINAL STANDARD HEIGHT
Raised EHD Leaf	Rear FOR-025HD ZZ	-	RECOMMEND FITTING TDSP-030 CENTRE BEARING SPACER KIT - TDSP-031 FOR MATRIX HEADLIGHT ADJUSTMENT LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM USE UBOLT TDUB-016HD
Ubolts	Rear TDUB-016	-	2 X U/BOLTS PER KIT - 2 KITS REQUIRED *NON HD PART NUMBER
	Rear TDUB-016HD	-	2 X U/BOLTS PER KIT - 2 KITS REQUIRED *FOR HD PART NUMBER

**PY MY22 P703 V6 DIESEL 4WD**  
5/2022 - Current

Standard Height Coil	Front KFFS-122SP	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 15-20MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil	Front KFFR-122	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 30-35MM FROM ORIGINAL STANDARD HEIGHT
	Front KFFR-122B	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 30-35MM FROM ORIGINAL STANDARD HEIGHT ** BLACK COILS - FRONT RAISED ONLY TO LEVEL OUT VEHICLE - MATCH BLACK OE COIL
Raised Leaf	Rear FOR-025 ZZ	-	RECOMMEND FITTING TDSP-030 CENTRE BEARING SPACER KIT - TDSP-031 FOR MATRIX HEADLIGHT ADJUSTMENT LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM USE UBOLT TDUB-016
Raised Comfort Coil	Front KFFR-122T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN RAISES THE CAR APPROXIMATELY 30-35MM FROM ORIGINAL STANDARD HEIGHT
Raised Comfort Leaf	Rear FOR-025C ZZ	-	RECOMMEND FITTING TDSP-030 CENTRE BEARING SPACER KIT - TDSP-031 FOR MATRIX HEADLIGHT ADJUSTMENT LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING USE UBOLT TDUB-016
Raised Comfort Coil (50-100KG)	Front KFFR-122HT	<b>\$C</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil (50-100KG)	Front KFFR-122H	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil (100-250KG)	Front KFFR-122HH	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. RAISES THE CAR APPROXIMATELY 30-35MM FROM ORIGINAL STANDARD HEIGHT
Raised EHD Leaf	Rear FOR-025HD ZZ	-	RECOMMEND FITTING TDSP-030 CENTRE BEARING SPACER KIT - TDSP-031 FOR MATRIX HEADLIGHT ADJUSTMENT LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM USE UBOLT TDUB-016HD
Ubolts	Rear TDUB-016	-	2 X U/BOLTS PER KIT - 2 KITS REQUIRED *NON HD PART NUMBER
	Rear TDUB-016HD	-	2 X U/BOLTS PER KIT - 2 KITS REQUIRED *FOR HD PART NUMBER

**FORD** **PXIII**  
**RANGER RAPTOR** 7/2018 - 4/2022

Standard Height Coil	Front KFFS-120T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Rear KFRS-121	<b>\$B</b>	-
Raised Coil	Front KFFR-120	<b>\$B</b>	-
	Front KFFR-120T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Rear KFRR-121	<b>\$B</b>	-
Raised Coil (50-100KG)	Front KFFR-120H	<b>\$B</b>	-
	Front KFFR-120HT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Coil (100-250KG)	Front KFFR-120HH	<b>\$B</b>	-
Raised Coil (100-300KG)	Rear KFRR-121HD	<b>\$B</b>	-
Raised Coil (300-500KG)	Rear KFRR-121EHD	<b>\$B</b>	-

**PY 3R V6 PETROL MY22**  
5/2022 - Current

Raised Comfort Coil	Front KFFR-123	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT
	Front KFFR-123B	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT ** BLACK COILS - FRONT RAISED ONLY TO LEVEL OUT VEHICLE - MATCH BLACK OE COIL
	Front KFFR-123SP	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 30-35MM FROM ORIGINAL STANDARD HEIGHT
	Rear KFRR-124	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 20-25MM FROM ORIGINAL STANDARD HEIGHT
	Rear KFRR-124B	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 20-25MM FROM ORIGINAL STANDARD HEIGHT ** BLACK COILS TO MATCH FRONT BLACK **
	Raised Coil (50-100KG)	Front KFFR-123HD	<b>\$C</b>

**FORD** **AR, AS NON ADJ ORIG SHOCKS**  
**TELSTAR** 1983 - 1987

Standard Height Coil	Front KFFS-19	<b>\$D</b>	-
	Rear KFRS-20	<b>\$D</b>	-

**SX, SY AWD**  
2004 - 9/2007

Super Low Coil	Rear KFRL-69SL	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-57SP	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KFRS-68	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFR-57	<b>\$A</b>	-
	Rear KFRS-69	<b>\$B</b>	-
Raised Coil	Front KFFR-58	<b>\$B</b>	-
	Rear KFRR-69	<b>\$B</b>	-

**SX, SY RWD**  
10/2007 - 2011

Super Low Coil	Rear KFRL-69SL	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-53	<b>\$A</b>	-
	Rear KFRS-68	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-53	<b>\$A</b>	-
	Rear KFRS-69	<b>\$B</b>	-
Raised Coil	Front KFFR-53	<b>\$A</b>	-
	Rear KFRR-69	<b>\$B</b>	-

**SX, SY RWD**  
2004 - 9/2007

Super Low Coil	Rear KFRL-69SL	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-57	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KFRS-68	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-57	<b>\$A</b>	-
	Rear KFRS-69	<b>\$B</b>	-
Raised Coil	Front KFFR-57	<b>\$A</b>	-
	Rear KFRR-69	<b>\$B</b>	-

**SYII RWD**  
10/2007 - 2011

Super Low Coil	Front KFFL-53SL	<b>\$A</b>	NOTE: ALL BF FALCONS - CHECK SPRING SEAT HEIGHT BEFORE ORDERING SPRING FOR BF & BF11 *CALL 0755396700 FOR MORE DETAILS IF REQUIRED. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER.
	Rear KFRL-69SL	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-53	<b>\$A</b>	-
	Rear KFRS-68	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-53	<b>\$A</b>	-
	Rear KFRS-69	<b>\$B</b>	-
Raised Coil	Front KFFR-53	<b>\$A</b>	-
	Rear KFRR-69	<b>\$B</b>	-

**SZ, SZII AWD 2.7TDi**  
2012 - 2016

Super Low Coil	Rear KFRL-69SL	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-53	<b>\$A</b>	-
	Rear KFRS-68	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-53	<b>\$A</b>	-
	Rear KFRS-69	<b>\$B</b>	-
Raised Coil	Front KFFR-53	<b>\$A</b>	-
	Rear KFRR-69	<b>\$B</b>	-

**SZ, SZII RWD 2.7TDi & 4.0i PETROL**  
2012 - 2016

Super Low Coil	Rear KFRL-69SL	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KFFL-53	<b>\$A</b>	-
	Rear KFRS-68	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KFFS-53	<b>\$A</b>	-
	Rear KFRS-69	<b>\$B</b>	-
Raised Coil	Front KFFR-53	<b>\$A</b>	-
	Rear KFRR-69	<b>\$B</b>	-

Raised Coil	Front KTFR-101	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil (50-100KG)	Rear Raised Coil (50-150KG) KGRR-301	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT

## HOLDEN

<b>HOLDEN</b> ADVENTRA	<b>VYII VZ</b> 10/2003 - 2006	Lowered Coil	Front KHFR-19	<b>\$A</b>	-	
			Rear KHRS-69	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.	
		Raised Coil	Front KHFR-64	<b>\$A</b>	-	
			Rear KHRR-65	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.	
<b>HOLDEN</b> APOLLO	<b>JK, JL - SEDAN</b> 1989 - 1993	Lowered Coil	Rear KTRL-86	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
		Standard Height Coil	Rear KTRS-36	<b>\$A</b>	-	
	<b>JM, JP 4CYL - SEDAN</b> 1993 - 1997	Lowered Coil	Rear KTRL-61	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
		Standard Height Coil	Rear KTRS-61	<b>\$A</b>	-	
	<b>JM, JP 4CYL - WAGON</b> 1993 - 1997	Lowered Coil	Rear KTRS-61	<b>\$A</b>	-	
		Standard Height Coil	Rear KTRS-62	<b>\$B</b>	-	
	<b>JM, JP 6CYL - SEDAN</b> 1993 - 1997	Lowered Coil	Rear KTRL-61	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
		Standard Height Coil	Rear KTRS-61	<b>\$A</b>	-	
	<b>JM, JP 6CYL - WAGON</b> 1993 - 1997	Lowered Coil	Rear KTRS-61	<b>\$A</b>	-	
		Standard Height Coil	Rear KTRS-62	<b>\$B</b>	-	
	<b>HOLDEN</b> ASTRA	<b>AH - HATCH</b> 10/2004 - 2010	Lowered Coil	Rear KHRL-128SP	<b>\$D</b>	PROGRESSIVE RATE DESIGN USED.
			Lowered Coil	Rear KHRL-102SL	<b>\$D</b>	PROGRESSIVE RATE DESIGN USED.
<b>BL - SEDAN</b> All		Lowered Coil	Rear KHRL-102SL	<b>\$D</b>	PROGRESSIVE RATE DESIGN USED.	
<b>LB, LC</b> 1984 - 1987		Lowered Coil	Front KMFL-06	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
		Lowered Coil	Front KFFL-15	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
Standard Height Coil			Rear KDRL-50	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
	Standard Height Coil	Front KDRL-83	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.		
<b>TS</b> 8/1998 - 2005		Lowered Coil	Rear KHRL-128	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.	
<b>HOLDEN</b> CAMIRA	<b>JB, JD, JE - SEDAN</b> 1982 - 1989	Standard Height Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
		Standard Height Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
	<b>JB, JD, JE - WAGON</b> 1982 - 1989		Rear KHRS-28	<b>\$D</b>	-	
		<b>HOLDEN</b> COLORADO	<b>7</b> 2012 - 2016	Standard Height Coil	Front KHFS-168	<b>\$B</b>
Raised Coil	Front KHFR-168			<b>\$B</b>	-	
	Front KHFR-168T			<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN	
	Rear KHRR-96			<b>\$B</b>	-	
Raised Coil (100-300KG)	Rear KHRR-96HD		<b>\$B</b>	-		
<b>RC - 4WD</b> 2009 - 12/2011	Raised Coil		Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS	
	Raised Leaf		Rear HOL-206 ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD	
	Raised EHD Leaf		Rear HOL-206HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM	
	Ubolts	Rear UB-07 X 4	-	RD 14 X 90 X 210		
	Pin	Rear SK-387-2G X 2	-	-		
	Shackle	Rear SK-386G X 2	-	-		
	Bushes Rear	Rear Spring Front Eye SPF-972K	-	-		
Rear Spring Rear Eye SPF-2231 X 8		-	-			
BUSH KIT	Kit KIT-070K	-	-			

**RG I - 4WD**  
1/2012 - 3/2013

Standard Height Coil	Front KHFS-168	<b>\$B</b>	-
Raised Coil	Front KHFR-168	<b>\$B</b>	-
	Front KHFR-168T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Leaf	Rear HOL-207 ZZ	-	IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
Raised Comfort Leaf	Rear HOL-207C ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD
Raised Coil (50-100KG)	Front KHFR-168H	<b>\$B</b>	-
	Front KHFR-168HT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised EHD Leaf	Rear HOL-207HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM
Ubolts	Rear UB-453/2 X 4	-	SQ 14 X 62 X 180
Bushes Rear	Rear Spring Front Eye SPF-2670K	-	-
	Rear Spring Rear Eye SPF-2231 X 4	-	-
	Rear Spring Upper SPF-4040K	-	-
BUSH KIT	Kit KIT-185K	-	-

**RG II - 4WD**  
4/2013 - 6/2016

Raised Coil	Front KHFR-168SP	<b>\$B</b>	-
	Front KHFR-168TSP	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Leaf	Rear HOL-207 ZZ	-	IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
Raised Comfort Leaf	Rear HOL-207C ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD
Raised Coil (50-100KG)	Front KHFR-168HSP	<b>\$B</b>	-
	Front KHFR-168HTSP	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised EHD Leaf	Rear HOL-207HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM
Ubolts	Rear UB-453/2 X 4	-	SQ 14 X 62 X 180
Bushes Rear	Rear Spring Front Eye SPF-2670K	-	-
	Rear Spring Rear Eye SPF-2231 X 4	-	-
	Rear Spring Upper SPF-4040K	-	-
BUSH KIT	Kit KIT-185K	-	-

**RG III - 4WD**  
7/2016 - 6/2020

Standard Height Coil	Front KHFS-168	<b>\$B</b>	-
Raised Coil	Front KHFR-168	<b>\$B</b>	-
	Front KHFR-168T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Leaf	Rear HOL-207 ZZ	-	IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
Raised Comfort Leaf	Rear HOL-207C ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD H/BRAKE CABLE BRACKET REQUIRED. SEE TDSK-021 BELOW
Raised Coil (50-100KG)	Front KHFR-168H	<b>\$B</b>	-
	Front KHFR-168HT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised EHD Leaf	Rear HOL-207HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM H/BRAKE CABLE BRACKET REQUIRED. SEE TDSK-021 BELOW
Ubolts	Rear UB-453/2 X 4	-	SQ 14 X 62 X 180
Bushes Rear	Rear Spring Front Eye SPF-2670K	-	-
	Rear Spring Rear Eye SPF-2231 X 4	-	-
	Rear Spring Upper SPF-4040K	-	-
BUSH KIT	Kit KIT-185K	-	-
	H/Brake Cable braket TDSK-021	-	-



**VB, VC, VH, VK 8CYL - SEDAN**  
1978 - 1986

Ultra Low Coil	Front KHFL-47SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-20SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-20	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-47	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-23	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered EHD Coil	Rear KHRL-24SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-23	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-24	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**VB, VC, VH, VK, 6CYL - SEDAN**  
1978 - 1986

Ultra Low Coil	Front KHFL-22SSL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-20SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-20	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-22	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-23	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered EHD Coil	Rear KHRL-24SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-22	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-23	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-24	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**VB, VC, VH, VK, VL, VN, VP 6CYL - WAGON**  
1978 - 1993

Ultra Low Coil	Front KHFL-22SSL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-20	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Rear KHRL-24SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-22	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-24	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-22	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-24	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.

**VB, VC, VH, VK, VL, VN, VP 8CYL - WAGON**  
1978 - 1993

Ultra Low Coil	Rear KHPR-20	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Super Low Coil	Front KHFL-47SL	<b>\$A</b>
	Rear KHRL-24SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Lowered Coil	Front KHFL-47	<b>\$A</b>
	Rear KHRL-24	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Standard Height Coil	Front KHFS-19	<b>\$A</b>
	Rear KHRS-24	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
	Raised Coil	Front KHFR-19	<b>\$A</b>

**VE 6CYL - SEDAN**  
8/2006 - 4/2013

Ultra Low Coil	Front KHFL-151SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-150SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-150SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-150	<b>\$A</b>	-
	Rear KHRS-152	<b>\$A</b>	-
Raised Coil	Front KHFR-150	<b>\$A</b>	-
	Rear KHRR-152	<b>\$A</b>	-

**VE 6CYL - SPORTWAGON**  
8/2006 - 4/2013

Ultra Low Coil	Front KHFL-151SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-150SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-150SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-150	<b>\$A</b>	-
	Rear KHRS-152	<b>\$A</b>	-
Raised Coil	Front KHFR-150	<b>\$A</b>	-
	Rear KHRR-152HD	<b>\$A</b>	-

**VE 6CYL - UTE**  
10/2007 - 4/2013

Ultra Low Coil	Front KHFL-151SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-150SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-150SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Rear KHRS-152	<b>\$A</b>	-
Raised Coil	Front KHFR-150	<b>\$A</b>	-
	Front KHFS-150	<b>\$A</b>	-
	Rear KHRR-152HD	<b>\$A</b>	-

**VE 8CYL - SEDAN**  
8/2006 - 4/2013

Ultra Low Coil	Front KHFL-150SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-150SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-150SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-150	<b>\$A</b>	-
	Rear KHRS-152	<b>\$A</b>	-
Raised Coil	Front KHFR-150	<b>\$A</b>	-
	Rear KHRR-152	<b>\$A</b>	-

**VE 8CYL - SPORTWAGON**  
8/2006 - 4/2013

Ultra Low Coil	Front KHFL-150SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-150SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-150SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-150	<b>\$A</b>	-
	Rear KHRS-152	<b>\$A</b>	-
Raised Coil	Front KHFR-150	<b>\$A</b>	-
	Rear KHRR-152HD	<b>\$A</b>	-

**VE 6CYL - UTE SS, SSV, MALOO**  
10/2007 - 4/2013

Ultra Low Coil	Front KHFL-150SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-150SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-150SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-150	<b>\$A</b>	-
Raised Coil	Rear KHRS-152	<b>\$A</b>	-

**VF 6CYL - SEDAN**  
5/2013 - 10/2017

Ultra Low Coil	Front KHFL-151SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SSSL	-	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-151SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SSL	-	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-151SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-151	<b>\$A</b>	-
	Rear KHRS-152	<b>\$A</b>	-
Raised Coil	Front KHFS-150	<b>\$A</b>	-
	Rear KHRR-152	<b>\$A</b>	-

**VF 6CYL - SPORTWAGON**  
5/2013 - 10/2017

Ultra Low Coil	Front KHFL-151SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-151SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-151SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-151	<b>\$A</b>	-
	Rear KHRS-152	<b>\$A</b>	-
Raised Coil	Front KHFS-150	<b>\$A</b>	-
	Rear KHRR-152HD	<b>\$A</b>	-

**VF 6CYL - UTE**  
5/2013 - 2016

Ultra Low Coil	Front KHFL-151SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-151SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-151SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-151	<b>\$A</b>	-
	Rear KHRS-152	<b>\$A</b>	-
Raised Coil	Front KHFS-150	<b>\$A</b>	-
	Rear KHRR-152HD	<b>\$A</b>	-

**VF 8CYL - SEDAN**  
5/2013 - 10/2017

Ultra Low Coil	Front KHFL-151SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SSSL	-	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-151SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SSL	-	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-151	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-151	<b>\$A</b>	-
	Rear KHRS-152	<b>\$A</b>	-
Raised Coil	Front KHFS-150	<b>\$A</b>	-
	Rear KHRR-152	<b>\$A</b>	-

**VF 8CYL - SPORTWAGON**  
5/2013 - 10/2017

Ultra Low Coil	Front KHFL-151SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-151SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-151	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-151	<b>\$A</b>	-
	Rear KHRS-152	<b>\$A</b>	-
Raised Coil	Front KHFS-150	<b>\$A</b>	-
	Rear KHRR-152HD	<b>\$A</b>	-

**VF 8CYL - UTE**  
5/2013 - 2016

Ultra Low Coil	Front KHFL-151SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SSSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-151SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-151	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-151	<b>\$A</b>	-
	Rear KHRS-152	<b>\$A</b>	-
Raised Coil	Front KHFS-150	<b>\$A</b>	-
	Rear KHRR-152HD	<b>\$A</b>	-

**VG 6CYL - UTE**  
1990 - 1993

Ultra Low Coil	Front KHFL-47SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-24SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-24SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-47	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-24	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-30	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRR-30	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**VG 8CYL - UTE**  
1990 - 1993

Ultra Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-24SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-24SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-48	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-24	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-30	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Rear KHRR-30	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**VL, VN, VP 6CYL - SEDAN LIVE AXLE**  
1986 - 1993

Ultra Low Coil	Front KHFL-22SSL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-20SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-20	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-22	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-20	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered EHD Coil	Rear KHRL-20	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-22	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-20	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-23	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.

**VL, VN, VP 8CYL - SEDAN LIVE AXLE**  
1986 - 1993

Ultra Low Coil	Front KHFL-47SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-20SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-20	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-47	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-20	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered EHD Coil	Rear KHRL-20	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-20	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-23	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.

**VP 6CYL - SEDAN IRS**  
1991 - 1993

Ultra Low Coil	Front KHFL-22SSL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46SSL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46SL	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-22	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-22	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-125	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**VP 8CYL - SEDAN IRS**  
1991 - 1993

Ultra Low Coil	Front KHFL-47SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46SSL	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46SL	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-47	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-125	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**VR , VS 8CYL - SEDAN LIVE AXLE**  
1993 - 1997

Ultra Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-20SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-20	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-48	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-20	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-48	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-20	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-23	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.

**VR , VS 6CYL - SEDAN IRS**  
1993 - 1997

Ultra Low Coil	Front KHFL-47SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46SSL	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46SL	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-47	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-125	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.



**VR, VS 6CYL - SEDAN LIVE AXLE**  
1993 - 1997

Ultra Low Coil	Front KHFL-47SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-20SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-20	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-47	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-20	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered EHD Coil	Rear KHRL-20	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-20	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-23	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.

**VR, VS 6CYL - UTE**  
1993 - 2000

Ultra Low Coil	Front KHFL-47SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-24SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-24SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-47	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-24	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-48	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-30	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRR-30	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**VR, VS 6CYL - WAGON**  
1993 - 1997

Ultra Low Coil	Front KHFL-47SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-24SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-24SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-47	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-24	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-16	<b>\$D</b>	PROGRESSIVE RATE DESIGN USED. NON STOCKED ITEM. CURRENTLY UNAVAILABLE
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRR-16	<b>\$D</b>	PROGRESSIVE RATE DESIGN USED. NON STOCKED ITEM. CURRENTLY UNAVAILABLE

**VR, VS 8CYL - SEDAN IRS**  
1993 - 1997

Ultra Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46SSL	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46SL	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-48	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-48	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-125	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**VR, VS 8CYL - UTE**  
1993 - 2000

Ultra Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-24SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Rear KHPR-24SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-48	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-24	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-30	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Rear KHRR-30	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**VR, VS 8CYL - WAGON**  
1993 - 1997

Ultra Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-24SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-24SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-48	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHPR-24	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-16	<b>\$D</b>	PROGRESSIVE RATE DESIGN USED. NON STOCKED ITEM. CURRENTLY UNAVAILABLE
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRR-16	<b>\$D</b>	PROGRESSIVE RATE DESIGN USED. NON STOCKED ITEM. CURRENTLY UNAVAILABLE

**VT, VX, VY 6CYL - SEDAN**  
1997 - 7/2004

Ultra Low Coil	Front KHFL-47SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46SL	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-47	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-45	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-125	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRR-125	<b>\$B</b>	-

**VT, VX, VY 6CYL - SEDAN FE2 HEIGHT**  
1997 - 7/2004

Standard Height Coil	Front KHFL-48	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-125	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**VT, VX, VY 6CYL - WAGON**  
1997 - 7/2004

Ultra Low Coil	Front KHFL-47SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-47	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. PROGRESSIVE RATE DESIGN USED. THIS PART NUMBER WILL ONLY LOWER THE CAR APPROXIMATELY 20MM. WE ALSO RECOMMEND TO USE WITH BUMPSTOP KSB5-04.
Standard Height Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-69	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRR-69	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**VT, VX, VY, VZ 8CYL - SEDAN**  
1997 - 7/2006

Ultra Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46SL	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-48	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-45	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-48	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-125	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRR-125	<b>\$B</b>	-

**VT, VX, VY, VZ 8CYL - SEDAN FE2 HEIGHT**  
1997 - 7/2006

Standard Height Coil	Front KHFS-22	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-125	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**VT, VX, VY, VZ 8CYL - WAGON**  
1997 - 2006

Ultra Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Rear KHRL-45	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-48	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-48	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-69	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRR-69	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**VT, VX, VY, VZ CLUBSPORT / SS / R8**  
1997 - 7/2006

Lowered Coil	Front KHFL-47	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.

**VU, VY 6CYL - UTE**  
2001 - 7/2004

Ultra Low Coil	Front KHFL-47SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-45	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-47	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-125	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-69	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRR-69	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**VU, VY, VZ 8CYL - UTE**  
2001 - 2007

Ultra Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-45	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-48	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-125	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-48	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-69	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRR-69	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**VY 6CYL - 1 TONNER**  
2003 - 7/2004

Lowered Coil	Front KHFL-47	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear HOL-604	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. NON STOCKED ITEM. CURRENTLY UNAVAILABLE
Standard Height Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Ubolts	Rear UB-04 X 4	-	RD 7/16" X 2 3/4" X 7"
Bushes Rear	Rear Spring Front Eye SPF-2382K	-	-
	Rear Spring Rear Eye SPF-2231 X 4	-	-
	Rear Spring Upper SPF-2231 X 4	-	-

**VY, VZ 8CYL - 1 TONNER**  
2003 - 2006

Lowered Coil	Front KHFL-48	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear HOL-604	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. NON STOCKED ITEM. CURRENTLY UNAVAILABLE
Standard Height Coil	Front KHFS-48	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Ubolts	Rear UB-04 X 4	-	RD 7/16" X 2 3/4" X 7"
Bushes Rear	Rear Spring Front Eye SPF-2382K	-	-
	Rear Spring Rear Eye SPF-2231 X 4	-	-
	Rear Spring Upper SPF-2231 X 4	-	-

**VZ 6CYL - 1 TONNER**  
8/2004 - 2006

Lowered Coil	Front KHFL-48	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Leaf	Rear HOL-604	-	FRONT EYE BUSH SUPPLIED WITH SPRING. REVERSE EYE TYPE DESIGN. NON STOCKED ITEM. CURRENTLY UNAVAILABLE
Standard Height Coil	Front KHFS-48	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Ubolts	Rear UB-04 X 4	-	RD 7/16" X 2 3/4" X 7"
Bushes Rear	Rear Spring Front Eye SPF-2382K	-	-
	Rear Spring Rear Eye SPF-2231 X 4	-	-
	Rear Spring Upper SPF-2231 X 4	-	-

**VZ 6CYL - SEDAN**  
8/2004 - 2005

Ultra Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46SL	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-48	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-45	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-48	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-125	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRR-125	<b>\$B</b>	-

**VZ 6CYL - SEDAN FE2 HEIGHT**  
8/2004 - 7/2006

Standard Height Coil	Front KHFS-22	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-125	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**VZ 6CYL - UTE**  
8/2004 - 2006

Ultra Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-45	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-48	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-125	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-48	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-69	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRR-69	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**VZ 6CYL - WAGON**  
8/2004 - 2006

Ultra Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Rear KHRL-45	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-48	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-48	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-69	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRR-69	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**ZB 4CYL FWD 2.0TD - LIFTBACK**  
10/2017 - 6/2020

Lowered Coil	Front KHFL-190SL	<b>\$A</b>	NON STOCKED ITEM. CURRENTLY UNAVAILABLE
	Rear KHRL-192	<b>\$B</b>	-

**ZB 4CYL FWD 2.0TD - SPORTSWAGON**  
11/2017 - 6/2020

Lowered Coil	Front KHFL-190SL	<b>\$A</b>	NON STOCKED ITEM. CURRENTLY UNAVAILABLE
	Rear KHRL-192	<b>\$B</b>	-

**ZB 6CYL AWD 3.6L PETROL - LIFTBACK**  
11/2017 - 6/2020

Lowered Coil	Front KHFL-190SL	<b>\$A</b>	NON STOCKED ITEM. CURRENTLY UNAVAILABLE
	Rear KHRL-191SL	<b>\$B</b>	NON STOCKED ITEM. CURRENTLY UNAVAILABLE

**ZB 6CYL AWD 3.6L PETROL - SPORTSWAGON**  
11/2017 - 6/2020

Lowered Coil	Front KHFL-190SL	<b>\$A</b>	NON STOCKED ITEM. CURRENTLY UNAVAILABLE
	Rear KHRL-191SL	<b>\$B</b>	NON STOCKED ITEM. CURRENTLY UNAVAILABLE

**CROSS 6**  
2003 - 2007

Lowered Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFR-19H	<b>\$B</b>	-
Raised Coil	Front KHFR-64	<b>\$A</b>	-
Ubolts	Rear UB-04 X 4	-	RD 7/16" X 2 3/4" X 7"
Bushes Rear	Rear Spring Front Eye SPF-2382K	-	-
	Rear Spring Rear Eye SPF-2231-4K	-	-
	Rear Spring Upper SPF-2231-4K	-	-
BUSH KIT	Kit KIT-109K	-	-

**CROSS 8**  
2003 - 2007

Lowered Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFR-19H	<b>\$B</b>	-
Raised Coil	Front KHFR-64	<b>\$A</b>	-
Ubolts	Rear UB-04 X 4	-	RD 7/16" X 2 3/4" X 7"
Bushes Rear	Rear Spring Front Eye SPF-2382K	-	-
	Rear Spring Rear Eye SPF-2231-4K	-	-
	Rear Spring Rear Eye SPF-2231-4K	-	-
BUSH KIT	Kit KIT-109K	-	-

**VY 6CYL**  
2003 - 7/2004

Lowered Coil	Front KHFL-48	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-48	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	-
Ubolts	Rear UB-04 X 4	-	RD 7/16" X 2 3/4" X 7"
Bushes Rear	Rear Spring Front Eye SPF-2382K	-	-
	Rear Spring Rear Eye SPF-2231-4K	-	-
	Rear Spring Upper SPF-2231-4K	-	-
BUSH KIT	Kit KIT-109K	-	-

**VY, VZ 8 CYL**  
2003 - 2007

Lowered Coil	Front KHFS-22	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFR-19	<b>\$A</b>	-
Raised Coil	Front KHFR-19H	<b>\$B</b>	-
Ubolts	Rear UB-04 X 4	-	RD 7/16" X 2 3/4" X 7"
Bushes Rear	Rear Spring Front Eye SPF-2382K	-	-
	Rear Spring Rear Eye SPF-2231-4K	-	-
	Rear Spring Upper SPF-2231-4K	-	-
BUSH KIT	Kit KIT-109K	-	-

**VZ 6CYL**  
8/2004 - 2006

Lowered Coil	Front KHFS-22	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFR-19	<b>\$A</b>	-
Raised Coil	Front KHFR-19H	<b>\$B</b>	-
Ubolts	Rear UB-04 X 4	-	RD 7/16" X 2 3/4" X 7"
Bushes Rear	Rear Spring Front Eye SPF-2382K	-	-
	Rear Spring Rear Eye SPF-2231-4K	-	-
	Rear Spring Upper SPF-2231-4K	-	-
BUSH KIT	Kit KIT-109K	-	-



<b>HOLDEN</b> CRUZE	<b>JG, JH PETROL</b> 2009 - 10/2016	Super Low Coil	Front KHFL-157SL	<b>\$C</b>	-
			Rear KHRL-158SL	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
		Lowered Coil	Front KHFL-157	<b>\$C</b>	-
<b>HOLDEN</b> EJ, EH	<b>SEDAN</b> 1962 - 1965	Lowered Coil	Front KHFL-01	<b>\$A</b>	-
		Lowered Leaf	Rear HOL-501 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
		Standard Height Coil	Front KHFS-01	<b>\$A</b>	-
		Standard Height Leaf	Rear HOL-502 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
		Raised Coil	Front KHFS-02	<b>\$A</b>	-
		Ubolts	Rear UB-03 X 4	-	RD 7/16" X 2 3/4" X 6"
		Bushes Rear	Rear Spring Front Eye SPF-2204K	-	-
		Rear Spring Rear Eye SPF-2182K X 2	-	-	
		Saddle Pads SPF-089K	-	-	
	<b>UTE &amp; P/VAN</b> 1962 - 1965	Lowered Coil	Front KHFL-01	<b>\$A</b>	-
		Lowered Leaf	Rear HOL-507 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
		Standard Height Coil	Front KHFS-01	<b>\$A</b>	-
		Raised Coil	Front KHFS-02	<b>\$A</b>	-
		Ubolts	Rear UB-03 X 4	-	RD 7/16" X 2 3/4" X 6"
		Bushes Rear	Rear Spring Front Eye SPF-2204K	-	-
			Rear Spring Rear Eye SPF-2182K X 2	-	-
		Saddle Pads SPF-089K	-	-	
	<b>WAGON</b> 1962 - 1965	Lowered Coil	Front KHFL-01	<b>\$A</b>	-
		Lowered Leaf	Rear HOL-507 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
		Standard Height Coil	Front KHFS-01	<b>\$A</b>	-
		Raised Coil	Front KHFS-02	<b>\$A</b>	-
Ubolts		Rear UB-03 X 4	-	RD 7/16" X 2 3/4" X 6"	
Bushes Rear		Rear Spring Front Eye SPF-2204K	-	-	
		Rear Spring Rear Eye SPF-2182K X 2	-	-	
	Saddle Pads SPF-089K	-	-		
<b>HOLDEN</b> FB, EK	1960 - 1961	Lowered Coil	Front KHFL-01	<b>\$A</b>	-
		Standard Height Coil	Front KHFS-01	<b>\$A</b>	-
		Raised Coil	Front KHFS-02	<b>\$A</b>	-

<b>HOLDEN</b> GEMINI	<b>TC, TD SEDAN</b> 1977 - 1979	Super Low Coil	Front KHFL-06	<b>\$A</b>	-
			Rear KMFL-04	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
		Lowered Coil	Front KHFS-06	<b>\$A</b>	-
			Rear KHRL-07	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
<b>TE SEDAN</b> 1979 - 1982		Super Low Coil	Front KHFL-06	<b>\$A</b>	-
			Rear KMFL-04	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
		Lowered Coil	Front KHFS-06	<b>\$A</b>	-
			Rear KHRL-07	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
<b>TF, TG SEDAN</b> 1982 - 1985		Super Low Coil	Front KHFL-06	<b>\$A</b>	-
			Rear KMFL-04	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
		Lowered Coil	Front KHFS-06	<b>\$A</b>	-
			Rear KHRL-07	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
<b>TX SEDAN</b> 1975 - 1977		Lowered Coil	Front KHFL-06	<b>\$A</b>	-
			Rear KHRL-07	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
		Standard Height Coil	Front KHFS-06	<b>\$A</b>	-
<b>TX, TC, TD, TE, TF, TG WAGON &amp; P/VAN</b> 1975 - 1985		Standard Height Coil	Rear KHPR-20	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.

<b>HOLDEN</b> H SERIES	<b>HD, HR - SEDAN</b> 1965 - 1967	Lowered Coil	Front KHFL-01	<b>\$A</b>	-
		Lowered Leaf	Rear HOL-501 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
		Standard Height Coil	Front KHFS-01	<b>\$A</b>	-
		Standard Height Leaf	Rear HOL-502 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING.
		Raised Coil	Front KHFS-02	<b>\$A</b>	-
		Ubolts	Rear UB-03 X 4	-	RD 7/16" X 2 3/4" X 6"
		Bushes Rear	Rear Spring Front Eye SPF-2204K	-	-
			Rear Spring Rear Eye SPF-2197K	-	-
			Saddle Pads SPF-089K	-	-
		<b>HD, HR - UTE &amp; P/VAN</b> 1965 - 1967		Lowered Coil	Front KHFL-01
Lowered Leaf	Rear HOL-507 ZZ			-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KHFS-01			<b>\$A</b>	-
Raised Coil	Front KHFS-02			<b>\$A</b>	-
Ubolts	Rear UB-03 X 4			-	RD 7/16" X 2 3/4" X 6"
Bushes Rear	Rear Spring Front Eye SPF-2204K			-	-
	Rear Spring Rear Eye SPF-2197K			-	-
	Saddle Pads SPF-089K	-	-		

**HD, HR - WAGON**  
1965 - 1967

Lowered Coil	Front KHFL-01	<b>\$A</b>	-
Lowered Leaf	Rear HOL-507 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KHFS-01	<b>\$A</b>	-
Raised Coil	Front KHFS-02	<b>\$A</b>	-
Ubolts	Rear UB-03 X 4	-	RD 7/16" X 2 3/4" X 6"
Bushes Rear	Rear Spring Front Eye SPF-2204K	-	-
	Rear Spring Rear Eye SPF-2197K	-	-
	Saddle Pads SPF-089K	-	-

**HK, HT, HG 6CYL - SEDAN**  
1968 - 1971

Super Low Coil	Front KHFL-01	<b>\$A</b>	-
Lowered Coil	Front KHFL-42	<b>\$A</b>	-
Lowered Leaf	Rear HOL-509 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KHFS-02	<b>\$A</b>	-
Raised Coil	Front KHFR-02	<b>\$A</b>	-
Ubolts	Rear UB-03 X 4	-	RD 7/16" X 2 3/4" X 6"
Bushes Rear	Rear Spring Front Eye SPF-2204K	-	-
	Rear Spring Rear Eye SPF-2197K	-	-
	Saddle Pads SPF-089K	-	-

**HK, HT, HG 6CYL - WAGON/UTE**  
1968 - 1971

Super Low Coil	Front KHFL-01	<b>\$A</b>	-
Lowered Coil	Front KHFL-42	<b>\$A</b>	-
Standard Height Coil	Front KHFS-02	<b>\$A</b>	-
Raised Coil	Front KHFR-02	<b>\$A</b>	-
Ubolts	Rear UB-05 X 4	-	RD 7/16 x 3 1/8 x 7 1/2"
Bushes Rear	Rear Spring Front Eye SPF-2204K	-	-
	Rear Spring Rear Eye SPF-2197K	-	-
	Saddle Pads SPF-089K	-	-

**HK, HT, HG 8CYL - SEDAN**  
1968 - 1971

Super Low Coil	Front KHFL-42	<b>\$A</b>	-
Lowered Coil	Front KHFL-02	<b>\$A</b>	-
Lowered Leaf	Rear HOL-509 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KHFR-02	<b>\$A</b>	-
Raised Coil	Front KHFL-25	<b>\$A</b>	-
Ubolts	Rear UB-05 X 4	-	RD 7/16 x 3 1/8 x 7 1/2"
Bushes Rear	Rear Spring Front Eye SPF-2204K	-	-
	Rear Spring Rear Eye SPF-2197K	-	-
	Saddle Pads SPF-089K	-	-

**HK, HT, HG 8CYL - WAGON/UTE**  
1968 - 1971

Super Low Coil	Front KHFL-42	<b>\$A</b>	-
Lowered Coil	Front KHFL-02	<b>\$A</b>	-
Standard Height Coil	Front KHFR-02	<b>\$A</b>	-
Raised Coil	Front KHFL-25	<b>\$A</b>	-
Ubolts	Rear UB-05 X 4	-	RD 7/16 x 3 1/8 x 7 1/2"
Bushes Rear	Rear Spring Front Eye SPF-2204K	-	-
	Rear Spring Rear Eye SPF-2197K	-	-
	Saddle Pads SPF-089K	-	-

**HK, HT, HG MONARO 6 CYL**  
1968 - 1971

Super Low Coil	Front KHFL-01	<b>\$A</b>	-
Lowered Coil	Front KHFL-42	<b>\$A</b>	-
Lowered Leaf	Rear HOL-507 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KHFS-02	<b>\$A</b>	-
Raised Coil	Front KHFR-02	<b>\$A</b>	-
Ubolts	Rear UB-05 X 4	-	RD 7/16 x 3 1/8 x 7 1/2"
Bushes Rear	Rear Spring Front Eye SPF-2204K	-	-
	Rear Spring Rear Eye SPF-2197K	-	-
	Saddle Pads SPF-089K	-	-

**HK, HT, HG MONARO 8CYL**  
1968 - 1971

Lowered Coil	Front KHFL-10	<b>\$A</b>	-
Lowered Leaf	Rear HOL-507 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Ubolts	Rear UB-05 X 4	-	RD 7/16 x 3 1/8 x 7 1/2"
Bushes Rear	Rear Spring Front Eye SPF-2204K	-	-
	Rear Spring Rear Eye SPF-2197K	-	-
	Saddle Pads SPF-089K	-	-

**HQ, HJ, HX 6CYL - 1 TONNER**  
1971 - 1977

Super Low Coil	Front KHFL-25	<b>\$A</b>	-
Super Low Leaf	Rear HOL-513SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Lowered Coil	Front KHFL-43	<b>\$A</b>	-
Lowered Leaf	Rear HOL-513 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KHFS-43	<b>\$A</b>	-
Raised Coil	Front KHFS-03	<b>\$A</b>	-
Ubolts	Rear UB-05 X 4	-	RD 7/16 x 3 1/8 x 7 1/2"
Bushes Rear	Rear Spring Front Eye S-241 X 2	-	-
	Rear Spring Rear Eye SPF-2197K	-	-
	Saddle Pads SPF-089K	-	-

**HQ, HJ, HX 6CYL - SEDAN**  
1971 - 1977

Super Low Coil	Front KHFL-25	<b>\$A</b>	-
	Rear KHRL-26	<b>\$B</b>	-
Lowered Coil	Front KHFL-43	<b>\$A</b>	-
	Rear KHRL-04	<b>\$B</b>	-
Standard Height Coil	Front KHFS-43	<b>\$A</b>	-
	Rear KHRS-04	<b>\$B</b>	-
Raised Coil	Front KHFS-03	<b>\$A</b>	-
	Rear KHRS-05	<b>\$B</b>	-

**HQ, HJ, HX 6CYL - UTE & P/VAN**  
1971 - 1977

Super Low Coil	Front KHFL-25	<b>\$A</b>	-
Super Low Leaf	Rear HOL-513SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Lowered Coil	Front KHFL-43	<b>\$A</b>	-
Lowered Leaf	Rear HOL-513 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KHFS-43	<b>\$A</b>	-
Raised Coil	Front KHFS-03	<b>\$A</b>	-
Ubolts	Rear UB-04 X 4	-	RD 7/16" X 2 3/4" X 7"
Bushes Rear	Rear Spring Front Eye S-241 X 2	-	-
	Rear Spring Rear Eye SPF-2197K	-	-
	Saddle Pads SPF-089K	-	-

**HQ, HJ, HX 6CYL - WAGON**  
1971 - 1977

Super Low Coil	Front KHFL-25	<b>\$A</b>	-
Lowered Coil	Front KHFL-43	<b>\$A</b>	-
	Rear KHRS-04	<b>\$B</b>	-
Standard Height Coil	Front KHFS-43	<b>\$A</b>	-
	Rear KHRS-05	<b>\$B</b>	-
Raised Coil	Front KHFS-03	<b>\$A</b>	-

**HQ, HJ, HX 8CYL - 1 TONNER**  
1971 - 1977

Ultra Low Coil	Front KHFL-25	<b>\$A</b>	-
Super Low Coil	Front KHFL-43	<b>\$A</b>	-
Super Low Leaf	Rear HOL-513SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Lowered Coil	Front KHFL-03	<b>\$A</b>	-
Lowered Leaf	Rear HOL-513 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KHFS-03	<b>\$A</b>	-
Raised Coil	Front KHFR-03	<b>\$A</b>	-
Ubolts	Rear UB-05 X 4	-	RD 7/16 x 3 1/8 x 7 1/2"
Bushes Rear	Rear Spring Front Eye S-241 X 2	-	-
	Rear Spring Rear Eye SPF-2197K	-	-
	Saddle Pads SPF-089K	-	-

**HQ, HJ, HX 8CYL - SEDAN**  
1971 - 1977

Ultra Low Coil	Front KHFL-25	<b>\$A</b>	-
Super Low Coil	Front KHFL-43	<b>\$A</b>	-
	Rear KHRL-26	<b>\$B</b>	-
Lowered Coil	Front KHFL-03	<b>\$A</b>	-
	Rear KHRL-04	<b>\$B</b>	-
Standard Height Coil	Front KHFS-03	<b>\$A</b>	-
	Rear KHRS-04	<b>\$B</b>	-
Raised Coil	Front KHFR-03	<b>\$A</b>	-
	Rear KHRS-05	<b>\$B</b>	-
Bushes Rear	Rear Spring Front Eye S-241 X 2	-	-
	Rear Spring Rear Eye SPF-2197K	-	-
	Saddle Pads SPF-089K	-	-

**HQ, HJ, HX 8CYL - UTE & P/VAN**  
1971 - 1977

Ultra Low Coil	Front KHFL-25	<b>\$A</b>	-
Super Low Coil	Front KHFL-43	<b>\$A</b>	-
Super Low Leaf	Rear HOL-513SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Lowered Coil	Front KHFL-03	<b>\$A</b>	-
Lowered Leaf	Rear HOL-513 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KHFS-03	<b>\$A</b>	-
Raised Coil	Front KHFR-03	<b>\$A</b>	-
Ubolts	Rear UB-05 X 4	-	RD 7/16 x 3 1/8 x 7 1/2"
Bushes Rear	Rear Spring Front Eye S-241 X 2	-	-
	Rear Spring Rear Eye SPF-2197K	-	-
	Saddle Pads SPF-089K	-	-

**HQ, HJ, HX 8CYL - WAGON**  
1971 - 1977

Ultra Low Coil	Front KHFL-25	<b>\$A</b>	-
Super Low Coil	Front KHFL-43	<b>\$A</b>	-
Lowered Coil	Front KHFL-03	<b>\$A</b>	-
	Rear KHRS-04	<b>\$B</b>	-
Standard Height Coil	Front KHFS-03	<b>\$A</b>	-
	Rear KHRS-05	<b>\$B</b>	-
Raised Coil	Front KHFR-03	<b>\$A</b>	-

**HQ, HJ, HX, HZ MONARO 6 CYL**  
1971 - 1979

Lowered Coil	Front KHFL-25	<b>\$A</b>	-
	Rear KHRL-26	<b>\$B</b>	-
Standard Height Coil	Front KHFL-03	<b>\$A</b>	-
	Rear KHRL-04	<b>\$B</b>	-

**HQ, HJ, HX, HZ MONARO 8CYL**  
1971 - 1979

Super Low Coil	Front KHFL-25	<b>\$A</b>	-
Lowered Coil	Front KHFL-43	<b>\$A</b>	-
	Rear KHRL-26	<b>\$B</b>	-
Standard Height Coil	Front KHFL-13	<b>\$A</b>	-
	Rear KHRL-04	<b>\$B</b>	-

**HZ RTS 1 TONNE 6CYL**  
1978 - 1980

Ultra Low Coil	Front KHFL-25	<b>\$A</b>	-
Super Low Coil	Front KHFL-43	<b>\$A</b>	-
Super Low Leaf	Rear HOL-513SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Lowered Coil	Front KHFL-03	<b>\$A</b>	-
Lowered Leaf	Rear HOL-513 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KHFS-03	<b>\$A</b>	-
Raised Coil	Front KHFR-03	<b>\$A</b>	-
Ubolts	Rear UB-05 X 4	-	RD 7/16 x 3 1/8 x 7 1/2"
Bushes Rear	Rear Spring Front Eye S-241 X 2	-	-
	Rear Spring Rear Eye SPF-2197K	-	-
	Saddle Pads SPF-089K	-	-

**HZ RTS 6CYL - SEDAN**  
1978 - 1979

Ultra Low Coil	Front KHFL-25	<b>\$A</b>	-
Super Low Coil	Front KHFL-43	<b>\$A</b>	-
	Rear KHRL-26	<b>\$B</b>	-
Lowered Coil	Front KHFL-03	<b>\$A</b>	-
	Rear KHRL-04	<b>\$B</b>	-
Standard Height Coil	Front KHFS-43	<b>\$A</b>	-
	Rear KHRS-04	<b>\$B</b>	-
Raised Coil	Front KHFS-03	<b>\$A</b>	-
	Rear KHRS-05	<b>\$B</b>	-

**HZ RTS 6CYL - WAGON**  
1978 - 1979

Ultra Low Coil	Front KHFL-25	<b>\$A</b>	-
Super Low Coil	Front KHFL-43	<b>\$A</b>	-
Lowered Coil	Front KHFL-03	<b>\$A</b>	-
	Rear KHRS-04	<b>\$B</b>	-
Standard Height Coil	Front KHFS-43	<b>\$A</b>	-
	Rear KHRS-05	<b>\$B</b>	-
Raised Coil	Front KHFS-03	<b>\$A</b>	-

**HZ RTS 6CYL UTE & P/VAN**  
1978 - 1980

Ultra Low Coil	Front KHFL-25	<b>\$A</b>	-
Super Low Coil	Front KHFL-43	<b>\$A</b>	-
Super Low Leaf	Rear HOL-513SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Lowered Coil	Front KHFL-03	<b>\$A</b>	-
Lowered Leaf	Rear HOL-513 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KHFS-03	<b>\$A</b>	-
Raised Coil	Front KHFR-03	<b>\$A</b>	-
Ubolts	Rear UB-04 X 4	-	RD 7/16" X 2 3/4" X 7"
Bushes Rear	Rear Spring Front Eye S-241 X 2	-	-
	Rear Spring Rear Eye SPF-2197K	-	-
	Saddle Pads SPF-089K	-	-

**HZ RTS 8CYL - 1 TONNER**  
1978 - 1980

Ultra Low Coil	Front KHFL-43	<b>\$A</b>	-
Super Low Coil	Front KHFL-03	<b>\$A</b>	-
Super Low Leaf	Rear HOL-513SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Lowered Coil	Front KHFL-13	<b>\$A</b>	-
Lowered Leaf	Rear HOL-513 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KHFS-03	<b>\$A</b>	-
Raised Coil	Front KHFR-03	<b>\$A</b>	-
Ubolts	Rear UB-05 X 4	-	RD 7/16 x 3 1/8 x 7 1/2"
Bushes Rear	Rear Spring Front Eye S-241 X 2	-	-
	Rear Spring Rear Eye SPF-2197K	-	-
	Saddle Pads SPF-089K	-	-

**HZ RTS 8CYL - SEDAN**  
1978 - 1980

Ultra Low Coil	Front KHFL-25	<b>\$A</b>	-
Super Low Coil	Front KHFL-43	<b>\$A</b>	-
	Rear KHRL-26	<b>\$B</b>	-
Lowered Coil	Front KHFL-03	<b>\$A</b>	-
	Rear KHRL-04	<b>\$B</b>	-
Standard Height Coil	Front KHFS-03	<b>\$A</b>	-
	Rear KHRS-04	<b>\$B</b>	-
Raised Coil	Front KHFR-03	<b>\$A</b>	-
	Rear KHRS-05	<b>\$B</b>	-

**HZ RTS 8CYL - UTE & P/VAN**  
1978 - 1980

Ultra Low Coil	Front KHFL-43	<b>\$A</b>	-
Super Low Coil	Front KHFL-03	<b>\$A</b>	-
Super Low Leaf	Rear HOL-513SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Lowered Coil	Front KHFL-13	<b>\$A</b>	-
Lowered Leaf	Rear HOL-513 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KHFS-03	<b>\$A</b>	-
Raised Coil	Front KHFR-03	<b>\$A</b>	-
Ubolts	Rear UB-05 X 4	-	RD 7/16 x 3 1/8 x 7 1/2"
Bushes Rear	Rear Spring Front Eye S-241 X 2	-	-
	Rear Spring Rear Eye SPF-2197K	-	-
	Saddle Pads SPF-089K	-	-

**HZ RTS 8CYL - WAGON**  
1978 - 1980

Ultra Low Coil	Front KHFL-25	<b>\$A</b>	-
Super Low Coil	Front KHFL-43	<b>\$A</b>	-
Lowered Coil	Front KHFL-03	<b>\$A</b>	-
	Rear KHRS-04	<b>\$B</b>	-
Standard Height Coil	Front KHFS-03	<b>\$A</b>	-
	Rear KHRS-05	<b>\$B</b>	-
Raised Coil	Front KHFR-03	<b>\$A</b>	-

**HOLDEN**  
JACKAROO

1992 - 10/2003

Standard Height Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
Raised Coil	Rear KHRR-92	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (100-300KG)	Rear KHRR-92HD	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
4/2000 - 10/2003	Standard Height Coil	Front TORSION BAR	-
	Raised Coil	Rear KHRR-92HD	<b>\$B</b>

**HOLDEN**  
MONARO

**CV6**  
2001 - 2005

Lowered Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFL-47	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-125	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Rear KHRS-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.

**CV8**  
2001 - 2005

Lowered Coil	Front KHFL-47	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-22	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-125	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Rear KHRS-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.

**HOLDEN**  
NOVA

**LE, LF**  
1989 - 10/1994

Lowered Coil	Front KTFL-45	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KTRL-86	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KTFS-45	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KTRS-36	<b>\$A</b>	-

**LG**  
11/1994 - 8/1996

Lowered Coil	Front KTFL-45	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KTRL-82	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KTFS-45	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KTRS-82	<b>\$B</b>	-



Ubolts	Rear UB-453/3 X 4	-	RD 14 X 83 X 195
Bushes Rear	Rear Spring Front Eye SPF-972K	-	-
	Rear Spring Rear Eye SPF-2231 X 4	-	-
	Rear Spring Upper SPF-2231 X 4	-	-
BUSH KIT	Kit KIT-070K	-	-
<b>4WD TFS SINGLE CAB ONLY</b> 8/1988 - 2/2003			
Ubolts	Rear UB-453/3 X 4	-	RD 14 X 83 X 195
Shackle	Rear SK-386G X 2	-	-
Bushes Rear	Rear Spring Front Eye SPF-972K	-	-
	Rear Spring Rear Eye SPF-2231 X 4	-	-
	Rear Spring Upper SPF-2231 X 4	-	-
BUSH KIT	Kit KIT-070K	-	-

**RA - 2WD 2.4LTR PETROL**  
2003 - 2008

Super Low Leaf	Rear HOL-205	-	-
Bushes Rear	Rear Spring Front Eye SPF-972K	-	-
	Rear Spring Rear Eye SPF-2231 X 4	-	-
	Rear Spring Upper SPF-2231 X 4	-	-
BUSH KIT	Kit KIT-070K	-	-

**RA - 4WD**  
2003 - 2008

Raised Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
Raised Leaf	Rear HOL-206 ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD
Raised EHD Leaf	Rear HOL-206HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
Ubolts	Rear UB-07 X 4	-	RD 14 X 90 X 210
Pin	Rear SK-387-2G X 2	-	-
Shackle	Rear SK-386G X 2	-	-
Bushes Rear	Rear Spring Front Eye SPF-972K	-	-
	Rear Spring Rear Eye SPF-2231 X 4	-	-
	Rear Spring Upper SPF-2231 X 4	-	-
BUSH KIT	Kit KIT-070K	-	-

**HQ, HX**  
1971 - 1978

Ultra Low Coil	Front KHFL-25	<b>\$A</b>	-
	Super Low Coil	Front KHFL-43	<b>\$A</b>
Lowered Coil	Front KHFL-03	<b>\$A</b>	-
	Rear KHRL-04	<b>\$B</b>	-
Standard Height Coil	Front KHFS-03	<b>\$A</b>	-
	Rear KHRS-05	<b>\$B</b>	-
Raised Coil	Front KHFR-03	<b>\$A</b>	-

**HZ, WB**  
1978 - 1985

Ultra Low Coil	Front KHFL-25	<b>\$A</b>	-
	Super Low Coil	Front KHFL-43	<b>\$A</b>
Lowered Coil	Front KHFL-03	<b>\$A</b>	-
	Rear KHRL-04	<b>\$B</b>	-
Standard Height Coil	Front KHFS-03	<b>\$A</b>	-
	Rear KHRS-05	<b>\$B</b>	-
Raised Coil	Front KHFR-03	<b>\$A</b>	-

**VQ**  
1990 - 1994

Ultra Low Coil	Front KHFL-47SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46SL	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-47	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-45	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-125	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	-

**VR, VS 6CYL**  
1994 - 1999

Ultra Low Coil	Front KHFL-47SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46SL	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-47	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-45	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-19	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-125	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	-

**VR, VS 8CYL**  
1994 - 1999

Ultra Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46SL	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-48	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-45	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-48	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-125	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	-

**WH, WK, WL**  
1999 - 7/2006

Ultra Low Coil	Front KHFL-47SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-46	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Super Low Coil	Front KHFL-47	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-45	<b>\$B</b>	WHEN FITTING LOWERED REAR SPRINGS TO ALL COMMODORES WITH IRS RECOMMEND CAMBER ADJ KITS BE FITTED ALSO. STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-48	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-125	<b>\$B</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-48	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KHRS-125	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-19	<b>\$A</b>	-
	Rear KHRR-125	<b>\$B</b>	-

**WM SER I & II CAPRICE V6**  
8/2006 - 4/2013

Super Low Coil	Front KHFL-150SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-150SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-150	<b>\$A</b>	-
	Rear KHRS-152	<b>\$A</b>	-
Raised Coil	Front KHFR-150	<b>\$A</b>	-
	Rear KHRR-152	<b>\$A</b>	-

**WM SER I & II CAPRICE V8**  
8/2006 - 4/2013

Super Low Coil	Front KHFL-150SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-150	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-150	<b>\$A</b>	-
	Rear KHRS-152	<b>\$A</b>	-
Raised Coil	Front KHFR-150	<b>\$A</b>	-
	Rear KHRR-152	<b>\$A</b>	-

**WN SER I & II CAPRICE V6**  
5/2013 - 2016

Super Low Coil	Front KHFL-151SSL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-151SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-151	<b>\$A</b>	-
	Rear KHRS-152	<b>\$A</b>	-
Raised Coil	Front KHFS-150	<b>\$A</b>	-
	Rear KHRR-152	<b>\$A</b>	-

**WN SER I & II CAPRICE V8**  
5/2013 - 2016

Super Low Coil	Front KHFL-151SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152SL	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Front KHFL-151	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
	Rear KHRL-152	<b>\$A</b>	STRONGLY RECOMMEND MONROE GT SPORT SHORTENED SHOCK ABSORBERS TO BE FITTED WITH THIS PART NUMBER. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KHFS-151	<b>\$A</b>	-
	Rear KHRS-152	<b>\$A</b>	-
Raised Coil	Front KHFS-150	<b>\$A</b>	-
	Rear KHRR-152	<b>\$A</b>	-

<b>HOLDEN</b> TORANA	<b>A9X</b> 1977 - 1978	Lowered Coil	Front KHFS-15	<b>\$A</b>	-
			Rear KHRL-12	<b>\$B</b>	-
			Rear KHRS-17	<b>\$B</b>	Lowered with Drop Tank
		Standard Height Coil	Rear KHRS-12	<b>\$B</b>	-
		<b>LC, LJ 6 CYL</b> 1969 - 1974	Lowered Coil	Front KHFL-08	<b>\$A</b>
Rear KHRL-09	<b>\$B</b>			-	
Standard Height Coil	Front KHFS-08		<b>\$A</b>	-	
	Rear KHRS-09		<b>\$B</b>	-	
<b>LC, LJ 8CYL</b> 1969 - 1974	Lowered Coil	Front KHFS-08	<b>\$A</b>	-	
		Rear KHRL-09	<b>\$B</b>	-	
	Standard Height Coil	Front KHFR-08	<b>\$B</b>	-	
		Rear KHRS-09	<b>\$B</b>	-	
<b>LH - LX 8CYL INC. SLR &amp; SLR5000</b> 1974 - 1980	Super Low Coil	Front KHFL-44	<b>\$A</b>	-	
		Rear KHRL-12SL	<b>\$B</b>	SHORTER SHOCKS REQUIRED.	
		Front H/Duty KHFL-15	<b>\$A</b>	-	
	Lowered Coil	Front KHFL-14	<b>\$A</b>	-	
		Rear KHRL-12	<b>\$B</b>	-	
		Rear KHRS-17	<b>\$B</b>	Constant Weight 50-100 KG (Drop Tank Etc.)	
	Standard Height Coil	Front KHFS-14	<b>\$A</b>	-	
		Rear KHRS-12	<b>\$B</b>	-	
	Raised Coil	Rear KHRL-04	<b>\$B</b>	-	
	<b>LH, UC 4 &amp; 6 CYL</b> 1974 - 1980	Super Low Coil	Rear KHRL-12SL	<b>\$B</b>	SHORTER SHOCKS REQUIRED.
Lowered Coil		Front KHFL-44	<b>\$A</b>	-	
		Rear KHRL-12	<b>\$B</b>	-	
Standard Height Coil		Front KHFL-14	<b>\$A</b>	-	
		Rear KHRS-12	<b>\$B</b>	-	
Raised Coil		Rear KHRL-04	<b>\$B</b>	-	

<b>HOLDEN</b> TRAILBLAZER	<b>RG</b> 2017 - 6/2020	Standard Height Coil	Front KHFS-168	<b>\$B</b>	-
		Raised Coil	Front KHFR-168	<b>\$B</b>	-
			Front KHFR-168T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
			Rear KHRR-96	<b>\$B</b>	-
		Raised Coil (100-300KG)	Rear KHRR-96HD	<b>\$B</b>	-

**6CYL RTS - 1 TONNER**  
1980 - 1985

Ultra Low Coil	Front KHFL-25	<b>\$A</b>	-
Super Low Coil	Front KHFL-43	<b>\$A</b>	-
Super Low Leaf	Rear HOL-513SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Lowered Coil	Front KHFL-03	<b>\$A</b>	-
Lowered Leaf	Rear HOL-513 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KHFS-03	<b>\$A</b>	-
Raised Coil	Front KHFR-03	<b>\$A</b>	-
Ubolts	Rear UB-05 X 4	-	RD 7/16 x 3 1/8 x 7 1/2"

**6CYL RTS - UTE & P/VAN**  
1980 - 1985

Ultra Low Coil	Front KHFL-25	<b>\$A</b>	-
Super Low Coil	Front KHFL-43	<b>\$A</b>	-
Super Low Leaf	Rear HOL-513SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Lowered Coil	Front KHFL-03	<b>\$A</b>	-
Lowered Leaf	Rear HOL-513 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KHFS-03	<b>\$A</b>	-
Raised Coil	Front KHFR-03	<b>\$A</b>	-
Ubolts	Rear UB-05 X 4	-	RD 7/16 x 3 1/8 x 7 1/2"

**8CYL RTS - 1 TONNER**  
1980 - 1985

Ultra Low Coil	Front KHFL-43	<b>\$A</b>	-
Super Low Coil	Front KHFL-03	<b>\$A</b>	-
Super Low Leaf	Rear HOL-513SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Lowered Coil	Front KHFL-13	<b>\$A</b>	-
Lowered Leaf	Rear HOL-513 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KHFS-03	<b>\$A</b>	-
Raised Coil	Front KHFR-03	<b>\$A</b>	-
Ubolts	Rear UB-05 X 4	-	RD 7/16 x 3 1/8 x 7 1/2"

**8CYL RTS - UTE & P/VAN**  
1980 - 1985

Ultra Low Coil	Front KHFL-43	<b>\$A</b>	-
Super Low Coil	Front KHFL-03	<b>\$A</b>	-
Super Low Leaf	Rear HOL-513SL ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Lowered Coil	Front KHFL-13	<b>\$A</b>	-
Lowered Leaf	Rear HOL-513 ZZ	-	FRONT EYE BUSH SUPPLIED WITH SPRING. IMPORTED SPRING
Standard Height Coil	Front KHFS-03	<b>\$A</b>	-
Raised Coil	Front KHFR-03	<b>\$A</b>	-
Ubolts	Rear UB-05 X 4	-	RD 7/16 x 3 1/8 x 7 1/2"

<b>HONDA</b> ACCORD	<b>AC AD</b> 1983 - 1985	Standard Height Coil	Front KHFS-60	<b>\$D</b>	-
	<b>CB</b> 1989 - 5/1994	Standard Height Coil	Front KHFS-60	<b>\$D</b>	-
	<b>CD</b> 10/1993 - 9/1997	Standard Height Coil	Front KHFS-60	<b>\$D</b>	-
	<b>CG 4 CYL</b> 10/1997 - 5/2003	Lowered Coil	Front KHFL-88SL	<b>\$D</b>	-
			Rear KHRL-89	<b>\$D</b>	PROGRESSIVE RATE DESIGN USED.
	<b>CG V6</b> 10/1997 - 5/2003	Lowered Coil	Rear KHRL-89	<b>\$D</b>	PROGRESSIVE RATE DESIGN USED.
	<b>CL, CM 4 CYL</b> 6/2003 - 2008	Lowered Coil	Front KHFL-107SL	<b>\$B</b>	-
			Rear KHRL-108	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
	<b>CL, CM V6</b> 6/2003 - 2008	Lowered Coil	Rear KHRL-108	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
	<b>CP 4 CYL</b> 2008 - 2013	Lowered Coil	Front KHFL-107ASL	<b>\$D</b>	CHECK INSIDE DIAMETER FOR ALTERNATE DESIGN. KHFL-107ASL HAS AN ID OF 92MM. IF COIL IS 82MM ID THEN USE PART NUMBER KHFL-107SL
			Front KHFL-107SL	<b>\$B</b>	CHECK INSIDE DIAMETER FOR ALTERNATE DESIGN. KHFL-107SL HAS AN ID OF 82MM ID. IF COIL IS 92MM ID THEN USE PART NUMBER KHFL-107ASL
	<b>CP 6 CYL</b> 2008 - 2013	Lowered Coil	Front KHFL-107ASL	<b>\$D</b>	CHECK INSIDE DIAMETER FOR ALTERNATE DESIGN. KHFL-107ASL HAS AN ID OF 92MM. IF COIL IS 82MM ID THEN USE PART NUMBER KHFL-107SL
	<b>EURO CL - CM</b> 6/2003 - 2008	Lowered Coil	Front KHFL-107SL	<b>\$B</b>	-
Rear KHRL-108			<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.	
<b>EURO CP</b> 2008 - 2013	Lowered Coil	Front KHFL-107ASL	<b>\$D</b>	CHECK INSIDE DIAMETER FOR ALTERNATE DESIGN. KHFL-107ASL HAS AN ID OF 92MM. IF COIL IS 82MM ID THEN USE PART NUMBER KHFL-107SL	
		Front KHFL-107SL	<b>\$B</b>	CHECK INSIDE DIAMETER FOR ALTERNATE DESIGN. KHFL-107SL HAS AN ID OF 82MM ID. IF COIL IS 92MM ID THEN USE PART NUMBER KHFL-107ASL	
<b>SJ 810</b> 1977 - 1978	Standard Height Coil	Rear KHRS-35	<b>\$B</b>	-	

<b>HONDA</b> CIVIC	<b>9TH GEN</b> 2012 - 3/2016	Lowered Coil	Front KHFL-171	<b>\$D</b>	-
			Rear KHRL-172	<b>\$D</b>	PROGRESSIVE RATE DESIGN USED.

<b>HONDA</b> CRV	<b>RD MKI</b> 10/1997 - 11/2001	Raised Coil	Rear KHRR-84	<b>\$C</b>	-
	<b>RD MKII</b> 12/2001 - 1/2007	Standard Height Coil	Rear KHRS-84SP	<b>\$B</b>	-
	<b>RE</b> 2/2007 - 2012	Standard Height Coil	Rear KHRS-84SP	<b>\$B</b>	-

## HYUNDAI

<b>HYUNDAI</b> ELANTRA	<b>HD (SUITS 146mm ID FRONT COIL NO REDUCTION)</b> 8/2006 - 6/2012	Standard Height Coil	Rear KHRS-143	<b>\$B</b>	-
	<b>HD (SUITS 146mm ID FRONT COIL WITH 103mm REDUCTION)</b> 8/2006 - 6/2012	Standard Height Coil	Rear KHRS-143	<b>\$B</b>	-

<b>HYUNDAI</b> EXCEL	<b>X2</b> 1990 - 9/1994	Lowered Coil	Front KDRL-50	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
			Rear KMFL-06	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
		Standard Height Coil	Rear KHRL-07	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	<b>X3</b> 10/1994 - 5/1997	Lowered Coil	Front KHFL-114	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
			Standard Height Coil	Front KFFL-15	<b>\$A</b>
	<b>X3 ( CONICAL REAR SPRING )</b> 6/1997 - 2000	Lowered Coil	Front KHFL-114	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil			Front KFFL-15	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
<b>HYUNDAI</b> GETZ	<b>TB</b> 2002 - 2011	Lowered Coil	Front KDRL-83	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.

HYUNDAI i30	FD 2007 - 6/2010	Standard Height Coil	Rear KHRS-143	\$B	-	
	FD (ONLY) HATCH 7/2010 - 12/2012	Standard Height Coil	Rear KHRS-143	\$B	-	
HYUNDAI iX35	AWD ONLY 2010 - 6/2015	Raised Coil	Rear KHRR-149	\$A	-	
HYUNDAI LANTRA	J2 SEDAN 9/1995 - 10/2000	Standard Height Coil	Rear KTRL-86	\$A	PROGRESSIVE RATE DESIGN USED.	
	J2 WAGON 9/1995 - 10/2000	Lowered Coil	Rear KTRL-86	\$A	PROGRESSIVE RATE DESIGN USED.	
		Standard Height Coil	Rear KTRS-36	\$A	-	
HYUNDAI S COUPE	1990 - 1995	Standard Height Coil	Front KFFL-15	\$A	PROGRESSIVE RATE DESIGN USED.	
HYUNDAI SANTA FE	2000 - 9/2003	Standard Height Coil	Rear KFFS-04	\$B	-	
	CM 5/2006 - 8/2008	Standard Height Coil	Rear KHRS-139	\$C	-	
		Raised Coil	Rear KHRR-139	\$B	-	
	CM 9/2008 - 2012	Standard Height Coil	Rear KHRS-139	\$C	-	
		Raised Coil	Front KHFR-141	\$B	110MM ID BOTTOM - 85MM TOP FRONT COIL	
			Rear KHRR-139	\$B	-	
	CM SLX 9/2008 - 2009	Standard Height Coil	Rear KHRS-139	\$C	-	
		Raised Coil	Front KHFR-138A	\$D	166MM ID BOTTOM - 110MM TOP FRONT COIL	
		Rear KHRR-139	\$B	-		
HYUNDAI SONATA	DF 1993 - 5/1998	Lowered Coil	Front KHFL-121	\$D	-	
			Rear KHRL-122	\$D	PROGRESSIVE RATE DESIGN USED.	
HYUNDAI TERRACAN	HP 2001 - 2006	Lowered Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS	
			Raised Coil	Rear KCRR-23	\$B	PROGRESSIVE RATE DESIGN USED.
<b>INEOS</b>						
INEOS GRENADEIER	MY25 2024 - Current	Raised Coil	Front KIFR-04	\$B	RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT	
			Rear KIRR-05	\$D	RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT	
			Raised Coil (50-100KG)	Front KIFR-04HD	\$C	RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT
			Raised Coil (100-300KG)	Rear KIRR-05HD	\$D	RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT
<b>ISUZU</b>						
ISUZU D MAX	4WD 2008 - 2011	Lowered Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS	
			Raised Leaf	Rear HOL-206 ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD
			Raised EHD Leaf	Rear HOL-206HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
			Ubolts	Rear UB-07 X 4	-	RD 14 X 90 X 210
			Pin	Rear SK-387-2G X 2	-	-
			Shackle	Rear SK-386G X 2	-	-
			Bushes Rear	Rear Spring Front Eye SPF-972K	-	-
				Rear Spring Rear Eye SPF-2231 X 4	-	-
Rear Spring Upper SPF-2231 X 4	-	-				
BUSH KIT	Kit KIT-070K	-	-			



**4WD RG**  
2020 - Current

Raised Coil	Front KTFR-101T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Leaf	Rear HOL-207 ZZ	-	IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
Raised Comfort Coil	Front KTFR-101TC	<b>\$C</b>	EXTRA COMFORT TAPERED WIRE PROGRESSIVE RATE DESIGN
Raised Comfort Leaf	Rear HOL-209C ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD
Raised Coil (50-100KG)	Front KTFR-101H	<b>\$B</b>	-
	Front KTFR-101HT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Front KTFR-101HTC	<b>\$C</b>	EXTRA COMFORT TAPERED WIRE PROGRESSIVE RATE DESIGN
Raised EHD Leaf	Rear HOL-207HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM H/BRAKE CABLE BRACKET REQUIRED. SEE TDSK-021 BELOW
Ubolts	Rear UB-453/2 X 4	-	SQ 14 X 62 X 180
BUSH KIT	Kit KIT-246K	-	-
	H/Brake Cable braket TDSK-021	-	-

**4WD TFS85**  
2012 - 2019

Raised Coil	Front KHFR-168H	<b>\$B</b>	-
	Front KHFR-168HT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Rear HOL-207 ZZ	-	IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
Raised Comfort Leaf	Rear HOL-207C ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD H/BRAKE CABLE BRACKET REQUIRED. SEE TDSK-021 BELOW
Raised Coil (50-100KG)	Front KTFR-101	<b>\$B</b>	-
	Front KTFR-101T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Front KTFR-101TC	<b>\$C</b>	EXTRA COMFORT TAPERED WIRE PROGRESSIVE RATE DESIGN
Raised EHD Leaf	Rear HOL-207HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM H/BRAKE CABLE BRACKET REQUIRED. SEE TDSK-021 BELOW
Ubolts	Rear UB-453/2 X 4	-	SQ 14 X 62 X 180
Pin	Rear SK-387-2G X 2	-	-
Shackle	Rear SK-391G X 2	-	-
Bushes Rear	Rear Spring Front Eye SPF-2670K	-	-
	Rear Spring Rear Eye SPF-2231 X 4	-	-
	Rear Spring Upper SPF-4040K	-	-
BUSH KIT	Kit KIT-185K	-	-
	H/Brake Cable braket TDSK-021	-	-

**ISUZU**  
MU-X

**UCR85 Rear Wheel Drive 4x2**  
11/2013 - 6/2021

Standard Height Coil	Front KHFS-168	<b>\$B</b>	-
	Rear KIRS-02	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-168	<b>\$B</b>	-
	Rear KIRR-02	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (50-100KG)	Front KHFR-168H	<b>\$B</b>	-

**UCS40 4X4**  
7/2021 - Current

Standard Height Coil	Rear KIRS-03	<b>\$B</b>	-
Raised Coil	Front KHFR-168H	<b>\$B</b>	-
	Rear KIRS-02	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**UCS85 4X4**  
2013 - 6/2021

Standard Height Coil	Rear KIRS-02	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KHFR-168H	<b>\$B</b>	-
	Rear KIRR-02	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (50-100KG)	Front KTFR-101	<b>\$B</b>	-
Raised Coil (100-300KG)	Rear KIRR-02HD	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

<b>JAGUAR</b> XJ 6	<b>SER 1,2,3 6 CYL</b> 1968 - 1986	Lowered Coil	Front KJFL-01	<b>\$C</b>	WHEN FITTING JAGUAR XJ SERIES FR SPRINGS REMOVE PACKING PLATES FROM WISHBONE.
			Rear KJRL-03	<b>\$B</b>	2 pairs required per vehicle. (4 units)
		Standard Height Coil	Rear KJRS-03	<b>\$B</b>	2 pairs required per vehicle. (4 units)
<b>V12</b> 1976 - 1992		Lowered Coil	Rear KJRL-03	<b>\$B</b>	2 pairs required per vehicle. (4 units)
		Standard Height Coil	Rear KJRS-03	<b>\$B</b>	2 pairs required per vehicle. (4 units)
<b>WITH CHEV 350 MOTOR</b> 1968 - 1986		Lowered Coil	Front KJFL-05	<b>\$C</b>	WHEN FITTING JAGUAR XJ SERIES FR SPRINGS REMOVE PACKING PLATES FROM WISHBONE.
			Rear KJRL-03	<b>\$B</b>	2 pairs required per vehicle. (4 units)
		Standard Height Coil	Rear KJRS-03	<b>\$B</b>	2 pairs required per vehicle. (4 units)

<b>JAGUAR</b> XJS V12	1976 - 1992	Lowered Coil	Rear KJRL-03	<b>\$B</b>	2 pairs required per vehicle. (4 units)
		Standard Height Coil	Rear KJRS-03	<b>\$B</b>	2 pairs required per vehicle. (4 units)

## JEEP

<b>JEEP</b> CHEROKEE	<b>KJ - DIESEL</b> 9/2001 - 2008	Raised Coil	Front KJFR-27HD	<b>\$B</b>	-	
			Rear KJRR-28	<b>\$B</b>	-	
	<b>KJ - PETROL</b> 9/2001 - 2007	Raised Coil	Front KJFR-27	<b>\$B</b>	-	
			Rear KJRR-28	<b>\$B</b>	-	
	<b>KK - 3.6 V6 EFI</b> 2007 - 2012	Raised Coil	Front KJFR-39	<b>\$C</b>	-	
			Rear KJRR-40	<b>\$C</b>	-	
<b>XJ</b> 1994 - 2001		Raised Coil	Front KJFR-20	<b>\$B</b>	-	
		Raised Leaf	Rear JEEP-03 ZZ	-	LONGER UBOLTS REQUIRED. IMPORTED SPRING	
		Ubolts	Rear UB-04 X 4	-	RD 7/16" X 2 3/4" X 7"	
			Bushes Rear	Rear Spring Front Eye SPF-1737K	-	-
				Rear Spring Rear Eye SPF-1738K	-	-
			Rear Spring Upper SPF-1080K	-	-	
		BUSH KIT	Kit KIT-084K	-	-	
<b>JEEP</b> COMMANDER	<b>XH</b> 2006 - 3/2010	Raised Coil	Front KJFR-29	<b>\$B</b>	-	
			Rear KJRR-30HD	<b>\$B</b>	-	
		Raised Coil (50-100KG)	Front KJFR-29HD	<b>\$B</b>	-	
<b>JEEP</b> GLADIATOR	2020 - Current	Raised Coil	Front KJFR-49	<b>\$B</b>	-	
			Rear KJRR-50	<b>\$C</b>	-	
		Raised Coil (300-500KG)	Rear KJRR-50HD	<b>\$C</b>	-	

**JEEP  
GRAND  
CHEROKEE**

**WH**  
7/2005 - 2010

Raised Coil	Front KJFR-29	<b>\$B</b>	-
	Rear KJRR-30	<b>\$B</b>	-
	Raised Coil (50-100KG)	Front KJFR-29HD	<b>\$B</b> -
	Raised Coil (100-300KG)	Rear KJRR-30HD	<b>\$B</b> -

**WJ, WG**  
6/1999 - 6/2005

Raised Coil	Front KJFR-25	<b>\$B</b>	-
	Rear KJRR-26	<b>\$B</b>	-

**WK2 LAREDO DIESEL**  
2011 - Current

Raised Coil	Front KJFR-43	<b>\$B</b>	-
	Rear KJRR-44	<b>\$C</b>	THIS PART NUMBER SUITS ONLY VEHICLES FITTED WITH THE SELF LEVEL SYSTEM. IF NON SELF LEVEL SHOCKS FITTED, USE KJRR-42. YOU MUST ALSO USE OE TOP MOUNTS, BOOTS AND BUMPSTOPS IF USING/CONVERTING TO NON SELF LEVEL.

**WK2 LAREDO PETROL 3.6LTR V6**  
2011 - Current

Super Low Coil	Rear KJRL-42SRT8SL	<b>\$C</b>	-
Lowered Coil	Rear KJRL-42SRT8	<b>\$C</b>	-
Raised Coil	Rear KJRR-42	<b>\$C</b>	-

**WK2 LAREDO PETROL 5.7LTR V8**  
2011 - Current

Super Low Coil	Rear KJRL-42SRT8SL	<b>\$C</b>	-
Lowered Coil	Front KJFL-41SRT8	<b>\$C</b>	-
	Rear KJRL-42SRT8	<b>\$C</b>	-
Raised Coil	Rear KJRR-42	<b>\$C</b>	-

**WK2 SRT8**  
2011 - Current

Super Low Coil	Rear KJRL-42SRT8SL	<b>\$C</b>	-
Lowered Coil	Front KJFL-41SRT8	<b>\$C</b>	-
	Rear KJRL-42SRT8	<b>\$C</b>	-

**ZG**  
1996 - 1999

Raised Coil	Front KJFR-20	<b>\$B</b>	-
	Rear KJRR-21	<b>\$D</b>	NON STOCKED ITEM. CURRENTLY UNAVAILABLE

**JEEP  
WRANGLER**

**JK LWB DIESEL**  
3/2007 - 5/2018

Raised Coil	Front KJFR-34	<b>\$B</b>	-
	Rear KJRR-36	<b>\$B</b>	-

**JK LWB PETROL**  
3/2007 - 5/2018

Raised Coil	Front KJFR-33	<b>\$B</b>	-
	Rear KJRR-36	<b>\$B</b>	-

**JK SWB DIESEL**  
3/2007 - 5/2018

Raised Coil	Rear KJRR-35	<b>\$B</b>	-
-------------	--------------	------------	---

**JK SWB PETROL**  
3/2007 - 5/2018

Raised Coil	Front KJFR-31	<b>\$B</b>	-
	Rear KJRR-35	<b>\$B</b>	-

**JL LWB DIESEL**  
6/2018 - Current

Raised Coil	Front KJFR-45	<b>\$C</b>	-
	Rear KJRR-46	<b>\$C</b>	-
	Rear Raised Coil (50-100KG)	Rear Raised Coil (50-150KG) KJRR-46HD	<b>\$C</b>

**TJ**  
1996 - 2/2007

Raised Coil	Front KJFR-23	<b>\$B</b>	-
	Rear KJRR-24	<b>\$B</b>	-

**KIA**

**KIA  
SORENTO**

**BL SERIES - DIESEL**  
7/2007 - 2009

Raised Coil	Front KKFR-08H	<b>\$C</b>	-
	Rear KKRR-11	<b>\$B</b>	115MM INSIDE DIAMETER COIL.

**BL SERIES - PETROL**  
7/2007 - 2009

Raised Coil	Rear KKRR-11	<b>\$B</b>	115MM INSIDE DIAMETER COIL.
-------------	--------------	------------	-----------------------------

**XM 2WD PETROL**  
2010 - 2014

Raised Coil	Front KHFR-141	<b>\$B</b>	-
-------------	----------------	------------	---

**XM AWD DIESEL**  
2010 - 2014

Raised Coil	Front KHFR-141	<b>\$B</b>	-
	Rear KHRR-139	<b>\$B</b>	-

**KIA  
SPORTAGE**

5/2010 - 10/2013

Raised Coil	Rear KHRR-149	<b>\$A</b>	-
-------------	---------------	------------	---

LANDROVER 110	COUNTY DIESEL 1984 - 1991	Standard Height Coil	Front KRRS-02	\$B	-	
		Raised Coil	Front KRRR-02	\$B	-	
	COUNTY PETROL 1984 - 1991	Standard Height Coil	Front KRFR-01	\$B	-	
		Raised Coil	Front KRRS-02	\$B	-	
	TRAYBACK 1984 - 1991	Standard Height Coil	Front KRRS-02	\$B	-	
		Raised Coil	Front KRRR-02	\$B	-	
Rear KLRR-05			\$C	-		
LANDROVER DEFENDER	110 & TD5 1992 - 2001	Standard Height Coil	Front KRFS-03	\$B	-	
		Raised Coil	Front KRFR-03	\$B	-	
			Rear KLRR-05	\$C	-	
		Raised Coil (50-100KG)	Front KRFR-03HD	\$B	-	
		Raised Coil (300-500KG)	Rear KLRR-05HD	\$D	-	
	130 1992 - 1999	Standard Height Coil	Front KRFS-03	\$B	-	
		Raised Coil	Front KRFR-03	\$B	-	
			Rear KLRR-05HD	\$D	-	
	LANDROVER DISCOVERY	2.5 TDI 1991 - 1/1999	Standard Height Coil	Front KRFS-03	\$B	-
				Rear KRRS-04	\$B	PROGRESSIVE RATE DESIGN USED.
Raised Coil			Front KRFR-03	\$B	-	
			Rear KRRR-04	\$B	PROGRESSIVE RATE DESIGN USED.	
Raised Coil (100-300KG)		Rear KRRR-04HD	\$B	PROGRESSIVE RATE DESIGN USED.		
3.5-3.9 V8 1991 - 1/1999		Standard Height Coil	Front KRFS-01	\$B	-	
			Rear KRRS-04	\$B	PROGRESSIVE RATE DESIGN USED.	
		Raised Coil	Front KRFR-01	\$B	-	
			Rear KRRR-04	\$B	PROGRESSIVE RATE DESIGN USED.	
Raised Coil (100-300KG)		Rear KRRR-04HD	\$B	PROGRESSIVE RATE DESIGN USED.		
SER 11 - EXCL TD5 2/1999 - 2004		Raised Coil	Front KRFS-06	\$B	-	
			Rear KRRR-04	\$B	PROGRESSIVE RATE DESIGN USED.	
		Raised Coil (50-100KG)	Front KRFR-06	\$B	-	
		Raised Coil (100-300KG)	Rear KRRR-04HD	\$B	PROGRESSIVE RATE DESIGN USED.	
SER 11 - TD5 2/1999 - 2004		Standard Height Coil	Front KRFS-06	\$B	-	
	Rear KRRS-04		\$B	PROGRESSIVE RATE DESIGN USED.		
	Raised Coil	Front KRFR-06	\$B	-		
		Rear KRRR-04	\$B	PROGRESSIVE RATE DESIGN USED.		
	Raised Coil (50-100KG)	Front KRFR-06HD	\$B	-		
Raised Coil (100-300KG)	Rear KRRR-04HD	\$B	PROGRESSIVE RATE DESIGN USED.			

LDV  
T60

2017 - 9/2021

Raised Coil	Front KHFR-168H	<b>\$B</b>	-
Raised Leaf	Rear HOL-207 ZZ	-	IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
Raised Comfort Leaf	Rear HOL-207C ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD
Raised Coil (50-100KG)	Front KTFR-101	<b>\$B</b>	-
Raised Coil (100-250KG)	Front KTFR-101H	<b>\$B</b>	-
Raised EHD Leaf	Rear HOL-207HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM
Ubolts	Rear UB-453/2 X 4	-	SQ 14 X 62 X 180
Bushes Rear	Rear Spring Front Eye SPF-2670K	-	-
	Rear Spring Rear Eye SPF-2231-4K	-	-
	Rear Spring Upper SPF-4040K	-	-
BUSH KIT	Kit KIT-185K	-	-

LDV  
T60 MAX

9/2021 - Current

Raised Coil	Front KHFR-168H	<b>\$B</b>	-
Raised Leaf	Rear HOL-207 ZZ	-	IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
Raised Comfort Leaf	Rear HOL-207C ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD
Raised Coil (50-100KG)	Front KTFR-101	<b>\$B</b>	-
Raised Coil (100-250KG)	Front KTFR-101H	<b>\$B</b>	-
Ubolts	Rear UB-453/2 X 4	-	SQ 14 X 62 X 180
Bushes Rear	Rear Spring Front Eye SPF-2670K	-	-
	Rear Spring Rear Eye SPF-2231-4K	-	-
	Rear Spring Upper SPF-4040K	-	-
BUSH KIT	Kit KIT-185K	-	-

**LEXUS**

LEXUS  
ES300

MCV20R  
10/1996 - 9/2001

Lowered Coil	Front KTFL-63	<b>\$A</b>	-
	Rear KTRL-61	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Lowered Coil	Rear KTRL-61	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KTRL-61	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.

MCV30R  
10/2001 - 2005

VCV10R  
1992 - 9/1996

LEXUS IS250	GSE20R 11/2005 - 2013	Lowered Coil	Rear KTRL-116	\$D	-	
LEXUS LX470	UZJ100R - 4WD 1998 - 2006	Standard Height Coil	Rear KTRS-79	\$B	-	
<b>MAZDA</b>						
MAZDA 3	BK, BL SERIES PETROL inc.SP23 / SP25 2004 - 1/2014	Super Low Coil	Front KMFL-42SL	\$A	PROGRESSIVE RATE DESIGN USED.	
			Rear KFRL-74SL	\$A	-	
		Lowered Coil	Front KMFL-42	\$A	PROGRESSIVE RATE DESIGN USED.	
			Rear KFRL-74	\$A	PROGRESSIVE RATE DESIGN USED.	
		Standard Height Coil	Front KMFS-42	\$B	-	
			Rear KFRS-74	\$A	-	
	BL SERIES DIESEL 2008 - 1/2014	Lowered Coil	Rear KFRL-74	\$A	PROGRESSIVE RATE DESIGN USED.	
		Standard Height Coil	Rear KFRS-74	\$A	-	
	BM SERIES PETROL 2/2014 - 4/2016	Lowered Coil	Front KMFL-56SP	\$A	-	
			Rear KMRL-57	\$A	PROGRESSIVE RATE DESIGN USED.	
	BN SERIES PETROL 5/2016 - 2019	Lowered Coil	Front KMFL-56SP	\$A	-	
			Rear KMRL-57	\$A	PROGRESSIVE RATE DESIGN USED.	
MAZDA 3 MPS	BK1032 2006 - 1/2014	Lowered Coil	Front KMFL-42	\$A	PROGRESSIVE RATE DESIGN USED.	
			Rear KFRL-74SL	\$A	PROGRESSIVE RATE DESIGN USED.	
MAZDA 323	ASTINA BG - BG1061/2 BG10P1/2 10/1989 - 10/1996	Standard Height Coil	Rear KFRS-51	\$D	-	
			ASTINA BJ & BJ SER 2 9/1998 - 12/2003	Standard Height Coil	Front KMFS-93	\$A
	BD, BF 1980 - 9/1989	Super Low Coil	Front KHFL-114	\$A	PROGRESSIVE RATE DESIGN USED.	
			Lowered Coil	Front KFFL-15	\$A	PROGRESSIVE RATE DESIGN USED.
				Rear KFRL-16	\$A	PROGRESSIVE RATE DESIGN USED.
	BG - BG1061/2 BG10P1/2 10/1989 - 10/1996	Standard Height Coil	Rear KFRS-51	\$D	-	
	PROTEGE BJ & BJ SER 2 9/1998 - 12/2003	Standard Height Coil	Front KMFS-93	\$A	-	
			Rear KMRS-94	\$A	-	
	RWD 1977 - 1980	Lowered Coil	Front KMFL-06	\$A	PROGRESSIVE RATE DESIGN USED.	
			Standard Height Coil	Front KHRL-07	\$A	PROGRESSIVE RATE DESIGN USED.
		Rear KMRS-03	\$D	NON STOCKED ITEM. CURRENTLY UNAVAILABLE		
	MAZDA 626	FWD NON ADJ ORIG SHOCK 1983 - 1987	Standard Height Coil	Front KFFS-19	\$D	-
Rear KFRS-20				\$D	-	
MAZDA 808	1972 - 1977	Lowered Coil	Front KMFL-06	\$A	PROGRESSIVE RATE DESIGN USED.	
MAZDA BT50						

**B22, B32 4WD**  
2011 - 7/2020

Lowered Coil	Rear MAZ-011	-	-
Standard Height Coil	Front KFFS-08	<b>\$B</b>	-
Raised Coil	Front KFFR-08	<b>\$B</b>	-
	Front KFFR-08T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Leaf	Rear MAZ-010 ZZ	-	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
Raised Comfort Leaf	Rear MAZ-010C ZZ	-	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. TOP STAGE ONLY LEAF SPRING. IMPORTED SPRING UP TO 300KG OF LOAD
Raised Comfort Coil (50-100KG)	Front KFFR-08H	<b>\$B</b>	-
Raised Coil (50-100KG)	Front KFFR-08HD	<b>\$B</b>	-
	Front KFFR-08HT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Coil (100-250KG)	Front KFFR-08HDT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Front KFFR-08HHD	<b>\$B</b>	-
Raised EHD Leaf	Rear MAZ-010HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM
Ubolts	Rear UB-07 X 4	-	RD 14 X 90 X 210
Pin	Rear SK-387-2G X 2	-	-
Shackle	Rear SK-390G X 2	-	-
Bushes Rear	Rear Spring Front Eye SPF-3802K	-	-
	Rear Spring Rear Eye SPF-3804K	-	-
	Rear Spring Upper SPF-3803K	-	-
BUSH KIT	Kit KIT-168K	-	-

**CD 4WD**  
2007 - 2011

Raised Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
Raised Leaf	Rear MAZ-009 ZZ	-	LONGER UBOLTS REQUIRED. IMPORTED SPRING UP TO 300KG OF LOAD
Raised EHD Leaf	Rear MAZ-009HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
Ubolts	Rear UB-07 X 4	-	RD 14 X 90 X 210
Pin	Rear SK-387-2G X 2	-	-
Shackle	Rear SK-386/1G X 2	-	-
Bushes Rear	Rear Spring Front Eye SPF-2670K	-	-
	Rear Spring Rear Eye SPF-502K	-	-
	Rear Spring Upper SPF-753K	-	-
BUSH KIT	Kit KIT-145K	-	-

TF  
2020 - Current

	Raised Coil	Front KTFR-101	<b>\$B</b>	-
		Front KTFR-101T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Raised Leaf	Rear HOL-207 ZZ	-	IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
	Raised Comfort Coil	Front KTFR-101TC	<b>\$C</b>	EXTRA COMFORT TAPERED WIRE PROGRESSIVE RATE DESIGN
	Raised Comfort Leaf	Rear HOL-209C ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD
	Raised Coil (50-100KG)	Front KTFR-101H	<b>\$B</b>	-
		Front KTFR-101HT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
		Front KTFR-101HTC	<b>\$C</b>	EXTRA COMFORT TAPERED WIRE PROGRESSIVE RATE DESIGN
	Raised EHD Leaf	Rear HOL-207HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM H/BRAKE CABLE BRACKET REQUIRED. SEE TDSK-021 BELOW
	Ubolts	Rear UB-453/2 X 4	-	SQ 14 X 62 X 180
BUSH KIT	Kit KIT-246K	-	-	
	H/Brake Cable braket TDSK-021	-	-	

<b>MAZDA</b> CAPELLA	1970 - 1978	Lowered Coil	Front KMFL-04	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
-------------------------	-------------	--------------	---------------	------------	-------------------------------

<b>MAZDA</b> E2200	<b>PETROL</b> 1978 - 1989	Standard Height Coil	Front KHFL-10	<b>\$A</b>	-
-----------------------	------------------------------	----------------------	---------------	------------	---

<b>MAZDA</b> RX2	1970 - 1978	Lowered Coil	Front KMFL-04	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
---------------------	-------------	--------------	---------------	------------	-------------------------------

<b>MAZDA</b> RX3	1972 - 1977	Lowered Coil	Front KMFL-06	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
		Bushes Rear	Rear Spring Front Eye SPF-037K	-	-
			Rear Spring Rear Eye SPF-039K	-	-
			Rear Spring Upper SPF-040K	-	-

<b>MAZDA</b> RX4	<b>WITH AP EXHAUST (110mm I.D front coil)</b> 1972 - 1979	Lowered Coil	Front KMFL-07	<b>\$D</b>	PROGRESSIVE RATE DESIGN USED.
		Bushes Rear	Rear Spring Front Eye SPF-542K	-	-
			Rear Spring Rear Eye SPF-543K	-	-
	Rear Spring Upper SPF-544K		-	-	
	<b>WITHOUT AP EXHAUST (96mm I.D front coil)</b> 1972 - 1979	Lowered Coil	Front KHRL-07	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
		Bushes Rear	Rear Spring Front Eye SPF-542K	-	-
Rear Spring Rear Eye SPF-543K			-	-	
Rear Spring Upper SPF-544K	-		-		

**MERCEDES**

<b>MERCEDES</b> VITO VAN	2015 - Current	Raised Coil	Rear KMRR-115	<b>\$C</b>	-
	2004 - 2014	Raised Coil	Rear KMRR-114	<b>\$C</b>	-

<b>MERCEDES</b> X CLASS	<b>4CYL 4X4</b> 2019 - Current	Lowered Coil	Front KMFL-116	<b>\$D</b>	-
		Raised Coil	Front KDFR-72HHD	<b>\$B</b>	-
		Raised Comfort Coil	Rear KDRR-73	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
		Raised Coil (50-100KG)	Front KMFR-117	<b>\$C</b>	-
<b>6CYL 4X4</b> 2019 - Current	2019 - Current	Raised Coil	Front KMFR-117	<b>\$C</b>	-
		Raised Comfort Coil	Rear KDRR-73	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**MITSUBISHI**



<b>mitsubishi</b> CHALLENGER	<b>PAII</b> 9/2000 - 2006	Raised Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
			Rear KCRS-33	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
	<b>PB</b> 2010 - 2013	Raised Coil	Front KCFR-55	<b>\$B</b>	-
			Front KCFR-55T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
			Rear KCRS-23	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
	<b>PC</b> 2013 - 2015	Raised Coil	Front KCFR-55	<b>\$B</b>	-
Front KCFR-55T			<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN	
Rear KCRS-23			<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.	
<b>mitsubishi</b> DELICA / L400	<b>Import</b> 1996 - 2005	Raised Coil	Rear KCRR-13	<b>\$C</b>	-
<b>mitsubishi</b> GALANT	<b>GA, GD</b> 1971 - 1977	Lowered Coil	Front KDRL-83	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
		<b>HJ - 4CYL</b> 4/1993 - 1996	Lowered Coil	Front KCFL-60SL	<b>\$D</b>
			Rear KCRL-61	<b>\$D</b>	PROGRESSIVE RATE DESIGN USED.
<b>mitsubishi</b> LANCER	<b>CC - SEDAN / COUPE</b> 10/1992 - 5/1996	Super Low Coil	Rear KCRL-46	<b>\$A</b>	SUITS 120mm INSIDE DIAMETER FR COIL & 77mm INSIDE DIAMETER RE COIL.
		Lowered Coil	Front KCFL-36	<b>\$C</b>	SUITS 120mm INSIDE DIAMETER FR COIL & 77mm INSIDE DIAMETER RE COIL. PROGRESSIVE RATE DESIGN USED.
		Standard Height Coil	Front KCFS-36	<b>\$B</b>	SUITS 120mm INSIDE DIAMETER FR COIL & 77mm INSIDE DIAMETER RE COIL.
	<b>CC - WAGON</b> 10/1992 - 5/1996	Lowered Coil	Front KCFL-36	<b>\$C</b>	SUITS 120mm INDISE DIAMETER FR COIL. PROGRESSIVE RATE DESIGN USED.
		Standard Height Coil	Front KCFS-36	<b>\$B</b>	-
	<b>CE - WAGON</b> 1996 - 2001	Lowered Coil	Front KCFL-36	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.
		Standard Height Coil	Front KCFS-36	<b>\$B</b>	-
	<b>CEI, CEII</b> 7/1996 - 7/2003	Lowered Coil	Front KCFL-36	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.
			Rear KCRL-46	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
		Standard Height Coil	Front KCFS-36	<b>\$B</b>	-
			Rear KCRS-46	<b>\$A</b>	-
	<b>CG - SEDAN 2.0LTR</b> 7/2002 - 8/2007	Super Low Coil	Rear KCRL-48SL	<b>\$A</b>	-
		Lowered Coil	Rear KCRL-48	<b>\$A</b>	-
		Standard Height Coil	Rear KCRS-48	<b>\$A</b>	-
	<b>CG - VRX SEDAN</b> 7/2002 - 8/2007	Lowered Coil	Front KCFL-49	<b>\$A</b>	SUITS 140mm INDISE DIAMETER FR COIL.
			Rear KCRL-48	<b>\$A</b>	-
		Standard Height Coil	Rear KCRS-48	<b>\$A</b>	-
	<b>CH - SEDAN 2.4LTR</b> 2005 - 8/2007	Lowered Coil	Front KCFL-49	<b>\$A</b>	-
			Rear KCRL-48	<b>\$A</b>	-
		Standard Height Coil	Rear KCRS-48	<b>\$A</b>	-
	<b>CH - VRX SEDAN</b> 7/2002 - 8/2007	Lowered Coil	Front KCFL-49	<b>\$A</b>	SUITS 140mm INDISE DIAMETER FR COIL.
Rear KCRL-48			<b>\$A</b>	-	
Standard Height Coil		Rear KCRS-48	<b>\$A</b>	-	
<b>CJ - 2.0 SEDAN</b> 9/2007 - 10/2016	Lowered Coil	Front KMFS-93	<b>\$A</b>	-	
		Rear KCRL-48SL	<b>\$A</b>	-	
	Standard Height Coil	Rear KCRS-48	<b>\$A</b>	-	
<b>LA</b> 1974 - 1977	Lowered Coil	Front KMFL-06	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
	Standard Height Coil	Front KHRL-07	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
<b>LB, LC</b> 1977 - 1981	Lowered Coil	Front KDRL-83	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	

<b>MITSUBISHI</b> MAGNA	<b>TF, TH, TJ, TL, TS, TW SEDAN (NOT AWD MODEL)</b> 7/1997 - 2005	Lowered Coil	Front KCFL-42	<b>\$B</b>	-
			Rear KCRL-43	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
		Standard Height Coil	Front KCFS-31	<b>\$A</b>	-
			Rear KCRS-43	<b>\$A</b>	-
<b>TF, TH, TJ, TL, TS, TW WAGON</b> 7/1997 - 2005	Lowered Coil	Front KCFL-42	<b>\$B</b>	-	
	Standard Height Coil	Front KCFS-31	<b>\$A</b>	-	
<b>TR, TS WAGON</b> 3/1991 - 3/1997	Lowered Coil	Front KCFL-42	<b>\$B</b>	-	
	Standard Height Coil	Front KCFS-31	<b>\$A</b>	-	
<b>TR, TS SEDAN</b> 3/1991 - 3/1997	Lowered Coil	Front KCFL-42	<b>\$B</b>	-	
	Standard Height Coil	Front KCFS-31	<b>\$A</b>	-	

<b>MITSUBISHI</b> MIRAGE	<b>CE</b> 1996 - 2003	Super Low Coil	Front KCFL-36	<b>\$C</b>	-
		Lowered Coil	Rear KCRL-46	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
		Standard Height Coil	Rear KCRS-46	<b>\$A</b>	-
<b>MITSUBISHI</b> NIMBUS	<b>UG - 2WD N84W</b> 11/1998 - 2004	Standard Height Coil	Rear KFFL-03	<b>\$B</b>	-
		Raised Coil	Rear KFFL-04	<b>\$B</b>	-
<b>MITSUBISHI</b> OUTLANDER	<b>ZG, ZH</b> 2007 - 10/2012	Standard Height Coil	Rear KCRS-17	<b>\$A</b>	-
	<b>ZJ PETROL</b> 11/2012 - 2015	Raised Coil	Rear KCRR-72	<b>\$C</b>	-
<b>MITSUBISHI</b> PAJERO	<b>IO</b> 1998 - 2002	Raised Coil	Rear KFFS-90	<b>\$A</b>	-
	<b>NF, NG, NH, NK, NL LWB</b> 1988 - 4/2000	Standard Height Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
			Rear KCRS-23	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
		Raised Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
			Rear KCRR-23	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
			Rear KCRR-23HD	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
	<b>NF, NG, NH, NK, NL SWB</b> 1988 - 4/2000	Standard Height Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
			Rear KCRS-33	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
		Raised Coil	Rear KCRR-33	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
	<b>NM NP, NS, NT, - SWB PETROL</b> 5/2000 - 5/2013	Standard Height Coil	Front KCFS-34	<b>\$B</b>	-
			Raised Coil	Front KCFR-34	<b>\$B</b>
		Raised Coil (50-100KG)	Front KCFR-34T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
			Rear KCRS-35	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.
			Front KCFR-34H	<b>\$B</b>	-
	<b>NM, NP, NS, NT - LWB PETROL</b> 5/2000 - 5/2013	Standard Height Coil	Front KCFS-34	<b>\$B</b>	-
Rear KCRS-35			<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.	
Raised Coil		Front KCFR-34	<b>\$B</b>	-	
		Front KCFR-34T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN	
		Rear KCRR-35	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.	
Raised Comfort Coil		Rear KCRR-35C	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.	
Raised Coil (50-100KG)		Front KCFR-34H	<b>\$B</b>	-	
Raised Coil (100-300KG)		Rear KCRR-35HD	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.	
Raised Coil (300-500KG)	Rear KCRR-35EHD	<b>\$D</b>	-		

**NM, NP, NS, NT - SWB DIESEL**  
5/2000 - 5/2013

Standard Height Coil	Front KCFR-34	<b>\$B</b>	-
	Front KCFR-34T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Coil	Front KCFR-34HD	<b>\$B</b>	-
	Rear KCRS-35	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (50-100KG)	Front KCFR-34HHD	<b>\$B</b>	-

**NM, NP, NS, NT, NW, NX - LWB DIESEL**  
5/2000 - 3/2021

Standard Height Coil	Front KCFR-34	<b>\$B</b>	-
	Front KCFR-34T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Rear KCRS-35	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KCFR-34H	<b>\$B</b>	-
	Front KCFR-34HD	<b>\$B</b>	-
	Rear KCRR-35	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.
Raised Comfort Coil	Rear KCRR-35C	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (50-100KG)	Front KCFR-34HHD	<b>\$B</b>	-
Raised Coil (100-300KG)	Rear KCRR-35HD	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (300-500KG)	Rear KCRR-35EHD	<b>\$D</b>	-

**NS - SWB DIESEL**  
11/2006 - 2008

Raised Coil	Front KCFR-34HD	<b>\$B</b>	-
	Rear KCRS-35	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (50-100KG)	Front KCFR-34HHD	<b>\$B</b>	-

**NS - SWB PETROL**  
11/2006 - 2008

Raised Coil	Front KCFR-34	<b>\$B</b>	-
	Front KCFR-34T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Rear KCRS-35	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (50-100KG)	Front KCFR-34H	<b>\$B</b>	-

**QE, QF - SPORTS**  
1/2015 - Current

Standard Height Coil	Front KCFR-55SP	<b>\$B</b>	-
	Rear KCRR-38	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KCFR-55H	<b>\$B</b>	-
	Rear KCRR-23	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (100-250KG)	Front KCFR-55HDT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Coil (100-300KG)	Rear KCRR-23HD	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**MITSUBISHI STARION**

**JA, JB, JD**  
1983 - 1987

Standard Height Coil	Rear KCRS-18	<b>\$D</b>	-
----------------------	--------------	------------	---

**mitsubishi**  
TRITON

**ML, MN - 2WD**  
7/2006 - 2015

Raised Coil	Front KCFR-55SP	<b>\$B</b>	-
Ubolts	Rear UB-678 X 4	-	SQ 12 X 72 X 170

**ML, MN - 4WD**  
7/2006 - 2015

Standard Height Coil	Front KCFS-55	<b>\$B</b>	-
Raised Coil	Front KCFR-55	<b>\$B</b>	-
	Front KCFR-55T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Leaf	Rear MIT-023 ZZ	-	IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM LEAF SPRING IS SUPPLIED WITH A TOUGH DOG LEAF SPRING BUSH KIT TDUK-021/31.
Raised Comfort Leaf	Rear MIT-023C ZZ	-	IMPORTED SPRING LEAF SPRING IS SUPPLIED WITH A TOUGH DOG LEAF SPRING BUSH KIT TDUK-021/31.
Raised Coil (50-100KG)	Front KCFR-55H	<b>\$B</b>	-
Raised Coil (100-250KG)	Front KCFR-55HD	<b>\$B</b>	-
	Front KCFR-55HDT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised EHD Leaf	Rear MIT-023HD ZZ	-	MUST HAVE 500KG+ CONSTANT LOAD OTHERWISE DRIVE TRAIN SHUDDER COULD BE EXPERIENCED LONGER UBOLTS REQUIRED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM LEAF SPRING IS SUPPLIED WITH A TOUGH DOG LEAF SPRING BUSH KIT TDUK-021/31.
Ubolts	Rear UB-678 X 4	-	SQ 12 X 72 X 170
Pin	Rear SK-387-2G X 2	-	-
Shackle	Rear SK-MIT-001 X 2	-	-

**MQ - 4WD**  
2/2015 - Current

Raised Coil	Front KCFR-55SP	<b>\$B</b>	-
Raised Leaf	Rear MIT-024 ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD LEAF SPRING IS SUPPLIED WITH A TOUGH DOG LEAF SPRING BUSH KIT TDUK-077
Raised Coil (50-100KG)	Front KCFR-55	<b>\$B</b>	-
	Front KCFR-55T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised EHD Leaf	Rear MIT-024HD ZZ	-	LONGER UBOLTS REQUIRED. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM LEAF SPRING IS SUPPLIED WITH A TOUGH DOG LEAF SPRING BUSH KIT TDUK-077
Raised EEHD Leaf	Rear MIT-024EHD ZZ	-	LONGER UBOLTS REQUIRED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM LEAF SPRING IS SUPPLIED WITH A TOUGH DOG LEAF SPRING BUSH KIT TDUK-077
Ubolts	Rear UB-437 X 4	-	SQ 14 X 62 X 210
Shackle	Rear SK-MIT-001 X 2	-	-
BUSH KIT	Kit TDUK-077	-	-

**MV**  
2024 - Current

Raised Coil	Front KCFR-56	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 30-35MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil (50-100KG)	Front KCFR-56HD	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT

**mitsubishi**  
VERADA

**KE - WAGON**  
4/1996 - 6/1997

Standard Height Coil	Front KCFS-31	<b>\$A</b>	-
----------------------	---------------	------------	---

**KF, KH, KJ, KL, KS, KW - SEDAN**  
(NOT AWD MODEL)  
7/1997 - 2005

Lowered Coil	Front KCFL-42	<b>\$B</b>	-
	Rear KCRL-43	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KCFS-31	<b>\$A</b>	-
	Rear KCRS-43	<b>\$A</b>	-

**KF, KH, KJ, KL, KS, KW - WAGON**  
7/1997 - 2005

Lowered Coil	Front KCFL-42	<b>\$B</b>	-
Standard Height Coil	Front KCFS-31	<b>\$A</b>	-

<b>NISSAN</b> 1200	<b>COUPE</b> 1971 - 1973	Lowered Coil	Front KDFL-57	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
		Lowered Leaf	Rear DAT-501	-	REVERSE EYE TYPE DESIGN.
		Standard Height Coil	Front KDFL-17	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
		Bushes Rear	Rear Spring Front Eye SPF-025K	-	-
Rear Spring Rear Eye SPF-023K	-		-		
Rear Spring Upper SPF-024K	-		-		
<b>SEDAN</b> 1971 - 1973	Lowered Coil	Front KDFL-57	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
	Standard Height Coil	Front KDFL-17	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.	
<b>UTE</b> 1971 - 1973	Lowered Coil	Front KDFL-57	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
	Standard Height Coil	Front KDFL-17	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.	

<b>NISSAN</b> 120Y	<b>COUPE</b> 1970 - 1979	Lowered Coil	Front KDFL-57	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
		Standard Height Coil	Front KDFL-17	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
<b>NISSAN</b> 1600	1968 - 1972	Lowered Coil	Front KHFL-114	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
<b>NISSAN</b> 180B	1972 - 1977	Lowered Coil	Front KDFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
<b>NISSAN</b> 200B	1977 - 1981	Lowered Coil	Front KDRL-83	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
<b>NISSAN</b> NAVARA	<b>D21, D22 - 4WD DUAL CAB</b> 1997 - 2002	Standard Height Leaf	Rear NIS-013 ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD
		Raised Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
		Raised Leaf	Rear NIS-014 ZZ	-	LONGER UBOLTS REQUIRED. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
		Ubolts	Rear UB-700 X 4	-	SQ 12 X 63 X 180
		Pin	Rear SK-NIS003G X 2	-	-
		Shackle	Rear SK-NIS-018G X 2	-	-
		Bushes Rear	Rear Spring Front Eye SPF-1163K	-	-
			Rear Spring Rear Eye SPF-203K #	-	-
	BUSH KIT	Kit KIT-136K	-	-	
	<b>D21, D22 - 4WD SINGLE CAB</b> 1997 - 2014	Raised Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
		Raised Leaf	Rear NIS-013 ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD
		Raised EHD Leaf	Rear NIS-014 ZZ	-	LONGER UBOLTS REQUIRED. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
		Ubolts	Rear UB-700 X 4	-	SQ 12 X 63 X 180
		Pin	Rear SK-NIS003G X 2	-	-
Shackle		Rear SK-NIS-018G X 2	-	-	
Bushes Rear		Rear Spring Front Eye SPF-1163K	-	-	
		Rear Spring Rear Eye SPF-203K #	-	-	
BUSH KIT	Kit KIT-136K	-	-		

<b>D40 - 2WD CHASSIS NO. MNT (THAILAND)</b> 2008 - 2015	Lowered Coil	Front KDFL-70SL	<b>\$D</b>	-
	Lowered Leaf	Rear NIS-302/70	-	-
	Ubolts	Rear UB-453/2 X 4	-	SQ 14 X 62 X 180
<b>D40 - 2WD CHASSIS NO. VSK (SPAIN)</b> 2008 - 2015	Lowered Coil	Front KDFL-70SL	<b>\$D</b>	-
	Ubolts	Rear UB-453/2 X 4	-	SQ 14 X 62 X 180
<b>D40 - 4WD 3L DIESEL</b> 2011 - 2/2015	Raised Coil	Front KDFR-70HDSP	<b>\$B</b>	-
	Raised Leaf	Rear NIS-032 ZZ	-	LONGER UBOLTS REQUIRED. IMPORTED SPRING UP TO 300KG OF LOAD
	Raised Coil (50-100KG)	Front KDFR-70EHDSP	<b>\$B</b>	-
	Raised EHD Leaf	Rear NIS-032HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
	Raised EEHD Leaf	Rear NIS-032EHD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM
	Ubolts	Rear UB-453/2 X 4	-	SQ 14 X 62 X 180
	Pin	Rear SK-387-2G X 2	-	-
	Shackle	Rear SK-NIS-020G X 2	-	-
	Bushes Rear	Rear Spring Front Eye SPF-2766K	-	-
		Rear Spring Rear Eye SPF-2767K	-	-
		Rear Spring Upper SPF-2768K	-	-
	BUSH KIT	Kit KIT-141K	-	-
<b>D40 - 4WD 4L V6 PET &amp; 2.5 DIESEL</b> 2005 - 2/2015	Standard Height Coil	Front KDFS-70	<b>\$B</b>	-
	Raised Coil	Front KDFR-70	<b>\$B</b>	-
		Front KDFR-70T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Raised Leaf	Rear NIS-032 ZZ	-	LONGER UBOLTS REQUIRED. IMPORTED SPRING UP TO 300KG OF LOAD
	Raised Coil (50-100KG)	Front KDFR-70HD	<b>\$B</b>	-
		Front KDFR-70HDT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Raised Coil (100-250KG)	Front KDFR-70EHD	<b>\$B</b>	-
	Raised EHD Leaf	Rear NIS-032HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
	Ubolts	Rear UB-453/2 X 4	-	SQ 14 X 62 X 180
	Pin	Rear SK-387-2G X 2	-	-
	Shackle	Rear SK-NIS-020G X 2	-	-
	Bushes Rear	Rear Spring Front Eye SPF-2766K	-	-
Rear Spring Rear Eye SPF-2767K		-	-	
Rear Spring Upper SPF-2768K		-	-	
BUSH KIT	Kit KIT-141K	-	-	

<b>NP300 (D23) 4WD COIL REAR DUAL CAB</b> 2015 - 10/2017	Standard Height Coil	Rear KDRS-73	<b>\$B</b>	-
	Raised Coil	Front KDFR-72	<b>\$B</b>	-
		Front KDFR-72T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
		Rear KDRR-73	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
	Raised Coil (50-100KG)	Front KDFR-72HD	<b>\$B</b>	-
		Front KDFR-72HDT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Raised Coil (100-250KG)	Front KDFR-72HHD	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
	Raised Comfort Coil (100-250KG)	Rear KDRR-73H	<b>\$B</b>	-
	Raised Coil (100-300KG)	Rear KDRR-73HD	<b>\$B</b>	-
Raised Coil (300-500KG)	Rear KDRR-73EHD	<b>\$C</b>	-	
<b>NP300 (D23) 4WD LEAF REAR</b> 2015 - Current	Raised Coil	Front KDFR-72	<b>\$B</b>	-
		Front KDFR-72T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Raised Leaf	Rear NIS-034 ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD
	Raised Comfort Leaf	Rear NIS-034C ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD
	Raised Coil (50-100KG)	Front KDFR-72HD	<b>\$B</b>	-
		Front KDFR-72HDT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Raised Coil (100-250KG)	Front KDFR-72HHD	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
	Raised EHD Leaf	Rear NIS-034HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM
Ubolts	Rear UB-453/3 X 4	-	RD 14 X 83 X 195	
BUSH KIT	Kit KIT-211K	-	-	
<b>NISSAN NX COUPE</b> 1991 - 1995	Lowered Coil	Front KDFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
<b>NISSAN PATHFINDER</b> D21 2/1988 - 10/1995	Lowered Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
	Raised Coil	Rear KDRR-39	<b>\$B</b>	-
<b>R50</b> 11/1995 - 2004	Standard Height Coil	Rear KDRS-67	<b>\$B</b>	-
	Raised Coil	Front KDFR-66	<b>\$B</b>	-
		Rear KDRR-67	<b>\$B</b>	-
<b>R51 - 2.5 LTR TURBO DIESEL</b> 2005 - 6/2013	Standard Height Coil	Front KDFS-70	<b>\$B</b>	-
		Rear KDRS-71	<b>\$B</b>	-
	Raised Coil	Front KDFR-70	<b>\$B</b>	-
		Front KDFR-70T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
		Rear KDRR-71	<b>\$B</b>	-
	Raised Coil (50-100KG)	Front KDFR-70HD	<b>\$B</b>	-
Raised Coil (100-250KG)	Front KDFR-70EHD	<b>\$B</b>	-	
Raised Coil (100-300KG)	Rear KDRR-71HD	<b>\$C</b>	-	
<b>R51 - 3.0 LTR TURBO DIESEL</b> 2005 - 6/2013	Standard Height Coil	Rear KDRS-71	<b>\$B</b>	-
	Raised Coil	Front KDFR-70HDSP	<b>\$B</b>	-
		Rear KDRR-71	<b>\$B</b>	-
Raised Coil (100-300KG)	Rear KDRR-71HD	<b>\$C</b>	-	
<b>R51 - 4.0 LTR V6</b> 2005 - 6/2013	Standard Height Coil	Front KDFS-70	<b>\$B</b>	-
		Rear KDRS-71	<b>\$B</b>	-
	Raised Coil	Front KDFR-70	<b>\$B</b>	-
		Front KDFR-70T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
		Rear KDRR-71	<b>\$B</b>	-
	Raised Coil (50-100KG)	Front KDFR-70HD	<b>\$B</b>	-
Raised Coil (100-300KG)	Rear KDRR-71HD	<b>\$C</b>	-	

**GQ (Y60) LWB 3 LTR**  
1988 - 1997

Standard Height Coil	Rear KDRS-43	<b>\$C</b>	-
Raised Coil	Front KDFR-40	<b>\$B</b>	-
	Rear KDPR-43	<b>\$B</b>	GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED. PROGRESSIVE RATE DESIGN USED.
	Rear KDRR-43	<b>\$B</b>	GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED.
Raised Comfort Coil (50-100KG)	Front KDFR-42H	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Raised Coil (50-100KG)	Front KDFR-42HD	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Raised Coil (100-250KG)	Front KDFR-42HHD	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Raised Comfort Coil (100-250KG)	Rear KDPR-43HD	<b>\$C</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED. PROGRESSIVE RATE DESIGN USED.
Raised Coil (100-300KG)	Rear KDRR-43HD	<b>\$C</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED.
Raised Comfort Coil (300-500KG)	Rear KDPR-59SP	<b>\$D</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED. PROGRESSIVE RATE DESIGN USED.
Raised Coil (500KG+)	Rear KDRR-43EHD	<b>\$D</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED. THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY
Raised Coil (750KG+)	Rear KDRR-43SHD	<b>\$E</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED. THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY

**GQ (Y60) LWB 4.2 LTR**  
1988 - 1997

Standard Height Coil	Front KDFS-42	<b>\$B</b>	-
	Rear KDRS-43	<b>\$C</b>	-
Standard Height Coil (50-100KG)	Front KDFS-42HD	<b>\$B</b>	-
Raised Coil	Front KDFR-42	<b>\$B</b>	-
	Rear KDPR-43	<b>\$B</b>	GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED. PROGRESSIVE RATE DESIGN USED.
	Rear KDRR-43	<b>\$B</b>	GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED.
Raised Comfort Coil	Front KDPR-42	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Comfort Coil (50-100KG)	Front KDFR-42H	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Raised Coil (50-100KG)	Front KDFR-42HD	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Raised Coil (100-250KG)	Front KDFR-42HHD	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Raised Comfort Coil (100-250KG)	Rear KDPR-43HD	<b>\$C</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED. PROGRESSIVE RATE DESIGN USED.
Raised Coil (100-300KG)	Rear KDRR-43HD	<b>\$C</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED.
Raised Comfort Coil (300-500KG)	Rear KDPR-59SP	<b>\$D</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED. PROGRESSIVE RATE DESIGN USED.
Raised Coil (500KG+)	Rear KDRR-43EHD	<b>\$D</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED. THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY
Raised Coil (750KG+)	Rear KDRR-43SHD	<b>\$E</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED. THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY

**GQ (Y60) SWB**  
1988 - 1997

Raised Coil	Front KDFR-40	<b>\$B</b>	-
	Rear KDRR-41	<b>\$B</b>	GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED.



**GQ (Y60) T/BACK (COIL FR & RE)**  
1992 - 1998

Standard Height Coil	Front KDFS-42	<b>\$B</b>	-
	Rear KDPR-58	<b>\$C</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil (50-100KG)	Front KDFS-42HD	<b>\$B</b>	-
Raised Coil	Front KDFR-42	<b>\$B</b>	-
	Rear KDPR-43HD	<b>\$C</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED. PROGRESSIVE RATE DESIGN USED.
Raised Comfort Coil	Front KDPR-42	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (50-100KG)	Front KDFR-42HD	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Raised Coil (100-250KG)	Front KDFR-42HHD	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Raised Comfort Coil (300-500KG)	Rear KDPR-59SP	<b>\$D</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED. PROGRESSIVE RATE DESIGN USED.
Raised Coil (500KG+)	Rear KDRR-43EHD	<b>\$D</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY
Raised Coil (750KG+)	Rear KDRR-43SHD	<b>\$E</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED. THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY

**GQ (Y60) T/BACK (LEAF FR & RE)**  
1992 - 1998

Raised EHD Leaf	Rear NIS-016HD ZZ	-	IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM
Ubolts	Rear UB-670 X 4	-	RD 14 X 95 X 220
Pin	Rear SK-667G X 2	-	-
Shackle	Rear SK-666G X 2	-	-
Bushes Rear	Rear Spring Front Eye SPF-2260 X 4	-	-
	Rear Spring Rear Eye SPF-2260 X 4	-	-
	Rear Spring Upper SPF-2260 X 4	-	-

**GU (Y61) LWB**  
1998 - 2016

Standard Height Coil	Front KDFS-42	<b>\$B</b>	-
	Rear KDRS-45	<b>\$B</b>	-
Standard Height Coil (50-100KG)	Front KDFS-42HD	<b>\$B</b>	-
Raised Coil	Front KDFR-42	<b>\$B</b>	-
	Rear KDPR-43LP	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. PROGRESSIVE RATE DESIGN USED.
	Rear KDRR-45	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Raised Comfort Coil	Front KDPR-42	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (50-100KG)	Front KDFR-42HD	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
	Rear Raised Coil (50-150KG) KDRR-45H	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Raised Coil (100-250KG)	Front KDFR-42HHD	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Raised Comfort Coil (100-250KG)	Rear KDPR-58LP	<b>\$C</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED. PROGRESSIVE RATE DESIGN USED.
Raised Comfort Coil (300-500KG)	Rear KDPR-59	<b>\$D</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED. PROGRESSIVE RATE DESIGN USED.
Raised Coil (500KG+)	Rear KDRR-43EHD	<b>\$D</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY
Raised Coil (750KG+)	Rear KDRR-43SHD	<b>\$E</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED. THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY

**GU (Y61) T/BACK (COIL FR & LEAF RE)**  
1998 - 2016

Standard Height Coil	Front KDFS-42	<b>\$B</b>	-
Standard Height Coil (50-100KG)	Front KDFS-42HD	<b>\$B</b>	-
Raised Coil	Front KDFR-42	<b>\$B</b>	-
Raised Comfort Coil	Front KDPR-42	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (50-100KG)	Front KDFR-42HD	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Raised Coil (100-250KG)	Front KDFR-42HHD	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Raised EHD Leaf	Rear NIS-016HD ZZ	-	IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM
Ubolts	Rear UB-671 X 4	-	RD 14 X 110 X 260
Pin	Rear SK-667G X 2	-	-
Shackle	Rear SK-666G X 2	-	-
Bushes Rear	Rear Spring Front Eye SPF-2260 X 4	-	-
	Rear Spring Rear Eye SPF-2260 X 4	-	-
	Rear Spring Upper SPF-2260 X 4	-	-

**GU (Y61) T/BACK (COIL FR & RE)**  
1998 - 2016

Standard Height Coil	Front KDFS-42	<b>\$B</b>	-
	Rear KDPR-58	<b>\$C</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. PROGRESSIVE RATE DESIGN USED.
Standard Height Coil (50-100KG)	Front KDFS-42HD	<b>\$B</b>	-
Raised Coil	Front KDFR-42	<b>\$B</b>	-
	Rear KDPR-43HD	<b>\$C</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Raised Comfort Coil	Front KDPR-42	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (50-100KG)	Front KDFR-42HD	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Raised Coil (100-250KG)	Front KDFR-42HHD	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Raised Comfort Coil (100-250KG)	Rear KDPR-58LP	<b>\$C</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED. PROGRESSIVE RATE DESIGN USED.
Raised Comfort Coil (300-500KG)	Rear KDPR-59	<b>\$D</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED. PROGRESSIVE RATE DESIGN USED.
Raised Coil (750KG+)	Rear KDRR-43SHD	<b>\$E</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. GQ PATROL FITTED WITH LPG TANK. SPECIAL COILS AVAILABLE. LOCATION OF TANK REQUIRED. THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY

**GU (Y61) T/BACK (LEAF FR & RE)**  
1998 - 2016

Raised EHD Leaf	Rear NIS-016HD ZZ	-	IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM
Ubolts	Rear UB-671 X 4	-	RD 14 X 110 X 260
Pin	Rear SK-667G X 2	-	-
Shackle	Rear SK-666G X 2	-	-
Bushes Rear	Rear Spring Front Eye SPF-2260 X 4	-	-
	Rear Spring Rear Eye SPF-2260 X 4	-	-
	Rear Spring Upper SPF-2260 X 4	-	-

**MK 160 LWB**  
1983 - 1986

Ubolts	Front UB-451 X 2	-	RD 12 X 77 X 175
	Front UB-452 X 2	-	SQ 12 X 62 X 95
	Rear UB-453 X 4	-	RD 14 X 95 X 210
Pin	Front SK-470G X 2	-	-
	Rear SK-470G X 2	-	-
Shackle	Front SK-665G X 2	-	-
	Rear SK-664G X 2	-	-
Front Bushes	Front Spring Front Eye SPF-2053K	-	-
	Front Spring Rear Eye SPF-2054K	-	-
	Front Spring Upper STEEL TYPE	-	-
Bushes Rear	Rear Spring Front Eye SPF-2054K	-	-
	Rear Spring Rear Eye SPF-2052K	-	-
	Rear Spring Upper SPF-2051K	-	-

**MK 160 LWB T/BACK 4.0L P, 3.3 D**  
1983 - 1986

Raised EHD Leaf	Rear NIS-006	-	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Ubolts	Front UB-451 X 2	-	RD 12 X 77 X 175
	Front UB-452 X 2	-	SQ 12 X 62 X 95
	Rear UB-453 X 4	-	RD 14 X 95 X 210
Pin	Front SK-470G X 2	-	-
	Rear SK-470G X 2	-	-
Shackle	Front SK-665G X 2	-	-
	Rear SK-664G X 2	-	-
Front Bushes	Front Spring Front Eye SPF-2053K	-	-
	Front Spring Rear Eye SPF-2054K	-	-
	Front Spring Upper STEEL TYPE	-	-
Bushes Rear	Rear Spring Front Eye SPF-2054K	-	-
	Rear Spring Rear Eye SPF-2052K	-	-
	Rear Spring Upper SPF-2051K	-	-

**MK 160 SWB**  
1983 - 1986

Ubolts	Front UB-451 X 2	-	RD 12 X 77 X 175
	Front UB-452 X 2	-	SQ 12 X 62 X 95
	Rear UB-453 X 4	-	RD 14 X 95 X 210
Pin	Front SK-470G X 2	-	-
	Rear SK-470G X 2	-	-
Shackle	Front SK-665G X 2	-	-
	Rear SK-664G X 2	-	-
Front Bushes	Front Spring Front Eye SPF-2053K	-	-
	Front Spring Rear Eye SPF-2054K	-	-
	Front Spring Upper STEEL TYPE	-	-
Bushes Rear	Rear Spring Front Eye SPF-2054K	-	-
	Rear Spring Rear Eye SPF-2052K	-	-
	Rear Spring Upper SPF-2051K	-	-

**MQ 160 LWB**  
1980 - 1983

Ubolts	Front UB-451 X 2	-	RD 12 X 77 X 175
	Front UB-452 X 2	-	SQ 12 X 62 X 95
	Rear UB-453 X 4	-	RD 14 X 95 X 210
Pin	Front SK-470G X 2	-	-
	Rear SK-470G X 2	-	-
Shackle	Front SK-355G X 2	-	-
	Rear SK-664G X 2	-	-
Front Bushes	Front Spring Front Eye STEEL TYPE	-	-
	Front Spring Rear Eye SPF-2054K	-	-
	Front Spring Upper STEEL TYPE	-	-
Bushes Rear	Rear Spring Front Eye SPF-2054K	-	-
	Rear Spring Rear Eye SPF-2052K	-	-
	Rear Spring Upper SPF-2051K	-	-

**MQ 160 LWB T/BACK 4.0L P, 3.3 D**  
1980 - 1983

Raised EHD Leaf	Rear NIS-006	-	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Ubolts	Front UB-451 X 2	-	RD 12 X 77 X 175
	Front UB-452 X 2	-	SQ 12 X 62 X 95
	Rear UB-453 X 4	-	RD 14 X 95 X 210
Pin	Front SK-470G X 2	-	-
	Rear SK-470G X 2	-	-
Shackle	Front SK-355G X 2	-	-
	Rear SK-664G X 2	-	-
Front Bushes	Front Spring Front Eye STEEL TYPE	-	-
	Front Spring Rear Eye SPF-2054K	-	-
	Front Spring Upper STEEL TYPE	-	-
Bushes Rear	Rear Spring Front Eye SPF-2054K	-	-
	Rear Spring Rear Eye SPF-2052K	-	-
	Rear Spring Upper SPF-2051K	-	-

**MQ 160 SWB**  
1980 - 1983

Ubolts	Front UB-451 X 2	-	RD 12 X 77 X 175
	Front UB-452 X 2	-	SQ 12 X 62 X 95
	Rear UB-453 X 4	-	RD 14 X 95 X 210
Pin	Front SK-470G X 2	-	-
	Rear SK-470G X 2	-	-
Shackle	Front SK-355G X 2	-	-
	Rear SK-664G X 2	-	-
Front Bushes	Front Spring Front Eye STEEL TYPE	-	-
	Front Spring Rear Eye SPF-2054K	-	-
	Front Spring Upper STEEL TYPE	-	-
Bushes Rear	Rear Spring Front Eye SPF-2054K	-	-
	Rear Spring Rear Eye SPF-2052K	-	-
	Rear Spring Upper SPF-2051K	-	-

	<b>Y62</b> 2011 - Current	Standard Height Coil	Front KDFS-302	<b>\$B</b>	CAN BE FITTED FOR PATROL Y62 WITH HYDRAULIC SHOCK & SWAY BAR SYSTEM, FRONT OR REAR, BUT WILL NEED TO BE INSTALLED BY A SUSPENSION SPECIALIST WHOM CAN ADJUST THE AUTO LEVELLING SYSTEM AFTER INSTALLATION OF SPRINGS.
			Rear KDRS-303	<b>\$C</b>	CAN BE FITTED FOR PATROL Y62 WITH HYDRAULIC SHOCK & SWAY BAR SYSTEM, FRONT OR REAR, BUT WILL NEED TO BE INSTALLED BY A SUSPENSION SPECIALIST WHOM CAN ADJUST THE AUTO LEVELLING SYSTEM AFTER INSTALLATION OF SPRINGS.
		Raised Coil	Front KDFR-302	<b>\$B</b>	CAN BE FITTED FOR PATROL Y62 WITH HYDRAULIC SHOCK & SWAY BAR SYSTEM, FRONT OR REAR, BUT WILL NEED TO BE INSTALLED BY A SUSPENSION SPECIALIST WHOM CAN ADJUST THE AUTO LEVELLING SYSTEM AFTER INSTALLATION OF SPRINGS.
			Rear KDRR-303	<b>\$C</b>	CAN BE FITTED FOR PATROL Y62 WITH HYDRAULIC SHOCK & SWAY BAR SYSTEM, FRONT OR REAR, BUT WILL NEED TO BE INSTALLED BY A SUSPENSION SPECIALIST WHOM CAN ADJUST THE AUTO LEVELLING SYSTEM AFTER INSTALLATION OF SPRINGS.
<b>Y62 - ARMoured VEHICLE</b> 2011 - Current		Raised Coil	Front KDFR-302AV	<b>\$D</b>	CAN BE FITTED FOR PATROL Y62 WITH HYDRAULIC SHOCK & SWAY BAR SYSTEM, FRONT OR REAR, BUT WILL NEED TO BE INSTALLED BY A SUSPENSION SPECIALIST WHOM CAN ADJUST THE AUTO LEVELLING SYSTEM AFTER INSTALLATION OF SPRINGS.
			Rear KDRR-303AV	<b>\$D</b>	CAN BE FITTED FOR PATROL Y62 WITH HYDRAULIC SHOCK & SWAY BAR SYSTEM, FRONT OR REAR, BUT WILL NEED TO BE INSTALLED BY A SUSPENSION SPECIALIST WHOM CAN ADJUST THE AUTO LEVELLING SYSTEM AFTER INSTALLATION OF SPRINGS. NON STOCKED ITEM. CURRENTLY UNAVAILABLE
<b>NISSAN</b> PINTARA	<b>R31 - SEDAN</b> 1986 - 1990	Lowered Coil	Rear KDRL-30	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.
	<b>U12 - HATCH</b> 1989 - 1992	Lowered Coil	Front KDRL-83	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	<b>U12 - SEDAN</b> 1989 - 1992	Lowered Coil	Front KDRL-83	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Rear KDRL-50			<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
<b>NISSAN</b> PRIMERA	<b>P10 1.8 LTR</b> 1990 - 1995	Lowered Coil	Rear KDRL-50	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
<b>NISSAN</b> PULSAR	<b>N12</b> 1982 - 1987	Lowered Coil	Front KMFL-06	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	<b>N13</b> 1987 - 9/1991	Lowered Coil	Front KFFL-15	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
			Rear KDRL-50	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	<b>N14</b> 10/1991 - 9/1995	Lowered Coil	Rear KDRL-50	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	<b>N14 - GTIR (Import)</b> All	Lowered Coil	Rear KDRL-50	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
	<b>N15 - SER 2</b> 9/1997 - 6/2000	Lowered Coil	Front KDFL-01	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
		Standard Height Coil	Rear KDRS-65SP	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
<b>N16 - SEDAN</b> 7/2000 - 2005	Standard Height Coil	Rear KDRS-65SP	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.	
<b>NISSAN</b> SKYLINE	<b>R31 - SEDAN</b> 1986 - 1990	Lowered Coil	Front KDFL-29	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
			Rear KDRL-30	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.
	<b>R31 - WAGON</b> 1986 - 1990	Lowered Coil	Front KDFL-29	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
<b>NISSAN</b> STANZA	1978 - 1983	Lowered Coil	Front KDFL-17	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
<b>NISSAN</b> SUNNY	<b>SEDAN</b> 1979 - 1982	Lowered Coil	Front KDFL-17	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
	<b>WAGON</b> 1979 - 1982	Lowered Coil	Front KDFL-17	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
<b>NISSAN</b> TERRANO	1997 - 1999	Lowered Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
		Raised Coil	Rear KDRR-39	<b>\$B</b>	-

NISSAN X-TRAIL	T30 2001 - 9/2007	Raised Coil	Front KDFR-46	\$B	RECOMMENDED TO REUSE THE ORIGINAL LOWER STRUT MOUNT INSULATOR WHEN CHANGING STRUTS/COILS
			Rear KDRR-47	\$B	
	T31 DIESEL 10/2007 - 2013	Raised Coil	Front KDFR-94HD	\$B	-
			Rear KDRR-95	\$B	-
	T31 PETROL 10/2007 - 2013	Raised Coil	Front KDFR-94	\$B	-
			Rear KDRR-95	\$B	-

## PROTON

PROTON M21	SPORTS COUPE 1997 - 1999	Standard Height Coil	Rear KCRS-46	\$A	-
PROTON PERSONA	1.5 LTR 1997 - 2005	Standard Height Coil	Rear KCRS-46	\$A	-
	1.6 LTR 1997 - 2005	Standard Height Coil	Rear KCRS-46	\$A	-
PROTON SATRIA	1.5 LTR 1997 - 2005	Standard Height Coil	Rear KCRS-46	\$A	-
	1.6 LTR 1997 - 2005	Standard Height Coil	Rear KCRS-46	\$A	-
PROTON WIRA	1995 - 2005	Standard Height Coil	Rear KCRS-46	\$A	-

## RENAULT

RENAULT KOLEOS	H45 PHASE I 2007 - 2011	Raised Coil	Rear KDRR-95	\$B	-
-------------------	----------------------------	-------------	--------------	-----	---

## ROVER

ROVER RANGE ROVER	COIL SPRING FR & RE - ALLOY V8 ONLY 1972 - 4/1995	Standard Height Coil	Front KRFS-01	\$B	-
			Rear KRRS-02	\$B	-
		Raised Coil	Front KRFR-01	\$B	-
			Rear KRRR-02	\$B	-

## SSANG YONG

SSANG YONG ACTYON	DUAL CAB UTE 2007 - 2011	Raised Coil	Rear KMRS-90	\$B	-
	WAGON 2007 - 2011	Raised Coil	Rear KMRL-90	\$D	-
SSANG YONG MUSSO	Q200 UTE 4 DOOR 4X4 10/2018 - 2019	Raised Coil	Rear KMRS-90	\$B	-
	SPORT UTE 4 DOOR 3/2004 - 2006	Standard Height Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
			Rear KMRS-90	\$B	-
	WAGON 1996 - 2006	Standard Height Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
			Rear KMRS-90	\$B	-
	Raised Coil	Rear KMRR-90	\$B	-	
SSANG YONG REXTON	Y200, Y220 (LIVE AXLE) 2003 - 2006	Raised Coil	Front KSFR-50	\$B	-
			Rear KMRS-90	\$B	-
	Y220 II (INDEPENDENT REAR) 2006 - 2010	Raised Coil	Rear KSRR-61	\$B	-
	Y285 II (INDEPENDENT REAR) 2011 - 2016	Raised Coil	Front KSFR-50	\$B	-
Rear KSRR-61			\$B	-	

## SUBARU

SUBARU BRUMBY	UTE & WAGON 1984 - 1994	Standard Height Coil	Front KFFS-45	\$A	-
------------------	----------------------------	----------------------	---------------	-----	---

SUBARU BRZ	2012 - Current	Lowered Coil	Front KTFL-122SP	\$B	PROGRESSIVE RATE DESIGN USED.
			Rear KTRL-123	\$B	PROGRESSIVE RATE DESIGN USED.
SUBARU FORESTER	SF 1997 - 6/2002	Lowered Coil	Front KSFS-22	\$A	-
			Standard Height Coil	Front KSFR-28	\$A
		Raised Coil	Rear KSRS-33	\$A	WARNING THIS PART NUMBER NOT TO BE USED WITH O/E STRUT. RECOMMEND REPLACEMENT KYB 334191/2.
			Rear KSRR-33	\$A	WARNING THIS PART NUMBER NOT TO BE USED WITH O/E STRUT. RECOMMEND REPLACEMENT KYB 334191/2.
	SG 7/2002 - 2/2008	Lowered Coil	Front KSFR-22	\$A	-
			Rear KSRS-39	\$A	CHECK FOR SELF LEVEL REAR SUSPENSION. IF VEHICLE IS FITTED WITH SELF LEVEL REAR SUSPENSION, THEN YOU MUST FIT A NON SELF LEVEL TYPE SHOCK ABSORBER WITH THIS SPRING.
		Standard Height Coil	Front KSFS-32	\$A	-
			Rear KSRS-43	\$A	CHECK FOR SELF LEVEL REAR SUSPENSION. IF VEHICLE IS FITTED WITH SELF LEVEL REAR SUSPENSION, THEN YOU MUST FIT A NON SELF LEVEL TYPE SHOCK ABSORBER WITH THIS SPRING.
		Raised Coil	Front KSFR-32SP	\$A	-
			Rear KSRR-43	\$A	CHECK FOR SELF LEVEL REAR SUSPENSION. IF VEHICLE IS FITTED WITH SELF LEVEL REAR SUSPENSION, THEN YOU MUST FIT A NON SELF LEVEL TYPE SHOCK ABSORBER WITH THIS SPRING.
	SH - TURBO WITH SELF LEVELING REAR 3/2008 - 2013	Standard Height Coil	Front KSFS-55	\$A	DUE TO A LACK OF SUSPENSION TRAVEL OF THE SHOCK ABSORBERS, WE CAN NOT MANUFACTURE A LOWERED NOR A RAISED HEIGHT FOR THIS VEHICLE
			Rear KSRS-57	\$B	DUE TO A LACK OF SUSPENSION TRAVEL OF THE SHOCK ABSORBERS, WE CAN NOT MANUFACTURE A LOWERED NOR A RAISED HEIGHT FOR THIS VEHICLE
	SH - WITHOUT SELF LEVEL REAR 3/2008 - 2013	Standard Height Coil	Front KSFS-55	\$A	DUE TO A LACK OF SUSPENSION TRAVEL OF THE SHOCK ABSORBERS, WE CAN NOT MANUFACTURE A LOWERED NOR A RAISED HEIGHT FOR THIS VEHICLE
			Rear KSRS-56	\$A	DUE TO A LACK OF SUSPENSION TRAVEL OF THE SHOCK ABSORBERS, WE CAN NOT MANUFACTURE A LOWERED NOR A RAISED HEIGHT FOR THIS VEHICLE
	SJ - WITH SELF LEVELING REAR 1/2013 - 2018	Standard Height Coil	Front KSFS-55	\$A	DUE TO A LACK OF SUSPENSION TRAVEL OF THE SHOCK ABSORBERS, WE CAN NOT MANUFACTURE A LOWERED NOR A RAISED HEIGHT FOR THIS VEHICLE
			Rear KSRS-57	\$B	DUE TO A LACK OF SUSPENSION TRAVEL OF THE SHOCK ABSORBERS, WE CAN NOT MANUFACTURE A LOWERED NOR A RAISED HEIGHT FOR THIS VEHICLE
	SJ - WITHOUT SELF LEVELING REAR 1/2013 - 2018	Standard Height Coil	Front KSFS-55	\$A	DUE TO A LACK OF SUSPENSION TRAVEL OF THE SHOCK ABSORBERS, WE CAN NOT MANUFACTURE A LOWERED NOR A RAISED HEIGHT FOR THIS VEHICLE
			Rear KSRS-56	\$A	DUE TO A LACK OF SUSPENSION TRAVEL OF THE SHOCK ABSORBERS, WE CAN NOT MANUFACTURE A LOWERED NOR A RAISED HEIGHT FOR THIS VEHICLE
	SK 2018 - Current	Raised Coil	Front KSFR-62	\$B	-
SUBARU IMPREZA & WRX	GC SEDAN 1993 - 9/2000	Ultra Low Coil	Front KSFL-22SSL	\$B	PROGRESSIVE RATE DESIGN USED.
		Super Low Coil	Front KSFL-22SL	\$A	PROGRESSIVE RATE DESIGN USED.
		Lowered Coil	Front KSFL-22	\$A	PROGRESSIVE RATE DESIGN USED.
			Rear KSRL-23	\$B	PROGRESSIVE RATE DESIGN USED.
		Standard Height Coil	Front KSFS-22	\$A	-
		Raised Coil	Front KSFR-22	\$A	-
	GC STI ONLY 1993 - 9/2000	Lowered Coil	Front KSFL-22SL	\$A	PROGRESSIVE RATE DESIGN USED.
	GD SEDAN 10/2000 - 10/2002	Ultra Low Coil	Front KSFL-22SSL	\$B	PROGRESSIVE RATE DESIGN USED.
		Super Low Coil	Front KSFL-22SL	\$A	PROGRESSIVE RATE DESIGN USED.
			Rear KSRL-24SL	\$C	PROGRESSIVE RATE DESIGN USED.
		Lowered Coil	Front KSFL-22	\$A	PROGRESSIVE RATE DESIGN USED.
		Standard Height Coil	Front KSFS-22	\$A	-
Raised Coil	Front KSFR-22	\$A	-		

<b>GD SEDAN</b> 11/2002 - 1/2008	Ultra Low Coil	Front KSFL-22SSL	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.	
		Rear KSRL-39SSL	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.	
	Super Low Coil	Front KSFL-22SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
		Rear KSRL-39SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
	Lowered Coil	Front KSFL-22	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
		Rear KSRL-39	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
Standard Height Coil	Front KSFS-22	<b>\$A</b>	-		
	Rear KSRS-39	<b>\$A</b>	-		
Raised Coil	Front KSFR-22	<b>\$A</b>	-		
<b>GD STi ONLY</b> 10/2000 - 10/2002	Lowered Coil	Front KSFL-22SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
		Rear KSRL-24SL	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.	
<b>GD STi ONLY</b> 11/2002 - 1/2008	Lowered Coil	Front KSFL-22SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
		Rear KSRL-39SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
<b>GE, GV SEDAN</b> 2/2008 - 2012	Super Low Coil	Front KSFL-52SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
		Rear KSRL-53SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
	Lowered Coil	Front KSFL-52	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
		Rear KSRL-53	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
<b>GF HATCH</b> 1993 - 9/2000	Ultra Low Coil	Front KSFL-22SSL	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.	
	Super Low Coil	Front KSFL-22SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
		Rear KSRL-23	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.	
	Lowered Coil	Front KSFL-22	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
	Standard Height Coil	Front KSFS-22	<b>\$A</b>	-	
Raised Coil	Front KSFR-22	<b>\$A</b>	-		
<b>GG HATCH</b> 10/2000 - 10/2002	Ultra Low Coil	Front KSFL-22SSL	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.	
		Rear KSRL-24SL	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.	
	Super Low Coil	Front KSFL-22SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
	Lowered Coil	Front KSFL-22	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
	Standard Height Coil	Front KSFS-22	<b>\$A</b>	-	
Raised Coil	Front KSFR-22	<b>\$A</b>	-		
<b>GG HATCH</b> 11/2002 - 1/2008	Ultra Low Coil	Front KSFL-22SSL	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.	
		Rear KSRL-39SSL	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.	
	Super Low Coil	Front KSFL-22SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
		Rear KSRL-39SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
	Lowered Coil	Front KSFL-22	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
		Rear KSRL-39	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
	Standard Height Coil	Front KSFS-22	<b>\$A</b>	-	
		Rear KSRS-39	<b>\$A</b>	-	
Raised Coil	Front KSFR-22	<b>\$A</b>	-		
<b>GH, GR HATCH</b> 2/2008 - 2012	Super Low Coil	Front KSFL-52SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
		Rear KSRL-53SL	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
	Lowered Coil	Front KSFL-52	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
		Rear KSRL-53	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
<b>GJ SEDAN</b> 2012 - 2016	Lowered Coil	Front KSFL-52SSL	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.	
		Rear KSRL-58	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
<b>GP HATCH</b> 2012 - 2016	Lowered Coil	Front KSFL-52SSL	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.	
		Rear KSRL-58	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
<b>V1 WRX &amp; STi</b> 2012 - 2016	Lowered Coil	Front KSFL-52SSL	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.	
		Rear KSRL-58	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.	
<b>SUBARU L SERIES LEONE</b>	<b>SEDAN</b> 1985 - 1994	Standard Height Coil	Front KFFS-45	<b>\$A</b>	-
	<b>WAGON</b> 1985 - 1994	Standard Height Coil	Front KFFS-45	<b>\$A</b>	-



**3RD GEN SEDAN - INC B4**  
11/1998 - 8/2003

Lowered Coil

Rear KSRL-27

**\$A**

PROGRESSIVE RATE DESIGN USED.

Standard Height Coil

Front KSFR-22

**\$A**

-

Rear KSRL-29

**\$A**

-

**3RD GEN WAGON**  
11/1998 - 8/2003

Lowered Coil

Rear KSRL-29

**\$A**

-

Standard Height Coil

Front KSFR-22

**\$A**

-

Rear KSRS-29

**\$A**

-

Raised Coil

Front KSFR-28

**\$A**

-

Rear KSRR-29

**\$A**

-

**4TH GEN SEDAN**  
9/2003 - 2009

Lowered Coil

Front KSFL-42SP

**\$B**

PROGRESSIVE RATE DESIGN USED.

Rear KSRL-27

**\$A**

PROGRESSIVE RATE DESIGN USED.

Standard Height Coil

Rear KSRL-29

**\$A**

-

**4TH GEN SEDAN - GT ONLY**  
9/2003 - 2009

Lowered Coil

Front KSFL-42

**\$B**

PROGRESSIVE RATE DESIGN USED.

Rear KSRL-27

**\$A**

PROGRESSIVE RATE DESIGN USED.

Standard Height Coil

Rear KSRL-29

**\$A**

-

**4TH GEN WAGON**  
9/2003 - 2009

Lowered Coil

Front KSFL-42SP

**\$B**

PROGRESSIVE RATE DESIGN USED.

Rear KSRL-29

**\$A**

-

Standard Height Coil

Rear KSRS-29

**\$A**

-

Raised Coil

Rear KSRR-29

**\$A**

-

**4TH GEN WAGON - GT ONLY**  
9/2003 - 2009

Lowered Coil

Front KSFL-42

**\$B**

PROGRESSIVE RATE DESIGN USED.

Rear KSRL-29

**\$A**

-

Standard Height Coil

Rear KSRS-29

**\$A**

-

Raised Coil

Rear KSRR-29

**\$A**

-

**5TH GEN SEDAN - 2.5 NON TURBO**  
2009 - 2014

Lowered Coil

Front KSFL-42SP

**\$B**

PROGRESSIVE RATE DESIGN USED.

Rear KSRL-58

**\$A**

PROGRESSIVE RATE DESIGN USED.

**5TH GEN SEDAN - 3.6 V6 & 2.5TURBO**  
2009 - 2014

Lowered Coil

Front KSFL-42

**\$B**

PROGRESSIVE RATE DESIGN USED.

Rear KSRL-58

**\$A**

PROGRESSIVE RATE DESIGN USED.

**5TH GEN WAGON**  
2009 - 11/2014

Lowered Coil

Front KSFL-42SP

**\$B**

PROGRESSIVE RATE DESIGN USED.

Rear KSRL-60

**\$D**

PROGRESSIVE RATE DESIGN USED.

**5TH GEN WAGON - GT ONLY**  
2009 - 11/2014

Lowered Coil

Front KSFL-42

**\$B**

PROGRESSIVE RATE DESIGN USED.

Rear KSRL-60

**\$D**

PROGRESSIVE RATE DESIGN USED.

**6TH GEN SEDAN - 2.5i**  
2014 - 6/2021

Lowered Coil

Front KSFL-42

**\$B**

PROGRESSIVE RATE DESIGN USED.

Rear KSRL-58

**\$A**

PROGRESSIVE RATE DESIGN USED.

<b>SUBARU OUTBACK</b>	<b>1GEN BG9</b> 6/1996 - 10/1998	Raised Coil	Rear KSRR-25	<b>\$C</b>	-
	<b>2GEN BH 4CYL 2.5L</b> 11/1998 - 8/2003	Lowered Coil	Front KSFR-22	<b>\$A</b>	-
	Rear KSRL-29		<b>\$A</b>	-	
	Standard Height Coil	Front KSFS-32	<b>\$A</b>	-	
		Rear KSRS-29	<b>\$A</b>	-	
	Raised Coil	Front KSFR-32	<b>\$A</b>	-	
		Rear KSRR-29	<b>\$A</b>	-	
<b>2GEN BH 4CYL 2.5L SELF LEVEL REAR</b> 11/1998 - 8/2003	Standard Height Coil	Rear KSRS-29SPC	<b>\$B</b>	USE THE NON SELF LEVELLING SHOCK ABSORBER FOR THIS MODEL WITH THIS SPRING USE THIS KING SPRINGS PART NUMBER FOR CARS FITTED WITH SELF LEVEL TYPE SHOCK ABSORBERS AND YOU ARE CONVERTING FROM SELF LEVEL TO NON LEVEL TYPE SHOCK ABSORBER	
		Raised Coil	Front KSFR-32	<b>\$A</b>	-
		Rear KSRR-29SP	<b>\$B</b>	USE THIS KING SPRING PART NUMBER FOR CARS FITTED WITH SELF LEVEL TYPE SHOCK ABSORBERS AND WILL CONTINUE TO USE THE SELF LEVEL TYPE SHOCK ABSORBER. SEE LISTING BELOW IF YOU ARE CONVERTING FROM SELF LEVEL TO A NON LEVEL TYPE SHOCK ABSORBER.	
<b>2GEN BH 6CYL 3.0L</b> 11/1998 - 8/2003	Standard Height Coil	Rear KSRS-29	<b>\$A</b>	-	
		Raised Coil	Front KSFR-32SP	<b>\$A</b>	-
		Rear KSRR-29	<b>\$A</b>	-	
<b>2GEN BH 6CYL 3.0L SELF LEVEL REAR</b> 11/1998 - 8/2003	Standard Height Coil	Rear KSRS-29SPC	<b>\$B</b>	USE THE NON SELF LEVELLING SHOCK ABSORBER FOR THIS MODEL WITH THIS SPRING USE THIS KING SPRINGS PART NUMBER FOR CARS FITTED WITH SELF LEVEL TYPE SHOCK ABSORBERS AND YOU ARE CONVERTING FROM SELF LEVEL TO NON LEVEL TYPE SHOCK ABSORBER	
		Raised Coil	Front KSFR-32SP	<b>\$A</b>	-
			Rear KSRR-29SP	<b>\$B</b>	USE THIS KING SPRING PART NUMBER FOR CARS FITTED WITH SELF LEVEL TYPE SHOCK ABSORBERS AND WILL CONTINUE TO USE THE SELF LEVEL TYPE SHOCK ABSORBER. SEE LISTING BELOW IF YOU ARE CONVERTING FROM SELF LEVEL TO A NON LEVEL TYPE SHOCK ABSORBER.
<b>3GEN BP 4CYL 2.5L</b> 9/2003 - 8/2009	Standard Height Coil	Rear KSRS-29	<b>\$A</b>	-	
		Raised Coil	Front KSFR-51	<b>\$A</b>	-
			Rear KSRR-29	<b>\$A</b>	-
<b>3GEN BP 4CYL 2.5L SELF LEVEL REAR</b> 9/2003 - 8/2009	Standard Height Coil	Rear KSRS-29SPC	<b>\$B</b>	USE KYB 341354 WHEN CONVERTING FROM SELF LEVEL TO NON SELF LEVEL TYPE SHOCK ABSORBERS. USE THIS KING SPRINGS PART NUMBER FOR CARS FITTED WITH SELF LEVEL TYPE SHOCK ABSORBERS AND YOU ARE CONVERTING FROM SELF LEVEL TO NON LEVEL TYPE SHOCK ABSORBER	
		Raised Coil	Front KSFR-51	<b>\$A</b>	-
			Rear KSRR-29SP	<b>\$B</b>	USE THIS KING SPRING PART NUMBER FOR CARS FITTED WITH SELF LEVEL TYPE SHOCK ABSORBERS AND WILL CONTINUE TO USE THE SELF LEVEL TYPE SHOCK ABSORBER. SEE LISTING BELOW IF YOU ARE CONVERTING FROM SELF LEVEL TO A NON LEVEL TYPE SHOCK ABSORBER.
<b>3GEN BP 6CYL 3.0L</b> 9/2003 - 8/2009	Standard Height Coil	Rear KSRS-29	<b>\$A</b>	-	
		Raised Coil	Front KSFR-51SP	<b>\$B</b>	-
			Rear KSRR-29	<b>\$A</b>	-
<b>3GEN BP 6CYL 3.0L SELF LEVEL REAR</b> 9/2003 - 8/2009	Standard Height Coil	Rear KSRS-29SPC	<b>\$B</b>	USE KYB 341354 WHEN CONVERTING FROM SELF LEVEL TO NON SELF LEVEL TYPE SHOCK ABSORBERS. USE THIS KING SPRINGS PART NUMBER FOR CARS FITTED WITH SELF LEVEL TYPE SHOCK ABSORBERS AND YOU ARE CONVERTING FROM SELF LEVEL TO NON LEVEL TYPE SHOCK ABSORBER	
		Raised Coil	Front KSFR-51SP	<b>\$B</b>	-
			Rear KSRR-29SP	<b>\$B</b>	USE THIS KING SPRING PART NUMBER FOR CARS FITTED WITH SELF LEVEL TYPE SHOCK ABSORBERS AND WILL CONTINUE TO USE THE SELF LEVEL TYPE SHOCK ABSORBER. SEE LISTING BELOW IF YOU ARE CONVERTING FROM SELF LEVEL TO A NON LEVEL TYPE SHOCK ABSORBER.
<b>5GEN BS</b> 12/2014 - 12/2020	Raised Coil	Rear KSRS-56	<b>\$A</b>	-	

SUZUKI GRAND VITARA	JB416 4CYL ALL 8/2005 - 1/2019	Raised Coil	Front KSFR-46SP	\$B	-
			Rear KSRR-47	\$B	-
	JB627 6CYL & DIESEL 8/2005 - 9/2014	Raised Coil	Front KSFR-46	\$B	-
			Rear KSRR-47	\$B	-
	SQ 2.5L 6CYL - LWB 4/1998 - 7/2005	Raised Coil	Front KSFR-34	\$B	-
			Rear KSRR-35	\$B	-
	SQ 4CYL - LWB 4/1998 - 7/2005	Raised Coil	Rear KSRR-35	\$B	-
	XL-7 8/2001 - 7/2005	Raised Coil	Front KSFR-34H	\$C	-
			Rear KSRR-38	\$B	-
SUZUKI JIMNY	1998 - 2017	Raised Coil	Front KSFR-36H	\$B	JIMNY RAISED PART NUMBERS CAN ONLY BE USED WITH LONG TRAVEL SHOCK ABSORBERS.
			Rear KSRR-37H	\$B	JIMNY RAISED PART NUMBERS CAN ONLY BE USED WITH LONG TRAVEL SHOCK ABSORBERS.
	GJ 3 DOOR 2018 - Current	Raised Coil	Front KSFR-63	\$B	RAISES THE CAR APPROXIMATELY 15-20MM FROM ORIGINAL STANDARD HEIGHT
			Rear KSRR-64	\$B	RAISES THE CAR APPROXIMATELY 15-20MM FROM ORIGINAL STANDARD HEIGHT
	JJ 5 DOOR 2024 - Current	Raised Coil	Front KSFR-65	\$B	RAISES THE CAR APPROXIMATELY 15-20MM FROM ORIGINAL STANDARD HEIGHT
			Rear KSRR-66	\$B	RAISES THE CAR APPROXIMATELY 15-20MM FROM ORIGINAL STANDARD HEIGHT
SUZUKI KIZASHI	FWD ONLY 2010 - 6/2016	Lowered Coil	Front KDFL-51	\$D	-
SUZUKI SIERRA	COIL SPRUNG - SN413 (SJ80) 1996 - 1998	Raised Coil	Front KSFR-30	\$A	-
			Rear KSRR-31	\$A	-
SUZUKI SWIFT	RS415 2/2005 - 2/2011	Lowered Coil	Front KSRL-39SL	\$A	PROGRESSIVE RATE DESIGN USED.
			Rear KSRL-19	\$B	PROGRESSIVE RATE DESIGN USED.
	RS416 / FZ 3/2011 - 4/2017	Lowered Coil	Rear KSRL-19	\$B	PROGRESSIVE RATE DESIGN USED.
SUZUKI SX4	GYA SEDAN 2007 - 1/2014	Lowered Coil	Front KSRL-39	\$A	PROGRESSIVE RATE DESIGN USED.
	GYB AWD 2007 - 1/2012	Super Low Coil	Front KSRS-39	\$A	-
SUZUKI VITARA	2 DOOR 1.6 4 CYL - SWB 1988 - 3/1998	Raised Coil	Front KSFR-14	\$B	-
			Rear KSRR-15	\$A	-
	2 DOOR 2L 4CYL - SWB 1988 - 3/1998	Raised Coil	Front KSFR-16	\$B	-
			Rear KSRR-15	\$A	-
	4 DOOR 1.6 4CYL - LWB 1991 - 3/1998	Raised Coil	Front KSFR-16	\$B	-
			Rear KSRR-17	\$B	-
	4 DOOR 2L V6 - LWB 1995 - 3/1998	Raised Coil	Rear KSRR-17	\$B	-

TOYOTA

TOYOTA 4 RUNNER	130 1989 - 1996	Standard Height Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
		Raised Coil	Rear KTRR-68	<b>\$B</b>	-
		Raised Coil (100-300KG)	Rear KTRR-68HD	<b>\$B</b>	-
YN60 DIESEL (LEAF FRONT) <i>All</i>	Ubolts	Front UB-437 X 3	-	SQ 14 X 62 X 210	
		Front UB-449/3 X1	-	SQ 14 X 62 X 210	
		Rear UB-453/2 X 4	-	SQ 14 X 62 X 180	
	Pin	Front SK-385G X 2	-	-	
		Rear SK-385G X 2	-	-	
	Shackle	Front SK-384G X 2	-	-	
Rear SK-386G X 2		-	-		
YN60 PETROL (LEAF FRONT) <i>All</i>	Ubolts	Front UB-437 X 3	-	SQ 14 X 62 X 210	
		Front UB-449/3 X1	-	SQ 14 X 62 X 210	
		Rear UB-453/2 X 4	-	SQ 14 X 62 X 180	
	Pin	Front SK-385G X 2	-	-	
		Rear SK-385G X 2	-	-	
	Shackle	Front SK-384G X 2	-	-	
Rear SK-386G X 2		-	-		
YN63, LN61 (INDEPENDENT FRONT) <i>All</i>	Raised Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS	
	Ubolts	Rear UB-453/2 X 4	-	SQ 14 X 62 X 180	
	Pin	Rear SK-385G X 2	-	-	
	Shackle	Rear SK-386G X 2	-	-	
	Bushes Rear	Rear Spring Front Eye SPF-2231 X 4	-	-	
		Rear Spring Rear Eye SPF-2231 X 4	-	-	
Rear Spring Upper SPF-1684K		-	-		
TOYOTA 86	INC GTS 2012 - Current	Lowered Coil	Front KTFL-122SP	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
			Rear KTRL-123	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
TOYOTA AURION	40 SERIES 2006 - 2012	Lowered Coil	Front KTFL-63	<b>\$A</b>	-
			Rear KTRL-61	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
		Standard Height Coil	Front KTFS-63	<b>\$A</b>	-
			Rear KTRS-61	<b>\$A</b>	-
TOYOTA BUNDERA	1985 - 1989	Standard Height Coil	Front KTFS-41	<b>\$D</b>	-
		Raised Coil	Front KTFR-41	<b>\$C</b>	-
			Rear KTRR-42	<b>\$C</b>	-

**TOYOTA  
CAMRY**

**ACV36R 4 CYL - SEDAN**  
10/2002 - 6/2006

Lowered Coil	Front KTFL-63	<b>\$A</b>	-
	Rear KTRL-61	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KTFS-63	<b>\$A</b>	-
	Rear KTRS-61	<b>\$A</b>	-

**ACV40R 4CYL- SEDAN**  
7/2006 - 2011

Lowered Coil	Rear KTRL-61	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Rear KTRS-61	<b>\$A</b>	-

**MCV36R 6 CYL - SEDAN**  
10/2002 - 6/2006

Lowered Coil	Rear KTRL-61	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Rear KTRS-61	<b>\$A</b>	-

**SDV10 4CYL - SEDAN**  
2/1993 - 7/1997

Lowered Coil	Rear KTRL-61	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Rear KTRS-61	<b>\$A</b>	-

**SDV10 4CYL - WAGON**  
2/1993 - 7/1997

Lowered Coil	Rear KTRS-61	<b>\$A</b>	-
Standard Height Coil	Rear KTRS-62	<b>\$B</b>	-

**SDV10 6CYL - SEDAN**  
2/1993 - 7/1997

Lowered Coil	Rear KTRL-61	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Rear KTRS-61	<b>\$A</b>	-

**SDV10 6CYL - WAGON**  
2/1993 - 7/1997

Lowered Coil	Rear KTRS-61	<b>\$A</b>	-
Standard Height Coil	Rear KTRS-62	<b>\$B</b>	-

**SV10, 11 - SEDAN**  
1983 - 1986

Lowered Coil	Rear KTRL-86	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Rear KTRS-36	<b>\$A</b>	-

**SV20, 21, 22 - SEDAN**  
1987 - 1992

Lowered Coil	Rear KTRL-86	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Rear KTRS-36	<b>\$A</b>	-

**V20 4CYL - SEDAN**  
8/1997 - 8/2002

Lowered Coil	Rear KTRL-61	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KTFS-63	<b>\$A</b>	-
	Rear KTRS-61	<b>\$A</b>	-

**V20 4CYL - WAGON**  
8/1997 - 8/2002

Lowered Coil	Rear KTRS-61	<b>\$A</b>	-
Standard Height Coil	Front KTFS-63	<b>\$A</b>	-
	Rear KTRS-62	<b>\$B</b>	-

**V20 6CYL - SEDAN**  
8/1997 - 8/2002

Lowered Coil	Front KTFL-63	<b>\$A</b>	-
	Rear KTRL-61	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
Standard Height Coil	Front KTFS-63	<b>\$A</b>	-
	Rear KTRS-61	<b>\$A</b>	-

**V20 6CYL - WAGON**  
8/1997 - 8/2002

Lowered Coil	Front KTFL-63	<b>\$A</b>	-
	Rear KTRS-61	<b>\$A</b>	-
Standard Height Coil	Front KTFS-63	<b>\$A</b>	-
	Rear KTRS-62	<b>\$B</b>	-

TOYOTA CELICA	RA40 1978 - 1982	Lowered Coil	Front KTFL-14	\$B	PROGRESSIVE RATE DESIGN USED.
			Rear KTRL-15	\$A	PROGRESSIVE RATE DESIGN USED.
		Standard Height Coil	Front KTFS-14	\$D	-
	RA60 11/1981 - 9/1983	Lowered Coil	Front KTFL-26	\$D	PROGRESSIVE RATE DESIGN USED.
			Rear KTRL-15	\$A	PROGRESSIVE RATE DESIGN USED.
	SA63 RA65 10/1983 - 10/1985	Lowered Coil	Front KTFL-26	\$D	PROGRESSIVE RATE DESIGN USED.
	ST162, SX162 11/1985 - 11/1989	Super Low Coil	Front KTFL-45	\$A	PROGRESSIVE RATE DESIGN USED.
			Lowered Coil	Front KTFS-45	\$B
		Standard Height Coil	Rear KTRL-86	\$A	PROGRESSIVE RATE DESIGN USED.
			Rear KTRS-36	\$A	-
	ST184, 185 12/1989 - 1/1994	Lowered Coil	Rear KTRL-86	\$A	PROGRESSIVE RATE DESIGN USED.
			Standard Height Coil	Rear KTRS-36	\$A
ST204, 205 2/1994 - 10/1999	Lowered Coil	Rear KTRL-86	\$A	PROGRESSIVE RATE DESIGN USED.	
		Standard Height Coil	Rear KTRS-36	\$A	-
TA20, 22 1971 - 1976	Lowered Coil	Rear KTRL-11	\$A	PROGRESSIVE RATE DESIGN USED.	
TA23, RA23, 28 1975 - 1977	Lowered Coil	Front KTFL-14	\$B	PROGRESSIVE RATE DESIGN USED.	
		Rear KTRL-11	\$A	PROGRESSIVE RATE DESIGN USED.	
	Standard Height Coil	Front KTFS-14	\$D	-	
TOYOTA COROLLA	AE 101, 102, 112 9/1994 - 11/2001	Lowered Coil	Front KTFL-45	\$A	PROGRESSIVE RATE DESIGN USED.
			Rear KTRL-82	\$B	PROGRESSIVE RATE DESIGN USED.
		Standard Height Coil	Front KTFS-45	\$B	PROGRESSIVE RATE DESIGN USED.
			Rear KTRS-82	\$B	-
	AE70, KE70 1981 - 1985	Lowered Coil	Front KFRL-16	\$A	CHECK FOR REDUCTION OF INSIDE DIAMETER OF ORIGINAL COIL LOWER MOUNT. IF 110MM ID USE KTFL-33 OR KTFS-33. PROGRESSIVE RATE DESIGN USED.
			Rear KTRL-34	\$A	PROGRESSIVE RATE DESIGN USED.
	AE80 1985 - 5/1989	Super Low Coil	Front KHFL-114	\$A	PROGRESSIVE RATE DESIGN USED.
		Lowered Coil	Front KDRL-50	\$A	PROGRESSIVE RATE DESIGN USED.
			Standard Height Coil	Rear KTRL-86	\$A
	AE82 - SINGLE CAM 1985 - 5/1989	Super Low Coil	Front KHFL-114	\$A	PROGRESSIVE RATE DESIGN USED.
		Lowered Coil	Front KDRL-50	\$A	PROGRESSIVE RATE DESIGN USED.
			Standard Height Coil	Rear KTRL-86	\$A
AE82 - TWIN CAM 1986 - 5/1989	Lowered Coil	Front KTFL-45	\$A	PROGRESSIVE RATE DESIGN USED.	
		Standard Height Coil	Front KTFS-45	\$B	PROGRESSIVE RATE DESIGN USED.
	Rear KTRL-86	\$A	PROGRESSIVE RATE DESIGN USED.		
AE86 SPRINTER 1983 - 1986	Lowered Coil	Rear KTRL-34	\$A	PROGRESSIVE RATE DESIGN USED.	
		Standard Height Coil	Front KTFS-33	\$D	-
AE92, 93, 94 6/1989 - 8/1994	Lowered Coil	Front KTFL-45	\$A	PROGRESSIVE RATE DESIGN USED.	
		Rear KTRL-86	\$A	PROGRESSIVE RATE DESIGN USED.	
	Standard Height Coil	Front KTFS-45	\$B	PROGRESSIVE RATE DESIGN USED.	
		Rear KTRS-36	\$A	-	
KE30, 50, 55 1975 - 1981	Lowered Coil	Front KFFL-15	\$A	PROGRESSIVE RATE DESIGN USED.	
ZRE152R, 182 5/2007 - 8/2018	Lowered Coil	Front KTFL-119	\$B	-	
		Rear KTRL-120	\$B	PROGRESSIVE RATE DESIGN USED.	
ZZE122 12/2001 - 4/2007	Super Low Coil	Front KTFL-105SL	\$B	PROGRESSIVE RATE DESIGN USED.	
		Rear KTRL-106SL	\$B	PROGRESSIVE RATE DESIGN USED.	
	Lowered Coil	Front KTFL-105	\$A	-	
		Rear KTRL-106	\$A	PROGRESSIVE RATE DESIGN USED.	
ZZE122 - WAGON 12/2001 - 4/2007	Lowered Coil	Front KTFL-105	\$A	-	
		Rear KTRL-106	\$A	PROGRESSIVE RATE DESIGN USED.	

TOYOTA CORONA	XT130,131 & RT 132,133 10/1979 - 7/1983	Lowered Coil	Front KTFL-14	\$B	PROGRESSIVE RATE DESIGN USED.
			Rear KTRL-15	\$A	PROGRESSIVE RATE DESIGN USED.
		Standard Height Coil	Front KTFS-14	\$D	-
TOYOTA ECHO	NCP10R,12R, 13R 1999 - 2005	Lowered Coil	Front KTFL-96	\$C	-
			Rear KTRL-97	\$C	PROGRESSIVE RATE DESIGN USED.
TOYOTA FJ	CRUISER 2011 - 12/2016	Standard Height Coil	Front KHFR-168	\$B	-
			Rear KTRS-102	\$B	-
		Raised Coil	Front KTFR-101	\$B	-
			Rear KTRR-102	\$B	-
TOYOTA FORTUNER	ARMOURED VEHICLE (EXPORT) All	Raised Coil	Front KTFR-101AV	\$D	-
			Rear KTRR-212AV	\$D	-
	GUN156R 8/2015 - Current	Standard Height Coil	Rear KTRS-215	\$B	PROGRESSIVE RATE DESIGN USED.
			Raised Coil	Front KHFR-168HT	\$C
		Raised Coil (100-300KG)	Rear KTRR-215	\$B	PROGRESSIVE RATE DESIGN USED.
			Rear KTRR-215HD	\$B	PROGRESSIVE RATE DESIGN USED.
TOYOTA HILUX	2WD KUN16R,GGN15R,TGN16R 2005 - 12/2015	Super Low Coil	Front KTFL-113SL	\$B	-
		Raised Coil	Front KTFR-113	\$B	-
		Ubolts	Rear UB-453/3 X 4	-	RD 14 X 83 X 195
	2WD LN,RN,YN 30MM FRONT EYE 10/1988 - 2/2005	Super Low Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
			Bushes Rear	Rear Spring Front Eye SPF-2231 X 4	-
		Rear Spring Rear Eye SPF-2231 X 8		-	-

4WD GUN126R 2.8TD (EXCL GR  
SPORT & ROGUE)  
7/2015 - Current

Lowered Coil	Front KTFS-58	\$B	-
Standard Height Coil	Front KHFR-168	\$B	-
Raised Coil	Front KTFR-101	\$B	-
	Front KTFR-101T	\$C	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Front KTFR-101TC	\$C	EXTRA COMFORT TAPERED WIRE PROGRESSIVE RATE DESIGN
Raised Leaf	Rear TOY-094 ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD DUE TO THE POSITIONING OF THE FUEL TANK WE RECOMMEND TO SUPPLY A SK-387-2G X 1 (FRONT PIN) WITH ALL THE TOY-094 SERIES LEAF SPRINGS. L/H FRONT PIN EITHER REQUIRES TO BE CUT FROM THE VEHICLE TO BE REMOVED AND A NEW ONE SUPPLIED, OR REMOVAL OF THE FUEL TANK.
Raised Comfort Leaf	Rear TOY-094C ZZ	-	IMPORTED SPRING DUE TO THE POSITIONING OF THE FUEL TANK WE RECOMMEND TO SUPPLY A SK-387-2G X 1 (FRONT PIN) WITH ALL THE TOY-094 SERIES LEAF SPRINGS. L/H FRONT PIN EITHER REQUIRES TO BE CUT FROM THE VEHICLE TO BE REMOVED AND A NEW ONE SUPPLIED, OR REMOVAL OF THE FUEL TANK.
Raised Coil (50-100KG)	Front KTFR-101H	\$B	-
	Front KTFR-101HT	\$C	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Front KTFR-101HTC	\$C	EXTRA COMFORT TAPERED WIRE PROGRESSIVE RATE DESIGN
Raised Coil (100-250KG)	Front KTFR-101HD	\$B	-
	Front KTFR-101HDT	\$C	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Front KTFR-101HH	\$B	-
	Front KTFR-101HHD	\$B	-
Raised EHD Leaf	Rear TOY-094HD ZZ	-	LONGER UBOLTS REQUIRED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM DUE TO THE POSITIONING OF THE FUEL TANK WE RECOMMEND TO SUPPLY A SK-387-2G X 1 (FRONT PIN) WITH ALL THE TOY-094 SERIES LEAF SPRINGS. L/H FRONT PIN EITHER REQUIRES TO BE CUT FROM THE VEHICLE TO BE REMOVED AND A NEW ONE SUPPLIED, OR REMOVAL OF THE FUEL TANK.
Ubolts	Rear UB-437 X 4	-	SQ 14 X 62 X 210
Pin	Rear SK-387-2G X 2	-	-
Shackle	Rear SK-392G X 2	-	-
Bushes Rear	Rear Spring Front Eye SPF-2670K	-	-
	Rear Spring Rear Eye SPF-2671K	-	-
	Rear Spring Upper SPF-2672K	-	-
BUSH KIT	Kit KIT-096K	-	-



**4WD GUN126R 2.8TD GR SPORT  
(EXCL ROGUE)  
2023 - Current**

Raised Coil	Front KTFR-114	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT
Raised Leaf	Rear TOY-094 ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD DUE TO THE POSITIONING OF THE FUEL TANK WE RECOMMEND TO SUPPLY A SK-387-2G X 1 (FRONT PIN) WITH ALL THE TOY-094 SERIES LEAF SPRINGS. L/H FRONT PIN EITHER REQUIRES TO BE CUT FROM THE VEHICLE TO BE REMOVED AND A NEW ONE SUPPLIED, OR REMOVAL OF THE FUEL TANK.
Raised Comfort Leaf	Rear TOY-094C ZZ	-	IMPORTED SPRING DUE TO THE POSITIONING OF THE FUEL TANK WE RECOMMEND TO SUPPLY A SK-387-2G X 1 (FRONT PIN) WITH ALL THE TOY-094 SERIES LEAF SPRINGS. L/H FRONT PIN EITHER REQUIRES TO BE CUT FROM THE VEHICLE TO BE REMOVED AND A NEW ONE SUPPLIED, OR REMOVAL OF THE FUEL TANK.
Raised Coil (50-100KG)	Front KTFR-114H	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 50-55MM FROM ORIGINAL STANDARD HEIGHT
Raised EHD Leaf	Rear TOY-094HD ZZ	-	LONGER UBOLTS REQUIRED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM DUE TO THE POSITIONING OF THE FUEL TANK WE RECOMMEND TO SUPPLY A SK-387-2G X 1 (FRONT PIN) WITH ALL THE TOY-094 SERIES LEAF SPRINGS. L/H FRONT PIN EITHER REQUIRES TO BE CUT FROM THE VEHICLE TO BE REMOVED AND A NEW ONE SUPPLIED, OR REMOVAL OF THE FUEL TANK.
Ubolts	Rear tdub-042	-	2 X U/BOLTS PER KIT - 2 KITS REQUIRED
Pin	Rear SK-387-2G X 2	-	-
Shackle	Rear SK-392G X 2	-	-
Bushes Rear	Rear Spring Front Eye SPF-2670K	-	-
	Rear Spring Rear Eye SPF-2671K	-	-
	Rear Spring Upper SPF-2672K	-	-
BUSH KIT	Kit KIT-096K	-	-

**4WD KUN26R,GGN25R  
2005 - 7/2015**

Lowered Coil	Front KTFS-58	<b>\$B</b>	-
Standard Height Coil	Front KHFR-168	<b>\$B</b>	-
Raised Coil	Front KTFR-101	<b>\$B</b>	-
	Front KTFR-101T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Front KTFR-101TC	<b>\$C</b>	EXTRA COMFORT TAPERED WIRE PROGRESSIVE RATE DESIGN
Raised Leaf	Rear TOY-092 ZZ	-	IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
Raised Comfort Leaf	Rear TOY-092C ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD
Raised Coil (50-100KG)	Front KTFR-101H	<b>\$B</b>	-
	Front KTFR-101HT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Front KTFR-101HTC	<b>\$C</b>	EXTRA COMFORT TAPERED WIRE PROGRESSIVE RATE DESIGN
Raised Coil (100-250KG)	Front KTFR-101HD	<b>\$B</b>	-
	Front KTFR-101HDT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Front KTFR-101HH	<b>\$B</b>	-
	Front KTFR-101HHD	<b>\$B</b>	-
Raised EHD Leaf	Rear TOY-092HD ZZ	-	LONGER UBOLTS REQUIRED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM
Ubolts	Rear UB-453/2 X 4	-	SQ 14 X 62 X 180
Pin	Rear SK-387-2G X 2	-	-
Shackle	Rear SK-387G X 2	-	-
Bushes Rear	Rear Spring Front Eye SPF-2670K	-	-
	Rear Spring Rear Eye SPF-2671K	-	-
	Rear Spring Upper SPF-2672K	-	-
BUSH KIT	Kit KIT-096K	-	-

**4WD LN106 DIESEL (LEAF FRONT)**  
1988 - 1997

Ubolts	Front UB-437 X 3	-	SQ 14 X 62 X 210
	Front UB-449/3 X1	-	SQ 14 X 62 X 210
	Rear UB-453/2 X 4	-	SQ X 14 X 62 X 180
Pin	Front SK-385G X 2	-	-
	Rear SK-385G X 2	-	-
Shackle	Front SK-384G X 2	-	-
	Rear SK-386G X 2	-	-
Front Bushes	Front Spring Front Eye SPF-2231 X 4	-	-
	Front Spring Rear Eye SPF-2231 X 4	-	-
	Front Spring Upper SPF-2240 X 4	-	-
Bushes Rear	Rear Spring Front Eye SPF-2231 X 4	-	-
	Rear Spring Rear Eye SPF-2231 X 4	-	-
	Rear Spring Upper SPF-2231 X 4	-	-

**4WD LN110, LN111, LN167 DIESEL (IND. FRONT)**  
1989 - 2003

Raised Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
Raised Leaf	Rear TOY-049 ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD
Raised EHD Leaf	Rear TOY-208 ZZ	-	LONGER UBOLTS REQUIRED. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
Ubolts	Rear UB-453/2 X 4	-	SQ X 14 X 62 X 180
Pin	Rear SK-387-2G X 2	-	-
Shackle	Rear SK-386/1G X 2	-	-
Bushes Rear	Rear Spring Front Eye SPF-972K	-	-
	Rear Spring Rear Eye SPF-2231 X 4	-	-
	Rear Spring Upper SPF-1684K	-	-
BUSH KIT	Kit KIT-077K	-	-

**4WD LN36,46,65,67 DIESEL (LEAF FRONT)**  
All

Ubolts	Front UB-437 X 3	-	SQ 14 X 62 X 210
	Front UB-449/3 X1	-	SQ 14 X 62 X 210
	Rear UB-453/2 X 4	-	SQ X 14 X 62 X 180
Pin	Front SK-385G X 2	-	-
	Rear SK-385G X 2	-	-
Shackle	Front SK-384G X 2	-	-
	Rear SK-386G X 2	-	-
Front Bushes	Front Spring Front Eye SPF-2231 X 4	-	-
	Front Spring Rear Eye SPF-2231 X 4	-	-
	Front Spring Upper SPF-2240 X 4	-	-
Bushes Rear	Rear Spring Front Eye SPF-2231 X 4	-	-
	Rear Spring Rear Eye SPF-2231 X 4	-	-
	Rear Spring Upper SPF-2231 X 4	-	-

**4WD RN36M RN46, RN105 (LEAF FRONT)**  
All

Ubolts	Front UB-437 X 3	-	SQ 14 X 62 X 210
	Front UB-449/3 X1	-	SQ 14 X 62 X 210
	Rear UB-453/2 X 4	-	SQ X 14 X 62 X 180
Pin	Front SK-385G X 2	-	-
	Rear SK-385G X 2	-	-
Shackle	Front SK-384G X 2	-	-
	Rear SK-386G X 2	-	-
Front Bushes	Front Spring Front Eye SPF-2231 X 4	-	-
	Front Spring Rear Eye SPF-2231 X 4	-	-
	Front Spring Upper SPF-2240 X 4	-	-
Bushes Rear	Rear Spring Front Eye SPF-2231 X 4	-	-
	Rear Spring Rear Eye SPF-2231 X 4	-	-
	Rear Spring Upper SPF-2231 X 4	-	-

**4WD SR5 RN110, LN107, LN111 (IND. FRONT)**  
1989 - 2003

Raised EHD Leaf	Rear TOY-049 ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD
Ubolts	Rear UB-453/2 X 4	-	SQ X 14 X 62 X 180
Pin	Rear SK-387-2G X 2	-	-
Shackle	Rear SK-386/1G X 2	-	-
Bushes Rear	Rear Spring Front Eye SPF-972K	-	-
	Rear Spring Rear Eye SPF-2231 X 4	-	-
	Rear Spring Upper SPF-1684K	-	-
BUSH KIT	Kit KIT-077K	-	-

**4WD YN65, YN67 PETROL (LEAF FRONT)**  
All

Ubolts	Front UB-437 X 3	-	SQ 14 X 62 X 210
	Front UB-449/3 X1	-	SQ 14 X 62 X 210
	Rear UB-453/2 X 4	-	SQ X 14 X 62 X 180
Pin	Front SK-385G X 2	-	-
	Rear SK-385G X 2	-	-
Shackle	Front SK-384G X 2	-	-
	Rear SK-386G X 2	-	-
Front Bushes	Front Spring Front Eye SPF-2231 X 4	-	-
	Front Spring Rear Eye SPF-2231 X 4	-	-
	Front Spring Upper SPF-2240 X 4	-	-
Bushes Rear	Rear Spring Front Eye SPF-2231 X 4	-	-
	Rear Spring Rear Eye SPF-2231 X 4	-	-
	Rear Spring Upper SPF-2231 X 4	-	-

**ROGUE WIDEBODY**  
2023 - Current

Raised Coil	Front KTFR-101TC	<b>\$C</b>	RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT
Raised Leaf	Rear TOY-094 ZZ	-	IMPORTED SPRING UP TO 300KG OF LOAD DUE TO THE POSITIONING OF THE FUEL TANK WE RECOMMEND TO SUPPLY A SK-387-2G X 1 (FRONT PIN) WITH ALL THE TOY-094 SERIES LEAF SPRINGS. L/H FRONT PIN EITHER REQUIRES TO BE CUT FROM THE VEHICLE TO BE REMOVED AND A NEW ONE SUPPLIED, OR REMOVAL OF THE FUEL TANK.
Raised Comfort Leaf	Rear TOY-094C ZZ	-	IMPORTED SPRING DUE TO THE POSITIONING OF THE FUEL TANK WE RECOMMEND TO SUPPLY A SK-387-2G X 1 (FRONT PIN) WITH ALL THE TOY-094 SERIES LEAF SPRINGS. L/H FRONT PIN EITHER REQUIRES TO BE CUT FROM THE VEHICLE TO BE REMOVED AND A NEW ONE SUPPLIED, OR REMOVAL OF THE FUEL TANK.
Raised Coil (50-100KG)	Front KTFR-101HTC	<b>\$C</b>	RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT
Raised EHD Leaf	Rear TOY-094HD ZZ	-	LONGER UBOLTS REQUIRED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM DUE TO THE POSITIONING OF THE FUEL TANK WE RECOMMEND TO SUPPLY A SK-387-2G X 1 (FRONT PIN) WITH ALL THE TOY-094 SERIES LEAF SPRINGS. L/H FRONT PIN EITHER REQUIRES TO BE CUT FROM THE VEHICLE TO BE REMOVED AND A NEW ONE SUPPLIED, OR REMOVAL OF THE FUEL TANK.
Ubolts	Rear tdub-042	-	2 X U/BOLTS PER KIT - 2 KITS REQUIRED
Pin	Rear SK-387-2G X 2	-	-
Shackle	Rear SK-392G X 2	-	-
Bushes Rear	Rear Spring Front Eye SPF-2670K	-	-
	Rear Spring Rear Eye SPF-2671K	-	-
	Rear Spring Upper SPF-2672K	-	-
BUSH KIT	Kit KIT-096K	-	-

**TOYOTA KLUGER**  
GSU 40 FWD  
5/2007 - 11/2013

Raised Coil	Rear KTRR-133	<b>\$C</b>	-
Raised Coil	Rear KTRR-133	<b>\$C</b>	-
Raised Coil	Rear KTRR-135	<b>\$C</b>	-

**TOYOTA KLUGER**  
GSU 45 AWD  
5/2007 - 3/2014

**TOYOTA KLUGER**  
GSU 55 AWD  
4/2014 - 2/2017

**TOYOTA LANDCRUISER**

**100 SERIES INDEPENDENT FRONT**  
2000 - 2006

Lowered Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
Standard Height Coil	Rear KTPR-95	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Rear KTPR-70	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**100, 105 SERIES SOLID AXLE FRONT**  
1998 - 2007

Standard Height Coil	Front KTFS-94	<b>\$B</b>	-
	Rear KTRS-95	<b>\$B</b>	-
Raised Coil	Front KTFS-69	<b>\$B</b>	-
	Rear KTRS-70	<b>\$B</b>	-
Raised Comfort Coil	Front KTFS-69C	<b>\$B</b>	-
	Rear KTRS-70C	<b>\$B</b>	-
Raised Coil (50-100KG)	Front KTFR-69	<b>\$B</b>	-
	Front KTFR-69T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Front KTFS-69HD	<b>\$B</b>	-
Raised Coil (100-250KG)	Front KTFR-69HD	<b>\$B</b>	-
Raised Comfort Coil (100-250KG)	Rear KTPR-70	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (100-300KG)	Rear KTRS-70HD	<b>\$C</b>	-
Raised Coil (300-500KG)	Rear KTRR-70HD	<b>\$C</b>	-
Raised Coil (500KG+)	Rear KTRR-70HHD	<b>\$D</b>	-

**105 SERIES WITH ACTIVE RIDE CONTROL**  
2004 - 2006

Lowered Coil	Front TORSION BAR	-	TORSION BARS SHOWN FOR ILLUSTRATION PURPOSES ONLY. KING SPRINGS DO NOT SUPPLY OR MANUFACTURE TORSION BARS
Standard Height Coil	Rear KTRS-79	<b>\$B</b>	-

**200 SERIES ARMoured VEHICLE**  
2007 - 12/2021

Raised Coil	Rear KTRR-131AV	<b>\$D</b>	-
-------------	-----------------	------------	---

**200 SERIES EXCL KDSS**  
2007 - 12/2021

Lowered Coil	Rear KTRL-131	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
	Standard Height Coil	Front KTFS-130	<b>\$B</b> -
Raised Coil	Rear KTRS-131	<b>\$B</b>	-
	Front KTFR-130	<b>\$B</b>	-
	Rear KTPR-131	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Comfort Coil	Rear KTRR-131	<b>\$B</b>	-
	Front KTFR-130T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Coil (50-100KG)	Rear KTPR-131C	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
	Front KTFR-130H	<b>\$B</b>	-
Raised Coil (100-250KG)	Front KTFR-130HT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Front KTFR-130HD	<b>\$B</b>	-
Raised Comfort Coil (100-250KG)	Front KTFR-130HHD	<b>\$C</b>	-
	Rear KTRR-131H	<b>\$B</b>	-
Raised Coil (100-300KG)	Rear KTPR-131HD	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.
	Rear KTRR-131HD	<b>\$C</b>	-
Raised Coil (300-500KG)	Rear KTRR-131HHD	<b>\$C</b>	-

**200 SERIES WITH KDSS**  
2007 - 12/2021

Lowered Coil	Front KTFL-130K	<b>\$D</b>	FOR LANDCRUISER 200 SERIES FITTED WITH KINETIC SUSP. PLEASE REFER BULLETIN AT TOP OF THIS PAGE
	Rear KTRL-131	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED. FOR LANDCRUISER 200 SERIES FITTED WITH KINETIC SUSP. PLEASE REFER BULLETIN AT TOP OF THIS PAGE
Standard Height Coil	Front KTFS-130K	<b>\$B</b>	FOR LANDCRUISER 200 SERIES FITTED WITH KINETIC SUSP. PLEASE REFER BULLETIN AT TOP OF THIS PAGE
	Rear KTRS-131	<b>\$B</b>	FOR LANDCRUISER 200 SERIES FITTED WITH KINETIC SUSP. PLEASE REFER BULLETIN AT TOP OF THIS PAGE
Raised Coil	Front KTFR-130K	<b>\$B</b>	FOR LANDCRUISER 200 SERIES FITTED WITH KINETIC SUSP. PLEASE REFER BULLETIN AT TOP OF THIS PAGE
	Rear KTPR-131	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED. FOR LANDCRUISER 200 SERIES FITTED WITH KINETIC SUSP. PLEASE REFER BULLETIN AT TOP OF THIS PAGE
	Rear KTRR-131	<b>\$B</b>	FOR LANDCRUISER 200 SERIES FITTED WITH KINETIC SUSP. PLEASE REFER BULLETIN AT TOP OF THIS PAGE
Raised Comfort Coil	Front KTFR-130TK	<b>\$C</b>	FOR LANDCRUISER 200 SERIES FITTED WITH KINETIC SUSP. PLEASE REFER BULLETIN AT TOP OF THIS PAGE TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Rear KTPR-131C	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (50-100KG)	Front KTFR-130HK	<b>\$B</b>	FOR LANDCRUISER 200 SERIES FITTED WITH KINETIC SUSP. PLEASE REFER BULLETIN AT TOP OF THIS PAGE
	Front KTFR-130HTK	<b>\$C</b>	FOR LANDCRUISER 200 SERIES FITTED WITH KINETIC SUSP. PLEASE REFER BULLETIN AT TOP OF THIS PAGE TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Coil (100-250KG)	Front KTFR-130HDK	<b>\$B</b>	FOR LANDCRUISER 200 SERIES FITTED WITH KINETIC SUSP. PLEASE REFER BULLETIN AT TOP OF THIS PAGE
	Front KTFR-130HHDK	<b>\$C</b>	FOR LANDCRUISER 200 SERIES FITTED WITH KINETIC SUSP. PLEASE REFER BULLETIN AT TOP OF THIS PAGE
Raised Comfort Coil (100-250KG)	Rear KTRR-131H	<b>\$B</b>	FOR LANDCRUISER 200 SERIES FITTED WITH KINETIC SUSP. PLEASE REFER BULLETIN AT TOP OF THIS PAGE
Raised Coil (100-300KG)	Rear KTPR-131HD	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED. FOR LANDCRUISER 200 SERIES FITTED WITH KINETIC SUSP. PLEASE REFER BULLETIN AT TOP OF THIS PAGE
	Rear KTRR-131HD	<b>\$C</b>	FOR LANDCRUISER 200 SERIES FITTED WITH KINETIC SUSP. PLEASE REFER BULLETIN AT TOP OF THIS PAGE
Raised Coil (300-500KG)	Rear KTRR-131HHD	<b>\$C</b>	FOR LANDCRUISER 200 SERIES FITTED WITH KINETIC SUSP. PLEASE REFER BULLETIN AT TOP OF THIS PAGE

**300 SERIES**  
7/2021 - Current

Lowered Coil	Rear 30mm H/Duty KTRL-141	<b>\$C</b>	-
Standard Height Coil	Front KTFS-140	<b>\$B</b>	-
	Rear KTRS-141	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KTFR-140	<b>\$B</b>	-
	Rear KTRR-141	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Comfort Coil	Front KTFR-140T	<b>\$C</b>	-
Raised Comfort Coil (50-100KG)	Front KTFR-140H	<b>\$B</b>	-
Raised Coil (50-100KG)	Front KTFR-140HD	<b>\$B</b>	-
Raised Coil (100-250KG)	Front KTFR-140HHD	<b>\$B</b>	-
Raised Comfort Coil (100-250KG)	Rear KTRR-141H	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (100-300KG)	Rear KTRR-141HD	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (300-500KG)	Rear KTRR-141HHD	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.

**40, 42 SERIES SWB 1980 - ON (35MM EYES)**  
All

Raised EHD Leaf	Front TOY-212	-	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
	Rear TOY-054	-	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Ubolts	Front UB-449 X 1	-	SQ 14 X 85 X 230
	Front UB-453/1 X 3	-	RD 14 X 83 X 215
	Rear UB-453/3 X 4	-	RD 14 X 83 X 195
Pin	Front SK-351G X 2	-	-
	Rear SK-351G X 2	-	-
Shackle	Front SK-353G X 2	-	-
	Rear SK-353G X 2	-	-
Front Bushes	Front Spring Front Eye SPF-2260 X 4	-	-
	Front Spring Rear Eye SPF-2260 X 4	-	-
	Front Spring Upper SPF-2260 X 4	-	-
Bushes Rear	Rear Spring Front Eye SPF-2260 X 4	-	-
	Rear Spring Rear Eye SPF-2260 X 4	-	-
	Rear Spring Upper SPF-2260 X 4	-	-

**40, 42 SERIES SWB PRE 1980 (25MM EYES)**  
All

Ubolts	Front UB-453/1 X 4	-	RD 14 X 83 X 215
	Rear UB-453/3 X 4	-	RD 14 X 83 X 195
Pin	Front SK-346G X 2	-	-
	Rear SK-346G X 2	-	-
Shackle	Front SK-343G X 2	-	-
	Rear SK-343G X 2	-	-
Front Bushes	Front Spring Front Eye SPF-2230 X 4	-	-
	Front Spring Rear Eye SPF-2230 X 4	-	-
	Front Spring Upper SPF-2230 X 4	-	-
Bushes Rear	Rear Spring Front Eye SPF-2230 X 4	-	-
	Rear Spring Rear Eye SPF-2230 X 4	-	-
	Rear Spring Upper SPF-2230 X 4	-	-

**45, 47 SERIES LWB 1980 - ON (35MM EYES)**  
All

Ubolts	Front UB-449 X 1	-	SQ 14 X 85 X 230
	Front UB-453/1 X 3	-	RD 14 X 83 X 215
	Rear UB-453/1 X 4	-	RD 14 X 83 X 215
Pin	Front SK-351G X 2	-	-
	Rear SK-351G X 2	-	-
Shackle	Front SK-353G X 2	-	-
	Rear SK-349LG X1 SK-350RG X 1	-	-
Front Bushes	Front Spring Front Eye SPF-2260 X 4	-	-
	Front Spring Rear Eye SPF-2260 X 4	-	-
	Front Spring Upper SPF-2260 X 4	-	-
Bushes Rear	Rear Spring Front Eye SPF-2260 X 4	-	-
	Rear Spring Rear Eye SPF-2260 X 4	-	-
	Rear Spring Upper SPF-2260 X 4	-	-

**45, 47 SERIES LWB PRE 1980 (25MM EYES)**  
All

Raised Leaf	Rear TOY-022	-	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Raised EHD Leaf	Front TOY-051	-	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
	Rear TOY-055	-	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Ubolts	Front UB-453/1 X 4	-	RD 14 X 83 X 215
	Rear UB-453/1 X 4	-	RD 14 X 83 X 215
Pin	Front SK-346G X 2	-	-
	Rear SK-347G X 2	-	-
Shackle	Front SK-343G X 2	-	-
	Rear SK-344G X1 SK-345G X1	-	-
Front Bushes	Front Spring Front Eye SPF-2230 X 4	-	-
	Front Spring Rear Eye SPF-2230 X 4	-	-
	Front Spring Upper SPF-2230 X 4	-	-
Bushes Rear	Rear Spring Front Eye SPF-2230 X 4	-	-
	Rear Spring Rear Eye SPF-2230 X 4	-	-
	Rear Spring Upper SPF-2230 X 4	-	-

**60 SERIES DIESEL**  
1981 - 1990

Raised EHD Leaf	Front TOY-061	-	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED.
Ubolts	Front UB-436 X 4	-	SQ 14 X 72 X 210
	Rear UB-453/1 X 4	-	RD 14 X 83 X 215
Pin	Front SK-351G X 2	-	-
	Rear SK-351G X 2	-	-
Shackle	Front SK-353G X 2	-	-
	Rear SK-353G X 2	-	-
Front Bushes	Front Spring Front Eye SPF-2260 X 4	-	-
	Front Spring Rear Eye SPF-2260 X 4	-	-
	Front Spring Upper SPF-2260 X 4	-	-
Bushes Rear	Rear Spring Front Eye SPF-2260 X 4	-	-
	Rear Spring Rear Eye SPF-2260 X 4	-	-
	Rear Spring Upper SPF-2260 X 4	-	-

**60 SERIES PETROL**  
1981 - 1990

Ubolts	Front UB-436 X 4	-	SQ 14 X 72 X 210
	Rear UB-453/1 X 4	-	RD 14 X 83 X 215
Pin	Front SK-351G X 2	-	-
	Rear SK-351G X 2	-	-
Shackle	Front SK-353G X 2	-	-
	Rear SK-353G X 2	-	-
Front Bushes	Front Spring Front Eye SPF-2260 X 4	-	-
	Front Spring Rear Eye SPF-2260 X 4	-	-
	Front Spring Upper SPF-2260 X 4	-	-
Bushes Rear	Rear Spring Front Eye SPF-2260 X 4	-	-
	Rear Spring Rear Eye SPF-2260 X 4	-	-
	Rear Spring Upper SPF-2260 X 4	-	-

**70, 73 ,74 SERIES MWB**  
1985 - 1999

Raised EHD Leaf	Front TOY-031 ZZ	-	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING
Ubolts	Rear SAMPLES REQ.	-	-
Pin	Front SK-351G X 2	-	-
	Rear SK-354G X 2	-	-
Shackle	Front SK-353G X 2	-	-
	Rear SK-353G X 2	-	-
Front Bushes	Front Spring Front Eye SPF-2260 X 4	-	-
	Front Spring Rear Eye SPF-2260 X 4	-	-
	Front Spring Upper SPF-2260 X 4	-	-
Bushes Rear	Rear Spring Front Eye SPF-2260 X 4	-	-
	Rear Spring Rear Eye SPF-2260 X 4	-	-
	Rear Spring Upper SPF-2260 X 4	-	-

**71, 74 SERIES**  
1999 - 2004

Standard Height Coil	Front KTFS-74	<b>\$B</b>	-
Raised Coil	Front KTFR-74	<b>\$B</b>	-
	Front KTFR-74T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Coil (50-100KG)	Front KTFR-74HT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Coil (100-250KG)	Front KTFR-74HD	<b>\$B</b>	-



**75 SERIES**  
1985 - 1999

Raised Leaf	Front TOY-031 ZZ	-	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING
	Rear TOY-025 ZZ	-	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
Raised EEHD Leaf	Rear TOY-066HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM
Ubolts	Front UB-436 X 4	-	SQ X 14 X 72 X 210
	Rear UB-416 X 4	-	RD 14 X 83 X 225
Pin	Front SK-351G X 2	-	-
	Rear SK-354G X 2	-	-
Shackle	Front SK-353G X 2	-	-
	Rear SK-353G X 2	-	-
Front Buses	Front Spring Front Eye SPF-2260 X 4	-	-
	Front Spring Rear Eye SPF-2260 X 4	-	-
	Front Spring Upper SPF-2260 X 4	-	-
Buses Rear	Rear Spring Front Eye SPF-2270 x 4	-	-
	Rear Spring Rear Eye SPF-2270 x 4	-	-
	Rear Spring Upper SPF-2270 x 4	-	-

**76 SERIES 6Cyl & V8**  
1999 - Current

Standard Height Coil	Front KTFS-74	<b>\$B</b>	-
Raised Coil	Front KTFR-74	<b>\$B</b>	-
	Front KTFR-74T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Leaf	Rear TOY-093 ZZ	-	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING UP TO 300KG OF LOAD
Raised Coil (50-100KG)	Front KTFR-74HT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Coil (100-250KG)	Front KTFR-74HD	<b>\$B</b>	-
Raised EHD Leaf	Rear TOY-093HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
Raised EEHD Leaf	Rear TOY-093EHD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM
Ubolts	Rear UB-416 X 4	-	RD 14 X 83 X 225
Pin	Rear SK-356G X 2	-	-
Shackle	Rear SK-388G X 2	-	-

**78 SERIES 6Cyl & V8**  
1999 - Current

Standard Height Coil	Front KTFS-74	<b>\$B</b>	-
Raised Coil	Front KTFR-74	<b>\$B</b>	KTFR-74SP3 & KTFR-74SP4 AVAILABLE FOR 78/79 SERIES.
	Front KTFR-74T	<b>\$C</b>	KTFR-74SP3 & KTFR-74SP4 AVAILABLE FOR 78/79 SERIES. TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Leaf	Rear TOY-091 ZZ	-	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
Raised Coil (50-100KG)	Front KTFR-74HT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Coil (100-250KG)	Front KTFR-74HD	<b>\$B</b>	KTFR-74SP3 & KTFR-74SP4 AVAILABLE FOR 78/79 SERIES.
Raised EHD Leaf	Rear TOY-091HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM
Raised EEHD Leaf	Rear TOY-091EHD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 800KG UP TO GVM
Ubolts	Rear UB-416A X 4	-	RD 14 X 83 X 240 *** PLEASE NOTE: UB-416A X4 TO BE USED WITH TOY-091HD ZZ AND TOY-091EHD ZZ ONLY. FOR TOY-091 ZZ USE UB-416 X4
Pin	Rear SK-356G X 2	-	-
Shackle	Rear SK-388G X 2	-	MUST USE SK-388BK WITH THESE SHACKLES
BUSH KIT	Kit SK-388BK	-	ALL REAR SHACKLE BUSHES INCLUDED IN KIT

**79 SERIES 6Cyl & V8**  
1999 - Current

Standard Height Coil	Front KTFS-74	<b>\$B</b>	-
Raised Coil	Front KTFR-74	<b>\$B</b>	KTFR-74SP3 & KTFR-74SP4 AVAILABLE FOR 78/79 SERIES.
	Front KTFR-74T	<b>\$C</b>	KTFR-74SP3 & KTFR-74SP4 AVAILABLE FOR 78/79 SERIES. TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Leaf	Rear TOY-091 ZZ	-	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
Raised Coil (50-100KG)	Front KTFR-74HT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Coil (100-250KG)	Front KTFR-74HD	<b>\$B</b>	KTFR-74SP3 & KTFR-74SP4 AVAILABLE FOR 78/79 SERIES.
Raised EHD Leaf	Rear TOY-091HD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 500KG UP TO GVM
Raised EEHD Leaf	Rear TOY-091EHD ZZ	-	LONGER UBOLTS REQUIRED. LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. IMPORTED SPRING CONSTANT LOAD OF 800KG UP TO GVM
Ubolts	Rear UB-416A X 4	-	RD 14 X 83 X 240 *** PLEASE NOTE: UB-416A X4 TO BE USED WITH TOY-091HD ZZ AND TOY-091EHD ZZ ONLY. FOR TOY-091 ZZ USE UB-416 X4
Pin	Rear SK-356G X 2	-	-
Shackle	Rear SK-388G X 2	-	MUST USE SK-388BK WITH THESE SHACKLES
BUSH KIT	Kit SK-388BK	-	ALL REAR SHACKLE BUSHES INCLUDED IN KIT

**80 SERIES**  
1990 - 8/1991

Standard Height Coil	Front KTFS-69	<b>\$B</b>	-
	Rear KTRS-70	<b>\$B</b>	-
Standard Height Coil (50-100KG)	Front KTFS-69HD	<b>\$B</b>	-
Raised Coil	Front KTFR-69	<b>\$B</b>	-
	Front KTFR-69T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Rear KTRR-70	<b>\$B</b>	-
Raised Coil (50-100KG)	Front KTFR-69HD	<b>\$B</b>	-
	Front KTFR-69HDT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Coil (100-250KG)	Front KTFR-69SP3	<b>\$C</b>	-
Raised Comfort Coil (100-250KG)	Rear KTPR-70	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (100-300KG)	Rear KTRS-70HD	<b>\$C</b>	-
Raised Coil (300-500KG)	Rear KTRR-70HD	<b>\$C</b>	-
Raised Coil (500KG+)	Rear KTRR-70HHD	<b>\$D</b>	-

**80 SERIES**  
9/1991 - 1998

Standard Height Coil	Front KTFS-94	<b>\$B</b>	-
	Rear KTRS-95	<b>\$B</b>	-
Raised Coil	Front KTFS-69	<b>\$B</b>	-
	Rear KTRS-70	<b>\$B</b>	-
Raised Comfort Coil	Front KTFS-69C	<b>\$B</b>	-
	Rear KTRS-70C	<b>\$B</b>	-
Raised Coil (50-100KG)	Front KTFR-69	<b>\$B</b>	-
	Front KTFR-69T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Front KTFS-69HD	<b>\$B</b>	-
Raised Coil (100-250KG)	Front KTFR-69HD	<b>\$B</b>	-
Raised Comfort Coil (100-250KG)	Rear KTPR-70	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (100-300KG)	Rear KTRS-70HD	<b>\$C</b>	-
Raised Coil (300-500KG)	Rear KTRR-70HD	<b>\$C</b>	-
Raised Coil (500KG+)	Rear KTRR-70HHD	<b>\$D</b>	-

**TOYOTA**  
MR 2

**AW 11**  
1985 - 1989

Lowered Coil	Rear KTRL-86	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
--------------	--------------	------------	-------------------------------

**SW 20 NON TURBO**  
1/1990 - 12/1999

Lowered Coil	Rear KTRL-11	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
--------------	--------------	------------	-------------------------------

**ZZW30R**  
10/2000 - 9/2002

Lowered Coil	Rear KDFL-17	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
--------------	--------------	------------	-------------------------------

**TOYOTA**  
PASEO

**EL 44 54**  
1991 - 1999

Lowered Coil	Front KTFL-54	<b>\$A</b>	PROGRESSIVE RATE DESIGN USED.
--------------	---------------	------------	-------------------------------

120 GX & GXL - EXCL. KDSS 2/2003 - 2009	Lowered Coil	Front KTFS-58	\$B	-
	Standard Height Coil	Front KHFR-168	\$B	-
		Rear KTRS-102	\$B	-
	Raised Coil	Front KTFR-101	\$B	-
		Front KTFR-101T	\$C	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
		Front KTFR-101TC	\$C	EXTRA COMFORT TAPERED WIRE PROGRESSIVE RATE DESIGN
		Rear KTPR-102	\$B	PROGRESSIVE RATE DESIGN USED.
		Rear KTRR-102	\$B	-
	Raised Comfort Coil	Rear KTPR-102T	\$C	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Raised Coil (50-100KG)	Front KTFR-101H	\$B	-
		Front KTFR-101HT	\$C	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
		Front KTFR-101HTC	\$C	EXTRA COMFORT TAPERED WIRE PROGRESSIVE RATE DESIGN
	Raised Coil (100-250KG)	Front KTFR-101HD	\$B	-
		Front KTFR-101HDT	\$C	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
		Front KTFR-101HH	\$B	-
		Front KTFR-101HHD	\$B	-
	Raised Coil (100-300KG)	Rear KTRR-102HD	\$B	-
	Raised Coil (300-500KG)	Rear KTRR-102EHD	\$C	-
	120 LWB - AIR BAG CONV. 2/2003 - 2009	Standard Height Coil	Front KHFR-168	\$B
Rear KTRS-102AB			\$C	COIL REPLACEMENT. CONVERTS FROM ORIGINAL AIR BAG MUST REMOVE ORIGINAL AIR COMPRESSOR, LINES, ETC. RE-FIT A NON SELF LEVEL, DIRECT REPLACEMENT PRADO SHOCK ABSORBER
Raised Coil		Front KTFR-101	\$B	-
		Front KTFR-101T	\$C	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
		Front KTFR-101TC	\$C	EXTRA COMFORT TAPERED WIRE PROGRESSIVE RATE DESIGN
		Rear KTRR-102AB	\$C	COIL REPLACEMENT. CONVERTS FROM ORIGINAL AIR BAG MUST REMOVE ORIGINAL AIR COMPRESSOR, LINES, ETC. RE-FIT A NON SELF LEVEL, DIRECT REPLACEMENT PRADO SHOCK ABSORBER
Raised Coil (50-100KG)		Front KTFR-101H	\$B	-
		Front KTFR-101HT	\$C	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
		Front KTFR-101HTC	\$C	EXTRA COMFORT TAPERED WIRE PROGRESSIVE RATE DESIGN
Raised Coil (100-250KG)		Front KTFR-101HD	\$B	-
		Front KTFR-101HDT	\$C	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
		Front KTFR-101HH	\$B	-
		Front KTFR-101HHD	\$B	-

**150 GX & GXL - EXCL. KDSS**  
2009 - Current

Lowered Coil	Front KTFS-58	<b>\$B</b>	-
	Standard Height Coil	Front KHFR-168	<b>\$B</b> -
Raised Coil	Rear KTRS-102	<b>\$B</b>	-
	Front KTFR-101	<b>\$B</b>	-
	Front KTFR-101T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Front KTFR-101TC	<b>\$C</b>	EXTRA COMFORT TAPERED WIRE PROGRESSIVE RATE DESIGN
	Rear KTPR-102	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Comfort Coil	Rear KTRR-102	<b>\$B</b>	-
	Rear KTPR-102T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
Raised Coil (50-100KG)	Front KTFR-101H	<b>\$B</b>	-
	Front KTFR-101HT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Front KTFR-101HTC	<b>\$C</b>	EXTRA COMFORT TAPERED WIRE PROGRESSIVE RATE DESIGN
Raised Coil (100-250KG)	Front KTFR-101HD	<b>\$B</b>	-
	Front KTFR-101HDT	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN
	Front KTFR-101HH	<b>\$B</b>	-
	Front KTFR-101HHD	<b>\$B</b>	-
Raised Coil (100-300KG)	Rear KTRR-102HD	<b>\$B</b>	-
Raised Coil (300-500KG)	Rear KTRR-102EHD	<b>\$C</b>	-

**150 LWB - AIR BAG CONV.**  
2009 - Current

Raised Coil	Front KTFR-121	<b>\$B</b>	-
	Rear KTRR-102AB150	<b>\$C</b>	COIL REPLACEMENT. CONVERTS FROM ORIGINAL AIR BAG MUST REMOVE ORIGINAL AIR COMPRESSOR, LINES, ETC. RE-FIT A NON SELF LEVEL, DIRECT REPLACEMENT PRADO SHOCK ABSORBER CURRENTLY ONLY A RAISED OPTION IS AVAILABLE AS A STANDARD HEIGHT COIL WOULD NOT BE TRAPPED AT FULL SUSPENSION DROOP.

**150 LWB - WITH KDSS**  
2009 - Current

Standard Height Coil	Rear KTRS-102	<b>\$B</b>	-
Raised Coil	Front KTFR-121	<b>\$B</b>	-
	Rear KTRR-102	<b>\$B</b>	-

**150 SWB - EXCL. KDSS**  
2009 - Current

Raised Coil	Front KHFR-168	<b>\$B</b>	-
	Rear KTRS-102	<b>\$B</b>	-

**95**  
1996 - 2003

Standard Height Coil	Front KTFS-58	<b>\$B</b>	-
	Rear KTRS-59	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KTFR-58	<b>\$B</b>	-
	Rear KTRR-59	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (50-100KG)	Front KTFR-58HD	<b>\$B</b>	-
Raised Coil (100-300KG)	Rear KTRR-59HD	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.

**LC250 4Cyl 2.8L TD**  
8/2024 - Current

Standard Height Coil	Front KTFS-160	<b>\$B</b>	-
	Rear KTRS-161	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil	Front KTFR-160	<b>\$B</b>	-
	Rear KTRR-161	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Comfort Coil (50-100KG)	Front KTFR-160H	<b>\$B</b>	-
Raised Coil (50-100KG)	Front KTFR-160HD	<b>\$B</b>	-
Raised Comfort Coil (100-250KG)	Rear KTRR-161H	<b>\$B</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (100-300KG)	Rear KTRR-161HD	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.
Raised Coil (300-500KG)	Rear KTRR-161HHD	<b>\$C</b>	PROGRESSIVE RATE DESIGN USED.

TOYOTA RAV 4	LWB ACA33R 4WD 1/2006 - 1/2012	Raised Coil	Front KTFR-117	\$B	-
			Rear KTRR-118	\$B	-
	LWB ASA44R ALA49R AWD 10/2012 - 2/2019	Raised Coil	Rear KTRR-118	\$B	-
	LWB GSA33R AWD 10/2007 - 12/2012	Raised Coil	Rear KTRR-118	\$B	-
	LWB SXA11R 1994 - 6/2000	Raised Coil	Front KTFR-43	\$B	-
			Rear KFFL-04	\$B	-
	SWB & LWB ACA20 ACA21 ACA23 7/2000 - 2005	Raised Coil	Front KTFR-43	\$B	-
			Rear KTRR-46	\$B	-
	SWB SXA10R 1994 - 6/2000	Raised Coil	Front KTFR-43	\$B	-
			Rear KFFL-03	\$B	-
TOYOTA RUKUS	2010 - 2010	Lowered Coil	Front KTFL-119	\$B	-
			Rear KTRL-120	\$B	PROGRESSIVE RATE DESIGN USED.
TOYOTA STARLET	EP 80/81/82 1990 - 1996	Lowered Coil	Front KTFL-54	\$A	PROGRESSIVE RATE DESIGN USED.
	EP 90/91 1996 - 1999	Lowered Coil	Front KTFL-54	\$A	PROGRESSIVE RATE DESIGN USED.
			Rear KTRL-55	\$A	PROGRESSIVE RATE DESIGN USED.
TOYOTA SURF	130 (IMPORT) 1989 - 1996	Raised Coil	Rear KTRR-68	\$B	-
		Raised Coil (100-300KG)	Rear KTRR-68HD	\$B	-
	185 SERIES - COIL FRONT (IMPORT) 1996 - 2002	Standard Height Coil	Front KTFS-58	\$B	-
			Rear KTRS-59	\$B	PROGRESSIVE RATE DESIGN USED.
	Raised Coil	Front KTFR-58HD	\$B	-	
		Rear KTRR-59	\$B	PROGRESSIVE RATE DESIGN USED.	
TOYOTA TARAGO	TCR10 - LIVE AXLE 1990 - 2000	Standard Height Coil	Rear KFFS-14	\$A	-
TOYOTA YARIS	GR AWD 2020 - Current	Lowered Coil	Front KTFL-138	\$B	-
			Rear KTRL-139	\$B	-

VW  
AMAROK

2H 4WD TDi 4CYL  
2011 - Current

Raised Coil	Front KVFR-22	<b>\$B</b>	-
	Front KVFR-22T	<b>\$C</b>	-
Raised Leaf	Rear VOL-002 ZZ	-	MUST USE BUSH KIT. EITHER TOUGH DOG TDUK-072 OR SUPERPRO KIT-183K. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
Raised Coil (50-100KG)	Front KVFR-22H	<b>\$B</b>	-
Ubolts	Rear UB-453/1 X 4	-	RD 14 X 83 X 215
Bushes Rear	Rear Spring Front Eye SPF-3716K	-	-
	Rear Spring Rear Eye SPF-3715K	-	-
	Rear Spring Upper SPF-3717K	-	-
BUSH KIT	Kit KIT-183K	-	-

2H 4WD TDi V6  
2016 - Current

Raised Coil	Front KVFR-22H	<b>\$B</b>	-
Raised Leaf	Rear VOL-002 ZZ	-	MUST USE BUSH KIT. EITHER TOUGH DOG TDUK-072 OR SUPERPRO KIT-183K. IMPORTED SPRING CONSTANT LOAD OF 300KG UP TO GVM
Raised Coil (50-100KG)	Front KVFR-22HH	<b>\$B</b>	-
Ubolts	Rear UB-453/1 X 4	-	RD 14 x 83 x 215
Bushes Rear	Rear Spring Front Eye SPF-3716K	-	-
	Rear Spring Rear Eye SPF-3715K	-	-
	Rear Spring Upper SPF-3717K	-	-
BUSH KIT	Kit KIT-183K	-	-

NF 4Cyl 2.0TD  
2/2024 - Current

Standard Height Coil	Front KFFS-122SP	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 15-20MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil	Front KFFR-122SP	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT
Raised Comfort Coil (50-100KG)	Front KFFR-122T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil (50-100KG)	Front KFFR-122	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT

NF 6Cyl 3.0 TD  
2/2024 - Current

Standard Height Coil	Front KFFS-122	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 10-15MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil	Front KFFR-122	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT
	Front KFFR-122B	<b>\$B</b>	RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT ** BLACK COILS - FRONT RAISED ONLY TO LEVEL OUT VEHICLE - MATCH BLACK OE COIL
Raised Comfort Coil	Front KFFR-122T	<b>\$C</b>	TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN RAISES THE CAR APPROXIMATELY 40-45MM FROM ORIGINAL STANDARD HEIGHT
Raised Comfort Coil (50-100KG)	Front KFFR-122HT	<b>\$C</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. TAPERED WIRE PROGRESSIVE RATE COMFORT DESIGN RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT
Raised Coil (50-100KG)	Front KFFR-122H	<b>\$B</b>	LONG TRAVEL SHOCK ABSORBERS ARE RECOMMENDED. RAISES THE CAR APPROXIMATELY 45-50MM FROM ORIGINAL STANDARD HEIGHT

VW  
TRANSPORTER

T5 / T6 FRONT WHEEL DRIVE ONLY  
8/2004 - Current

Standard Height Coil	Rear KVRS-18	<b>\$E</b>	-
Raised Coil	Front KVFR-19	<b>\$C</b>	-
	Rear KVRR-18	<b>\$E</b>	-
Raised Coil (50-100KG)	Front KVFR-19SP	<b>\$C</b>	-
Raised Coil (300-500KG)	Rear KVRR-18HD	<b>\$E</b>	THESE SPRINGS ARE MANUFACTURED FOR CONSTANT LOAD CARRYING ONLY

# 2025

## KING SPRINGS MASTER CATALOGUE

### WARRANTY AND CONDITIONS

King Springs warranty and conditions are in accordance with the Australian Competition and Consumer Act effective 1/1/2012 "our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure

#### Coil Springs

All Kings replacement coil springs listed in our general catalogue excluding motorsport applications have a limited lifetime warranty against the following.

1. Faulty Manufacture
2. Breakage
3. Sagging (being loss of original free height by more than 10mm)

#### General

1. warranty valid to original purchaser (validation required)
2. faulty, broken or sagged springs will be replaced once validation has been approved.
3. In the event of a claim the consumer is to contact the supplier with the supplier to contact King Springs.
4. All peripheral claims to be negotiated between King Springs and the supplier.

#### Leaf Springs

All Kings heavy duty leaf springs listed in our general catalogue excluding motorsport applications have a 12month warranty against the following.

1. Faulty Manufacture
2. Breakage
3. Sagging (being loss of original free height by more than 10mm)

#### Credit

1. All credit returns must be accompanied with a credit request form with reference number, stating reason for return and original purchase invoice number before credit can be considered.
2. No return of goods after 30 days from date of purchase.
3. No return on specially manufactured, modified or procured good.

For more specific recommendations call our Hotline on +61 7 55396700. NOTE: Kings Super Low & Ultra Low sports replacement coil spring range is designed primarily for cosmetic enhancement (show cars etc). These parts may therefore render your vehicle illegal for use on public roads. Super low springs lower vehicle approximately 10-15mm lower than normal low ultra low a further 10-15mm again. Toyota Landcruiser 80-100 series and Nissan Patrol GQ-GU "SP3- 4 - 5 & 7" Fronts and "SP3- 4 - 5 & 7" rear raised springs are available and lift the vehicle approximately 3", 4", 5" and 7" respectively. Depending on load, these parts may render the vehicle illegal for use on public roads. Modifications may be necessary to brake lines shock absorbers etc. These part No's are not covered by King Springs general warranty and conditions.

*"Although up-to-date at time of printing, please visit our website to view our online catalogue with all the latest vehicle listings at [www.kingsprings.com.au](http://www.kingsprings.com.au)"*